LIST OF TABLES

SE.

Table 3.1:	Reaction mixtures containing ascorbic acid, DPPH and methanol
Table 3.2:	Reaction mixtures containing crude extracts, phosphate buffer, potassium ferricyanide and ferric chloride
Table 3.3:	Reaction mixtures containing EDTA, FeCl ₂ and ferrozine
Table 3.4:	The diet for specific group of experimental animal in 14 days of oral toxicity study
Table 3.5:	Group of experimental animals with specific diet
Table 4.1:	Percentage of water content in each 100g of sample
Table 4.2:	Percentage of average crude extract yield from 100g of dried sample
Table 4.3:	Percentage of inhibition of plant samples and Ascorbic acid. Values are expressed as mean \pm SE and n= 3.
Table 4.4 :	Percentage of inhibition of <i>H. sabdariffa</i> extract. Values are expressed as mean \pm SE and n= 3.
Table 4.5 :	Photometric reading of the sample. Values are expressed as mean \pm SE and $n=3$.
Table 4.6:	Number of brine shrimp survived after 24 hours exposed to different concentration of plant extracts.
Table 4.7:	LC ₅₀ values of <i>H. sabdariffa</i> variety extracts on brine shrimp lethality bioassay
Table 4.8:	Serum values of liver function test for animal study after 14 day oral administration of 1000 mg/kg body weight/ day plant sample. Values are expressed as mean \pm SE and n = 6.
Table 4.9:	Serum values of renal function test for animal study after 14 day oral administration of 1000 mg/kg body weight/day plant sample. Values are expressed as mean \pm SE and n=6.
Table 4.10:	Serum values of liver function test for animal study after 14 day oral administration of 500 mg/kg plant sample. Values are expressed as mean \pm

- **Table 4.11:** Serum values of renal function test for animal study after 14 day oral administration of 500 mg/kg plant sample. Values are expressed as mean \pm SE and n = 6.
- **Table 4.12:** Level of total triglyceride in blood serum of experimental animals in various groups on 0, 30 and 60 days of treatment. Values are expressed as mean \pm SE and n = 6.
- **Table 4.13:** Level of total cholesterol in blood serum of experimental animals in various groups on 0, 30 and 60 days of treatment. Values are expressed as mean \pm SE and n = 6.
- **Table 4.14:** Level of HDL cholesterol in blood serum of experimental animals in various groups on 0, 30 and 60 days of treatment. Values are expressed as mean \pm SE and n =6.
- **Table 4.15:** Level of LDL cholesterol in blood serum of experimental animals in various groups on 0, 30 and 60 days of treatment. Values are expressed as mean \pm SE and n = 6.
- **Table 4.16:** Percentage of intimal surface covered by atherosclerosis in different groups of animals
- **Table 4.17:** R_f values and visualization of chromatogram of Arab variety on TLC plate (Eluent: acetone: methanol = 3:7)
- **Table 4.18:** R_f values and visualization of chromatogram of UKMR-1 variety on TLC plate (Eluent: acetone: methanol = 3:7)
- **Table 4.19:** R_f values and visualization of chromatogram of UKMR-2 variety on TLC plate (Eluent: acetone: methanol = 3:7)