

LIST OF FIGURES

FIGURE	DESCRIPTION	PAGE
1.1	Global polyolefin consumption in 2007	2
1.2	The molecular structures of HDPE, LDPE and LLDPE	3
1.3	Bimetallic structure	15
1.4	Bimetallic complex used by Natta et al. for ethylene polymerization	16
1.5	Bimetallic mechanism for ethylene polymerization	17
1.6	Monometallic structure	18
1.7	Ethylene polymerization mechanism	19
1.8	Trinuclear carboxylate structure, $[M_3O(RCO_2)_63L]^+$	28
2.1	Apparatus set-up for the synthesis of chromium(III) complexes	38
2.2	Perkin Elmer Fourier Transform Infrared (FT-IR) Spectrometer model 1600	42
2.3	Perkin Elmer TGA7	42
2.4	Polymerization gas line with constant volume set-up	44
2.5	Schematic diagram of polymerization gas line	45
2.6	Perkin-Elmer Differential Scanning Calorimeter, DSC 7	52
3.1	FT-IR spectrum of $[Cr_3O(CH_3COO)_6.3H_2O]NO_3.7H_2O$ complex	64
3.2	FT-IR spectrum of $[Cr_3O(ClCH_2COO)_6.3H_2O]NO_3.3H_2O$ complex	65
3.3	TGA thermogram for the decomposition of $[Cr_3O(CH_3COO)_6.3H_2O]NO_3.7H_2O$ complex	71

3.4	TGA thermogram for the decomposition of [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O complex	72
3.5	TGA thermogram for the decomposition of [Cr ₃ O(Cl ₂ CHCOO) ₆ .3H ₂ O]NO ₃ .H ₂ O complex	73
3.6	TGA thermogram for the decomposition of [Cr ₃ O(Cl ₃ CCOO) ₆ .3H ₂ O]NO ₃ .2H ₂ O complex	74
4.1	Kinetic curve of ethylene polymerization using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at Al/Cr molar ratio= 30.8, temperature= 29°C, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene	82
4.2	Kinetic curves for propylene polymerization obtained at various monomer pressures	84
4.3	Plot of accumulative polyethylene yield versus reaction time using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at Al/Cr molar ratio 30.8, temperature 29 °C, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene	86
4.4	Plot of monomer pressure versus time using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at Al/Cr molar ratio 40, temperature 29 °C, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene	87
4.5	Plot of experimental yield versus calculated yield using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system, temperature 29 °C, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene	89
4.6	Plot of ln P versus time using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at Al/Cr molar ratio 30.8, temperature 29 °C, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene	93

4.7	Kinetic curves of ethylene polymerization using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O / AlEt ₂ Cl catalyst system at temperature=29 °C, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene, ■ , Al/Cr= 23.2; Δ, Al/Cr-30.8; x, Al/Cr= 42.2	95
4.8	Plot of maximum initial activity versus Al/Cr ratio using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at temperature 29 °C, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene	97
4.9	Kinetic curves of ethylene polymerization at various temperatures using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene, temperatures:◆ , T= 18°C; Δ, T= 22°C;○ , T= 36°C	100
4.10	Kinetic curves of ethylene polymerization at various temperatures using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene, temperatures:▲, T= 29°C; ○ , T= 40°C	101
4.11	Arrhenius plot of ethylene polymerization using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system in the temperature range between 18°C - 40°C, aging time= 15 minutes, reaction time= 60 minutes, solvent= toluene	103
4.12	Kinetic curves of ethylene polymerization using different chromium(III) catalysts: x, [Cr ₃ O(CH ₃ COO) ₆ .3H ₂ O]NO ₃ .7H ₂ O; ○ , [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O; ◆, [Cr ₃ O(Cl ₂ CHCOO) ₆ .3H ₂ O]NO ₃ .H ₂ O; Δ, [Cr ₃ O(Cl ₃ CCOO) ₆ .3H ₂ O]NO ₃ .2H ₂ O	106
4.13	FT-IR spectrum of polyethylene obtained from [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at Al/Cr molar ratio 23.2	111

4.14	ATR-IR spectrum of polyethylene obtained from [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at Al/Cr molar ratio 23.2	116
4.15	DSC first heating scan of polyethylene obtained from [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at Al/Cr molar ratio 23.2	119
4.16	DSC cooling scan of polyethylene obtained from [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at Al/Cr molar ratio 23.2	120
4.17	DSC second heating scan of polyethylene obtained from [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/ AlEt ₂ Cl catalyst system at Al/Cr molar ratio 23.2	121
4.18	DSC thermogram of sample obtained from polymerization of propylene at Al/Cr molar ratio 50.7 and temperature 3°C	125
5.1	Kinetic curve of ethylene-propylene copolymerization with Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/AlEt ₂ Cl catalyst system; monomer mixture: Ethylene 89.7 %, Propylene 10.3 %	134
5.2	Kinetic curve of ethylene-propylene copolymerization with Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/AlEt ₂ Cl catalyst system; monomer mixture: Ethylene 50.1 %, Propylene 49.9 %	135
5.3	Kinetic curves for ethylene-propylene copolymerization using [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/AlEt ₂ Cl catalyst system at different aging time: ♦, 15 minutes; x, 60 minutes; o, 180 minutes	138
5.4	Effect of varying Al/Cr molar ratio on the average activity of ethylene-propylene copolymerization	141
5.5	Kinetic curves of ethylene-propylene copolymerization with [Cr ₃ O(ClCH ₂ COO) ₆ .3H ₂ O]NO ₃ .3H ₂ O/AlEt ₂ Cl catalyst system at different Al/Cr molar ratios: ▲, Al/Cr= 24.6; x, Al/Cr= 30.8; o, Al/Cr= 34.3	142
5.6	Infrared spectrum of ethylene-propylene copolymer	145

5.7	FT-IR spectrum of E-P copolymer in the range of 1600-600cm ⁻¹ . Baseline used for measurement of A ₇₂₀ , A ₁₃₇₆ and A ₁₄₆₃	147
5.8	A ₇₂₀ /A ₁₃₇₆ absorbance ratio versus mol % ethylene	149
5.9	A ₁₃₇₆ /A ₁₄₆₃ absorbance ratio versus mol % ethylene	150
5.10	DSC first heating scan of ethylene-propylene copolymer containing 50.1% ethylene and 49.9% propylene	153
5.11	DSC cooling scan of ethylene-propylene copolymer containing 50.1% ethylene and 49.9% propylene	154
5.12	DSC second heating scan of ethylene-propylene copolymer containing 50.1% ethylene and 49.9% propylene	155
5.13	Plot of enthalpy of crystallization versus mol % ethylene	156
5.14	Comparison between DSC first heating scan of E-P copolymers prepared at different aging time: (a) 30 minutes; (b) 1 hour; (c) 2 hours	159
A1	Apparatus set-up for toluene distillation	173
A2	Vacuum oven in IPS lab	173
A3	Dry box for the preparation of catalyst and cocatalyst mixture	174
A4	Micro-balance	174
A5	Normal weighing balance	175
A6	Drying oven	175