

REFERENCES

- Abdul Rahim, N.I.H., Ong, S.T., Siar, C.H., Koh, S.P.L. and Tan, I.K.P. 2008. The effects of polyhydroxybutyrate (PHB) in bone regeneration. *Clinical Oral Implants Research*. **19(9)**: 954.
- Akhtar, S. 1990. Physiochemical properties of bacterial P(HB-HV) polyesters and their uses in drug delivery. Ph.D. thesis, University of Bath, England.
- Alberktsson, T. and Johansson, C. 2002. Osteoinduction, osteoconduction and osseointegration. In Gunzburg, R., Szpalski, M., Passuti, N. and Aebi, M. (Eds) 2002. *The use of bone substitutes in spine surgery: a state of the art review*. pp. 12-17. Springer.
- Alias, Z. and Tan, I.K.P. 2005. Isolation of palm oil-utilising, polyhydroxyalkanoate (PHA)-producing bacteria by an enrichment technique. *Bioresource Technology*. **96(11)**: 1229-1234.
- Anderson, A.J. and Dawes, E.A. 1990. Occurrence, metabolism, metabolic role, and industrial uses of bacterial polyhydroxyalkanoates. *Mircobiol. Rev.* **54(4)**: 450-472.
- Anderson, A.J. and Wynn, J.P. 2001. Microbial polyhydroxyalkanoates, polysaccharides and lipids. In Colin, R. (Ed) *Basic Biotechnology*. 2nd Ed. pp. 325-334. Cambridge University Press.
- Annur, M.S.M., Tan, I.K.P., Ibrahim, S. and Ramachandran, K.B. 2007. Production of medium-chain-length poly(3-hydroxyalkanoates) from crude fatty acids mixture by *pseudomonas putida*. *Trans IChemE, (Part C)*. **85(C2)**: 104-119.
- Bashutski, J.D. and Wang, H.L. 2009. Periodontal and endodontic regeneration. *J. Endodontics*. **35(3)**: 321-328.
- Blum, J.S., Barry, M.A., Mikos, A.G. and Jansen, J.A. 2003. *In vivo* evaluation of gene therapy vectors in *ex vivo*-derived marrow stromal cells for bone regeneration in a rat critical-size calvarial defect model. *Hum. Gene Ther.* **14**: 1689-1701.
- Braunegg, G. 2002. Sustainable poly(hydroxyalkanoate)(PHA) production. In Scott, G. (Ed). *Degradable polymers: principles and application*. 2nd Ed. pp. 295-320. Kluwer Academic Publishers.

Chandra, R. and Rustgi, R. 1998. Biodegradable polymers. *Prog. Polym. Sci.* **23**: 1273-1335.

Chodak, I. 2002. Polyhydroxyalkanoates: properties and modification for high volume applications. In Scott, G. (Ed). *Degradable polymers: principles and application*. 2nd Ed. pp. 295-320. Kluwer Academic Publishers.

Corley, R.H.V. and Tinker, P.B. 2003. The oil palm. 4th Ed. Blackwell Publishing.

de Koning, G.J.M. 1995. Physical properties of bacterial poly(R)-3-hydroxyalkanoates. *Can. J. Microbiol.* **41**(Suppl. 1): 303-309.

Dean, D., Wolfe, M.S., Ahmad, Y., Totonchi, A., Chen, J. E., Fisher, J.P., Cooke, M.N., Rinnac, C.M., Lennon, D.P., Caplan, A.I., *et al.* 2005. Effect of transforming growth factor beta2 on marrow-infused foam poly(propylene fumarate) tissue-engineered constructs for the repair of critical-size cranial defects in rabbits. *Tissue Eng.* **11**: 923-939.

Doi, Y., Kawaguchi, Y., Nakamura, Y. and Kunioka, M. 1989. Nuclear magnetic resonance studies of poly(3-hydroxybutyrate) and polyphosphate metabolism in *Alcaligenes eutrophus*. *Appl. Env. Microbiol.* **55**(11): 2932-2938.

Doyle, C., Tanner, E.T. and Bonfield, W. 1991. *In vitro* and *in vivo* evaluation of polyhydroxybutyrate and of polyhydroxybutyrate reinforced with hydroxyapatite. *Biomaterials.* **12**: 841-847.

Frost, H. M. 1992. Perspectives: bone's mechanical usage windows. *Bone and Mineral.* **19**(3): 257-271.

Galego, N., Rozsa, C., Sanchez, R., Fung, J., Vazquez, A. and Tomas, J.S. 2000. Characterization and application of poly(β -hydroxyalkanoates) family as composite biomaterials. *Polym. Test.* **19**: 485-492.

Giannoudis, P.V., Dinopoulos, H. and Tsiridis, E. 2005. Bone substitutes: an update. *Injury.* **36S**: S20-S27.

Hammond, T. and Liggat, J.J. 1995. Properties and applications of bacterially derived polyhydroxyalkanoates. In Scott, G. and Gilead, D. (Eds). *Degradable polymers: principles and applications*. pp. 88-111. Chapman and Hall, London.

- Harcourt-Brown, F.M. 2007. The progressive syndrome of acquired dental disease in rabbits. *J. Exotic Pet Med.* **16(3)**: 146-157.
- Hedberg, E.L., Kroese-Deutman, H.C., Shih, C.K., Crowther, R.S., Carney, D.H., Mikos, A.G. and Jansen, J.A. 2005a. Effect of varied release kinetics of the osteogenesis thrombin peptide TP508 from biodegradable, polymeric scaffolds on bone formation *in vivo*. *J. Biomed. Mater. Res. A.* **72**: 343-353.
- Hedberg, E.L., Kroese-Deutman, H.C., Shih, C.K., Crowther, R.S., Carney, D.H., Mikos, A.G. and Jansen, J.A. 2005b. *In vivo* degradation of porous poly(propylene fumarate)/poly(dl-lactic-co-glycolic acid)-composite scaffolds. *Biomaterials.* **26**: 4616–4623.
- Ho, Y.H., Gan, S.N. and Tan, I.K.P. 2002. Biodegradation of a medium-chain-length polyhydroxyalkanoates in tropical river water. *Applied Biochemistry and Biotechnology.* **102-103**: 337-348.
- Hollinger, J.O. and Kleinschmidt, J.C. 1990. The critical size defect as an experimental model to test bone repair materials. *J. Craniofac. Surg.* **1**: 60–68.
- Huang, S.J. 2002. An overview of biodegradable polymers and biodegradation of polymers. In Scott, G. (Ed). *Degradable polymers: principles and application.* 2nd Ed. pp. 17-26. Kluwer Academic Publishers.
- Jendrossek, D., Schirmer, A. and Schlegel, H.G. 1996. Biodegradation of polyhydroxyalkanoic acids. *Appl. Microbiol. Biotechnol.* **46**: 451-463.
- Johnson, R. and Kubly, P. 2000. Analysis of variance. In *Elementary statistics.* 8th Ed. pp. 574-605. Duxbury Thomson Learning.
- Kassab, A.C., Xu, K., Denkbaz, E.B., Dou, Y., Zhao, S. and Piskin, E. 1997. Rifampicin carrying polyhydroxybutyrate microspheres as a potential chemoembolization agent. *Journal Biomaterial Science Polymer.* **8**: 947–961.
- Kellerhals, M.B., Kessler, B., Witholt, B., Tchouboukov, A. and Brandl, H. 2000. Renewable long-chain fatty acids for the production of biodegradable medium-chain-length polyhydroxyalkanoates (mcl-PHAs) at laboratory and pilot plant scales. *Macromolecules.* **3**: 4690–4698.

Kellomaki, M., Niiranen, H., Puumanen, K., Ashammakhi, N., Waris, T. and Tormala, P. 2000. Bioabsorbable scaffolds for guided bone regeneration and generation. *Biomaterials*. **21**: 2495-2505.

Lageveen, R.G., Huisman, G.W., Preusting, H., Ketelaar, P., Eggink, G. And Witholt, B. 1988. Formation of polyesters by *Pseudomonas oleovorans*: effect of substrates on formation and composition of poly-(R)-3-hydroxyalkanoates and poly-(R)-3-hydroxyalkenoates. *Appl. Env. Microbiol.* **54(12)**: 2924-2932.

Lee, S.Y. 1996. Plastic bacteria? Progress and prospects for polyhydroxyalkanoate production in bacteria. *Trends in Biotechnology*. **14**:431-438.

Lee, S.Y. and Choi, J.I. 1999. Polyhydroxyalkanoates: Biodegradable Polymer. In Demain, A.L. and Davies, J.E. (Eds). *Manual of industrial microbiology and biotechnology*. 2nd Ed. Washington D.C.: ASM Press. pp. 616-624.

Lennox, A.M. 2008. Diagnosis and treatment of dental disease in pet rabbits. *Journal of Exotic Pet Medicine*. **17(2)**: 107-113.

Li, J., Yun, H., Gong, Y., Zhao, N. and Zhang, X. 2005. Effects of surface modification of poly (3-hydroxybutyrate-co-3-hydroxyhexanoate) (PHBHHx) on physicochemical properties and on interactions with MC3T3-E1 cells. *J. Biomedical Materials Research, (Part A)*. **75(4)**: 985-998.

Li, S. and Vert, M. 2002. Biodegradation of aliphatic polyesters. In Scott, G. (Ed). *Degradable polymers: principles and application*. 2nd Ed. pp. 71-132. Kluwer Academic Publishers.

Lim, S.P., Gan, S.N. and Tan, I.K.P. 2005. Degradation of medium-chain-length polyhydroxyalkanoates in tropical forest and mangrove soils. *Applied Biochemistry and Biotechnology*. **126**: 023-034.

Liu, H. and Webster, T.J. 2007. Bioinspired nanocomposites for orthopaedic applications. In Webster, T.J. (Ed). *Nanotechnology for the Regeneration of Hard and Soft Tissues*. pp. 1-52.

Luklinska, Z.B. and Schluckwerder, H. 2003. *In vivo* response to HA-polyhydroxybutyrate/polyhydroxyvalerate composite. *J. Microscope Oxford*. **211**: 121-129.

- Nelson, T., Kaufman, E., Kline, E. and Sokoloff, L. 1981. The extraneural distribution of gamma-hydroxybutyrate. *J. Neurochem.* **37**:1345-1388.
- Nebe, B., Forster, C., Pommerenke, H., Fulda, G., Behrend, D., Bernewski, U., Schmitz, K.P. and Rychly J. 2001. Structural alterations of adhesion mediating components in cells cultured on poly beta-hydroxybutyric acid. *Biomaterials.* **22(17)**: 2425–2434.
- Neyt, J.G, Buckwalter, J.A. and Carroll, N.C. 1998. Use of animal models in musculoskeletal research. *Iowa Orthop. J.* **18**:118–23.
- Ong, S.T., Siar, C.H., Tan, I.K.P, Gan, S.N., Chan, C. and Lian, C.B. 2005. Soft tissue response to PHA and PLA in hamster. Programme and Abstract, IADR (SEA Division) 20th Annual Scientific Meeting. pp. 61.
- Piskin, E. 2002. Biodegradable polymers in medicine. In Scott, G. (Ed). *Degradable polymers: principles and application.* 2nd Ed. pp. 321-378. Kluwer Academic Publishers.
- Pouton, C.W. and Akhtar, S. 1996. Biosynthetic polyhydroxyalkanoates and their potential in drug delivery. *Advan. Drug. Deliv. Rev.* **18**: 133–162.
- Qu, X.H., Wu, Q., Zhang, K.Y. and Chen, G.Q. 2006. *In vivo* studies of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) based polymers: biodegradation and tissue reactions. *Biomaterials.* **27**: 3540–3548.
- Rho, J.Y., Kuhn-Spearing, L. and Zioupos, P. 1998 Mechanical properties and the hierarchical structure of bone. *Medical Engineering & Physics* **20**: 92-102.
- Rivard, C.H., Chaput, C., Rhalmi, S. and Selmani, A. 1996. Bio-absorbable synthetic polyesters and tissue regeneration. A study of threedimensional proliferation of ovine chondrocytes and osteoblasts. *Ann. Chir.***50(8)**: 651–658.
- Roberts, W.E. and Hartsfield, J.K.Jr. 2004. Bone development and function: genetic and environmental mechanisms. *Seminars in Orthodontics.* **10(2)**: 100-122.

Romano, A. 2002. Production of polyhydroxyalkanoates (PHAs) in transgenic potato. ATO-International Agriculture Centre thesis. Ph.D. thesis, van Wageningen University, Italy.

Saad, B., Neuenschwander, P., Uhlschmid, G.K. and Suter, U.W. 1999. New versatile, elastomeric, degradable polymeric materials for medicine. *Int. J. Biol. Macromol.* **25**: 293-301.

Slavkin, H.C. and Bartold, P.M. 2006. Challenges and potential in tissue engineering. *Periodontology 2000.* **41(1)**: 9-15.

Sodian, R., Sperling, J.S., Martin, D.P., Egozy, A., Stock, U., Mayer, J.E. and Vacanti, J.P. 2000. Fabrication of a trileaflet heart valve scaffold from a polyhydroxyalkanoate biopolyester for use in tissue engineering. *Tissue Eng.* **6**: 183-188.

Steinbuchel, A., 1992. Biodegradable plastics. *Curr. Opinion Biotechnol.* **3**: 291-297.

Suuronen, R. 1992. Biodegradable self-reinforced polylactide plates and screws in the fixation of osteotomies in the mandible. Ph.D. thesis, University of Helsinki, Finland.

Swift, G. 1992. Biodegradability of polymers in the environment: complexities and significance of definitions and measurements . *FEMS Microbiology Letters.* **103(2-4)**: 339-345.

Tan, I.K.P., Kumar, S.K., Theanmalar, M., Gan, S.N. and Gordon, III. B. 1997. Saponified palm kernel oil and its major free fatty acids as carbon substrates for the production of polyhydroxyalkanoates in *Pseudomonas putida* PGA1. *Appl. Microbiol. Biotechnol.* **47**: 207-211.

Taylor, M.S., Daniels, A.U., Andriano, K.P. and Heller, J. 1994. Six absorbable polymers: *in vitro* acute toxicity of accumulated degradation products. *J. Appl. Biomat.* **5**:151-157.

Thomaidis, V., Kazakos, K., Lyras, D.N., Dimitrakopoulos, L., Lazaridis, N., Karakasis, D., Botaitis, S. and Agrogiannis, G. 2008. Comparative study of 5 different membranes for guided bone regeneration of rabbit mandibular defects beyond critical size. *Med. Sci. Monit.* **14(4)**: BR67-73.

Ueda, H. and Tabata, Y. 2003. Polyhydroxyalkanoate derivatives in current clinical applications and trials. *Advanced Drug Delivery Reviews*. **55**: 501-518.

Urist, M.R. 1965. Bone: formation by autoinduction. *Science*. **150(3698)**: 893-899.

Urist, M.R., Kovacs, S. and Yates, K.A. 1986. Regeneration of an enchondroma defect under the influence of an implant of human bone morphogenetic protein. *Journal of Hand Surgery*. **11(3)**: 417-419.

Weijjs, W.A. and Dantuma, R. 1981. Functional anatomy of the masticatory apparatus in the rabbit (*Oryctolagus cuniculus* L.) *Neth. J. Zool.* **31**:99-147.

Williams, S.F., Martin, D.P., Horowitz, D.M. and Peoples, O.P. 1999. PHA applications: addressing the price performance issue. I. Tissue engineering. *Biological Macromolecules*. **25**: 111-121.

Williams, S.F. and Martin, D.P. 2002. Applications of PHAs in medicine and pharmacy. In Doi, Y. and Steinbuchel, A. (Ed). *Polyesters III: Applications and Commercial Products (Biopolymers, Vol. 4)*. pp. 91-128. Wiley-VCH.

Yagmurlu, M.F., Korkusuz, F., Gursel, I., Korkusuz, P., Ors, U. and Hasirci, V. 1999. Sulbactam-cefoperazone polyhydroxybutyrate-co-hydroxyvalerate (PHBV) local antibiotic delivery system: *in vivo* effectiveness and biocompatibility in the treatment of implant-related experimental osteomyelitis. *J. Biomed. Mater. Res.* **46**: 494-503.

Ying, T.H., Ishii, D., Mahara, A., Murakami, S., Yamaoka, T., Sudesh K., Samian, R., Fujita, M., Maeda, M. and Iwata, T. 2008. Scaffolds from electrospun polyhydroxyalkanoate copolymers: fabrication, characterization, bioabsorption and tissue response. *Biomaterials*. **29**: 1307-1317.

Yusof, B. 2002. Palm oil and its global supply and demand prospects. *Oil Palm Industry Economic Journal*. **(2)1**: 1-10.

Zinn, M., Witholt, B., Egli, T. 2001. Occurrence, synthesis and medical application of bacterial PHA. *Advanced Drug Delivery Reviews*. **53**: 5-21.

