

## **PUBLICATIONS**

## PUBLICATIONS

- Muhamad, M.S. and Baki, B.B. (2008). They stand among equals: descriptive analysis on the new biotypes of weedy rice (*Oryza sativa* L.) in Malaysia. *5th International Weed Science Congress*. Vancouver, British Columbia, Canada.
- Muhamad, M.S. and Baki, B.B. (2009a). They stand among equals: I. Spatio-temporal distribution pattern of new biotypes of weedy rice (*Oryza sativa* L.) in Peninsular Malaysia. *Weed Biology and Management* (in press).
- Muhamad, M.S. and Baki, B.B. (2009b). They stand among equals: II. Descriptive analysis on the new biotypes of weedy rice (*Oryza sativa*L.) in Peninsular Malaysia. *Weed Biology and Management* (in press).
- Muhamad, M.S. and Baki, B.B. (2009c). They stand among equals: III. Seed germination and growth patterns of new biotypes of weedy rice (*Oryza sativa*L.) in Peninsular Malaysia. *Weed Biology and Management* (in press).
- Muhamad, M.S. and Baki, B.B. (2009d). They stand among equals: IV. Differential competitive ability of new biotypes of weedy rice (*Oryza sativa* L.) and cultivated rice var. MR 220 in Peninsular Malaysia. *Weed Biology and Management* (in press).

## **REFERENCES**

## REFERENCES

- Abdul Rahman, A.B., Rohani, Y., Saad, A., Aini, Z., Othman, O., Zulkifli, M., Sariam, O., & Azmi, M. 2004. Conversion of Kampong Ewa rice fields in Langkawi, Malaysia, into organic rice farming. In: *New directions for a diverse planet* (Fischer, T. *et al. eds*). *Proc. 4th International Crop Science Congress, (Brisbane)*.
- Abdullah, M.Z., Vaughan, A.D., Watanabe, H., Okuno, K. 1996. The origin of weedy rice in Peninsular Malaysia. *MARDI Research Journal* **24**: 160–174.
- Aerts, R. 1999. Interspecific competition in natural plant communities: mechanisms, trade-offs and plant-soil feedbacks. *Journal of Experimental Botany* **50**:29–37
- Anon 1999. *Third National Agricultural Policy (1998-2010)*. Ministry of Agriculture, Kuala Lumpur, Malaysia (*in Malay*), 295 p.
- Anon 2004. *Malaysian Agriculture Directory and Index 2003/2004*. Agriquest Sdn Bhd. Kuala Lumpur.
- Anon 2005. The Biology and Ecology of Rice (*Oryza sativa* L.) in Australia. *Department of Health and Ageing Office of the Gene Technology Regulator, Canberra*.
- Anon 2006. *Malaysia Agricultural Directory and Index* 11<sup>th</sup> Edition. Agriquest Sdn. Bhd. Kuala Lumpur.
- Austin, M.P., R.H. Groves, L.M.F. Fresco, and P.E. Kaye. 1985. Relative growth of six thistle species along a nutrient gradient with multispecies competition. *Journal of Ecology* **73**:667-684.
- Azmi M and Abdullah M Z. 2002. Weedy rice problem: A potential threat to rice industry in Malaysia. In Proc. of the 4th Regional IMT-GT UNINET Conf. 2002. Future Scenario in Biological Research Insights and Co-operation. Universiti Sains Malaysia, 289–393.
- Azmi, M. and Baki, B.B. 2003. Weed species diversity and management practices in the Sekinchan Farm Block, Selangor's South West Project: A highly productive rice area in Malaysia. *Proc. 19<sup>th</sup> Asian-Pacific Weed Science Society Conference (Manila)* I:174-184.
- Azmi, M., Abdullah, M.Z., Mislamah, B., and Baki, B.B. 2000. Management of weedy rice (*Oryza sativa* L.): the Malaysian experience. In: *Wild and Weedy Rice in Rice Ecosystems in Asia – A Review* (Baki, B.B., Chin, D.V., and Mortimer, M. *eds*). IRRI, Manila, Philippines, pp.25-34.
- Azmi, M., Baki, B.B., and Johnson, D.E. (2007). Weed Species of rice over the last decade in the Muda granary of Malaysia. *Proc. 21<sup>st</sup> Asian Pacific Weed Science Society Conference* (Colombo), pp. 268-273.

- Azmi, M., Chin, D.V., Vongsaroj, P., Johnson, D.E. 2004. Emerging issues in weed management of direct-seeded rice in Malaysia, Vietnam, and Thailand. *Paper presented at World Rice Research Conference, Tsukuba, Japan*, pp.196-198.
- Azmi, M., Abdullah, M. Z. and Muhamad, H. 2005a. Weedy rice (padi angin): a real threat to rice industry and farmers. *Proc. 4<sup>th</sup> National Seed Symposium of the Malaysian Association of Seed Technologists (MAST)*, pp.109-112.
- Azmi, M., Muhammad, H. and Johnson, D.E. 2005b. Impact of Weedy Rice Infestation on Rice Yield and Influence of Crop Establishment Technique. *Proc. 20<sup>th</sup> Asian-Pacific Weed Science Society Conference. (Ho Chi Minh City)*, pp.507-513.
- Azmi M., Sivapragasam, A., M.Z. Abdullah and H. Muhamad. 2003. Weedy rice and its management through integration of cultural, physical and chemical interventions in direct-seeded rice. *Proc. International Rice Conference (Alor Setar, Malaysia)*, pp. 112-119.
- Baker, H.G. 1965. The Genetics Of Colonizing Species: Characteristics And Modes Of Origin Of Weeds. In: *The Genetics of Colonizing Species*. (H.G., Baker., G.L. Stebbins, eds). *Academic Press*. pp 147-172
- Baki, B.B. 2004. Invasive weed species in Malaysia: Species, impacts and management. *Malaysian Journal of Science* **23**:1-23.
- Baki, B.B. 2005. The World's Landscapes of Weedy Rice: An Overview. *Proc. 20<sup>th</sup> Asian-Pacific Weed Science Society Conference, (Ho Chi Minh City)* **1**:45-52.
- Baki, B.B. 2006a. *Weed Ecology and Management in Rice Ecosystems*. Universiti Malaya Press, Kuala Lumpur, 373p.
- Baki, B.B. 2006b. *Malaysian Initiatives in Weed Science Research*. Universiti Malaya Press. Kuala Lumpur.
- Baki, B.B. 2006c. *Weed Science in the Service of Humanity*. University of Malaya Press, Kuala Lumpur, 178p.
- Baki, B.B., Bakar, M.A., Man, A.B. 2000. Weedy rice (*Oryza sativa* L.) in Peninsular Malaysia In: *Wild and Weedy Rice in Rice Ecosystems in Asia – A Review* (Baki, B.B., Chin, D.V., and Mortimer, M. eds.). IRRI, Manila, Philippines. pp.25-34.
- Baki, B.B., Lajili, N.A.N., Suhaimi, S. and Suzana, A.A. 2005. Path analysis of two sympatric weed species (*Echinochloa crus-galli* spp. *crus-galli* (L.) Beauv. and *Ischaemum rugosum* Salisb.) in competition with rice (*Oryza sativa* L. var. MR84): A comparative study. *Plant Protection Quarterly* **17**: 72-79.
- Barker, R. and Dawe, D. 2001. The Asian rice economy in transition. In: Rockwood, W.G. (ed): *Rice research and production in the 21st century: symposium honoring*

Robert F. Chandler, Jr. International Rice Research Institute, Los Baños, Philippines, pp.45-77.

- Beneke, I.K., van Rooyen, M.W. and Theron, G.K. 2001. Fruit polymorphism in ephemeral species of Naquamaland, I. Anatomic differences between polymorphic diaspores of two *Dimorphotheca* species. *South African Journal Botany* **58**:448–455.
- Benvenuti, S., Macchia, M. and Miele, S. 2001. Quantitative analysis of emergence of seedlings from buried weed seeds with increasing soil depth. *Weed Science*. **49**:528–535.
- Baoman, B.A.M and Tuong, T.P. 2001. Field water management to save water and increase its productivity in irrigated rice. *Agricultural Water Management*. **49**:11-30.
- Baoman, B.A.M., Xianguang, Y. Huaqi, W., Zhiming, W., Junfang, Z., Changgui, W. and Bin, C. 2002. Aerobic rice (Han Dao): a new way of growing rice in water-short areas. In: *Proc. 12<sup>th</sup> International Soil Conservation Organization Conference*, (Beijing), pp. 175-181.
- Bewley, J.D. and Black, M. 1994. *Seeds: Physiology of Development and Germination*. Plenum Press, New York.
- Bhagat, R.M., Bhuiyan, S.I. and Moody, K. 1999. Water, tillage and weed management options for wet seeded rice in the Philippines. *Soil & Tillage Research* **52**:51-58.
- Bonilla, E.D. and Gulati, A. 2003. Developing Countries and the WTO Negotiations. In: *International Food Policy Research Institute 2002-2003*, pp. 20-30.
- Bres-Patry, C., Lorieux, M., Clement, G., Bangratz, M., Ghesquiere, A. 2001. Heredity and genetic mapping of domestication-related traits in a temperate *japonica* weedy rice. *Theoretical and Applied Genetics* **102**:118-126.
- Burke, I.C., Thomas, W.E., Spears, J.F. & Wilcut, J.W. 2003. Influence of environmental factors on after-ripened crowfoot grass (*Dactyloctenium aegyptium*) seed germination. *Weed Science* **51(3)**: 342-347.
- Cai, H.W. & Morishima, H. 2000. Genomic regions affecting seed shattering and seed dormancy in rice. *Theoretical and Applied Genetics* **100**:840-846.
- Cantrell, R. 2002. Rice: Why It's So Essential for Global Security and Stability. *Economic Perspective. An Electronic Journal of the US Department State*, Vol 7:2.
- Cassman, K.G. and Dobermann, A. 2001. Evolving rice production system to meet global demand. In: *Rockwood, W.G. (ed): Rice research and production in the 21st century: symposium honoring Robert F. Chandler, Jr.* International Rice Research Institute, Los Baños, Philippines, pp.79-100.

- Chang, T.T. 2003. Origin, Domestication, and Diversification. Chapter 1.1. In: Smith, W.C. and Dilday, R.H. eds. *Rice. Origin, History, Technology, and Production*. John Wiley and Sons, Inc., Hoboken, New Jersey, pp. 3-25.
- Chen, L.J., Lee, D.S., Song, Z.P., Suh, H.S., Lu, B.R. 2004. Gene flow from cultivated rice (*Oryza sativa*) to its weedy and wild relatives. *Annals of Botany* **93**:67–73.
- Chin, D.V., Hien, T.V., Thiet, L.V. 2000. Weedy rice in Vietnam. In Limited Proceedings No.2. Wild and Weedy Rice in Ecosystem in Asia- A Review. IRRI.
- Cho, Y.C., Chung, T.Y. and Suh, H.S. 1995. Genetic characteristics of Korean weedy rice (*Oryza sativa* L.) by RFLP analysis. *Euphytica* **86**:103–110.
- Cohn, M.A. & Hughes, J.A. 1981. Seed dormancy in red rice (*Oryza sativa* L.) I. Effect of temperature on dry after-ripening red rice. *Weed Science* **29**:402-404.
- Cohn, M.A. 1996. Chemical mechanisms of breaking seed dormancy. *Seed Science Research* **6**:95-99.
- Cohen, J., Cohen, P., West, S.G. & Alken, L.S. 2002. Applied Multiple Regression/Correlation Analysis for the Behavioral Science. Lawrence Erlbaum, Mahwah, USA.
- Chung, N.J. and Paek, N.M. 2003. Photoblastism and ecophysiology of seed germination in weedy rice. *Agronomy Journal* **95**:184-190.
- Craigsmiles, J.P. (1978). Introduction. In: *Red Rice Research and Control*. (Eastin, E.F., ed.). Texas Agriculture pp. 5-6.
- Crawford, G.W. & Shen, C. 1998. The origins of rice agriculture: recent progress in East Asia. *Antiquity* **72**:858–866.
- Daugovish O., Thill D.C., Shafii B. 2002. Competition between wild oat (*Avena fatua*) and yellow mustard (*Sinapis alba*) or canola (*Brassica napus*). *Weed Science* **50**: 587–594.
- Dawe, D. 2003. Fight poverty where it lives. *Rice Today* Vol.2, No.1.
- De Wit, C.T. 1960. On Competition. *Verslag Landbouwkundige Onderzoek* **66**:1-81.
- Diarra, A., Smith, R.J., and Talbert, R.E. 1985. Red rice (*Oryza sativa*) control in drill-seeded rice (*O. sativa*). *Weed Science* **33**:703–709.
- Eastin, E.F. 1983. Weed, disease, insect interactions in rice. In: *Weed Control in Rice*. International Rice Research Institute, los Banos, Philippines, pp.213-218.
- Edmonds, E.V. and College, D. 2002. *Globalization and the Economics of Child Labor (English version)*. A version of this essay was published as "Reduziert die Globalisierung die Kinderarbeit?" in *Neue Zürcher Zeitung*, February 23-24, 2002, 29p.

- Eleftherohorinos, I.G., Dhima, K.V. & Vasikoglou, I.B. 2002. Interference of red rice in rice grown in Greece. *Weed Science* **50**:167-172.
- Estorninos, L.E. Jr., Gealy, D.R., Dillon, T.L., Baldwin, E.L., Burgos, R.R., Tai, T.H. 2002. Determination of Hybridization between Rice and Red Rice Using Microsatellite Markers. *Proc South Weed Science Society* **55**:197-198.
- FAO 1994. Rice Commodity Development Strategy. *Committee On Commodity Problems Intergovernmental Group on Rice. Bangkok, Thailand, 28 November - 2 December 1994*, pp 3-14.
- FAO 1999. *Report of the Global Workshop On Red Rice Control*. (Varadero, Cuba) 30 August-3 September, 55p.
- FAO 2004a. *International Year of Rice 2004: Rice and human nutrition*. FAO Factsheet, pp:1-1.
- FAO 2004b. *International Year of Rice 2004: Gender and rice*. FAO Factsheet, pp:1-2.
- FAO 2004c. *International Year of Rice 2004*. In: [www.fao.org/rice2004/](http://www.fao.org/rice2004/). Accessed in January, 2008.
- FAO 2009. *Rice Market Monitor*. In: Trade and Markets Division. Food and Agriculture Organization of the United Nations. Vol.20: No.1.
- Federici, M.T., Vaughan, D., Tomooko, N., Kaga, A., Wang, X.W., Doi, K., Francis, M., Zorrila, G. & Saldain, N. 2001. Analysis of uruguayan weedy rice genetic diversity using AFLP molecular markers. *Electronic Journal of Biotechnology* **4**:3.
- Ferrero, A. 2001. Biology and control of red rice (*Oryza sativa* L.var.*sylvatica*) infesting European fields.In: *Chataigner J, ed.Medoyrzae-Interregional Cooperative Research Network on Rice in the Mediterranean Climate*, Issue 9. FAO-CIHEAM-Institut Agronomique Mediterranee, Montpellier, France, pp. 2-4.
- Ferrero, A. 2003. Weedy rice, biological features and control. In: *Weed Management for Developing Countries* (Labrada, R. ed.). FAO Plant Production and Protection, Rome.
- Ferrero, A. and Vidotto, F. 1999. Red rice control in rice pre- and post-planting. In: *FAO Report of the Global workshop on red rice control*. Varadero, Cuba, 30 August-3 September, pp. 95-107.
- Ferrero, A. and Vidotto, F. 1998. Germinability after flowering, shattering ability and longevity of red rice seeds. *6<sup>th</sup> EWRS Mediterranean Symposium 1998, Montpellier*, pp. 205-211.
- Ferrero, A. and Finassi, A. 1995. Viability and soil distribution of red rice (*Oryza sativa* L. var. *sylvatica*) seeds. In: *Medical Faculty Landbouw Rijksunv Gent*, pp. 205-211.



- Fisher, A.J. & Ramirez, A. 1993. Red rice (*Oryza sativa*): competition studies for management decisions. *International Journal of Pest Management* **39**:133-138.
- Foley, M.E. 2001. Seed dormancy: An update on terminology, physiological genetics, and quantitative trait loci regulating germinability. *Weed Science* **49**:305–317.
- Frankland, B. & Taylorson, R. 1983. Light control of seed germination. In: *Shropshire, J.W. and Mohr, M. (eds.). Encyclopaedia of Plant Physiology*, pp. 428-456.
- Gardner, F.P., Mitchell, L.R., Pearce, R.B. 1985. *Physiology of Crop Plants*. Iowa State University Press, America.
- Gates, D.H., L.A. Stoddart, and W.C. Cook. 1956. Soil as a factor influencing plant distribution on salt-deserts of Utah. *Ecological Monographs* **26**:155-175.
- Gealy, D.R., Saldain, N.E., Talbert, R.E. 2000. Emergence of red rice (*Oryza sativa*) ecotypes under dry-seeded rice (*Oryza sativa*) culture. *Weed Technology* **14**: 406-412.
- Gealy, D.R., Mitten, D.H. and Rutger, J.N. 2003. Gene flow between red rice (*Oryza sativa*) and herbicide-resistant rice (*O. sativa*): implications for weed management. *Weed Technology* **17**: 627-645.
- Gerry, A. K. and Wilson, S. D. 1995 The influence of initial size on the competitive responses of six plant species. *Ecology* **76**:272–279.
- Gittens, R. 1987. Canonical Analysis: A Review with Applications in Ecology. *Journal of the American Statistical Association* **82**:356-357.
- Gould, S.J. 1996. *The Mismeasure of Man*. W. W. Norton. New York.
- Gu, X.-Y., Z. Chen, M.E. Foley. 2003. Inheritance of seed dormancy in weedy rice (*Oryza sativa* L.). *Crop Science* **43**:835-843.
- Gu, X.-Y., Kianian, S.F., and Foley, M.E. 2006. Dormancy genes from weedy rice respond divergently to seed development environments. *Genetics* **172**: 1199-1211.
- Guang, X.Y., Bouman, B.A.M., Huaqi, W., Zhimin, W., Junfang, Z., and Bin, C. 2005. Performance of temperate aerobic rice under different water regimes in North China. *Agricultural Water Management* **74**:107-122.
- Guo-qin., Ying, B., Chun-lai, S., Chang-qin, D., & Song, G. 2004. Genetic Diversity and Population Differentiation of Liaoning Weedy Rice Detected by RAPD and SSR Markers. *Biochemical Genetics* **43**:261-270.
- Harper, J.L. 1977. *The Population Biology of Plants*. Academic Press, London.

- Holm, L., Doll, J., Holm, E., Pancho, J., Herberger, J. 1997. The Wild Rices. In, *World Weeds: Natural History and Distribution*. New York. John Wiley & Sons. pp. 531–547.
- <http://faostat.fao.org/>
- <http://www.fas.usda.gov/psdonline/>
- IRRI 2006. *Bringing Hope, Improving Lives: Strategic Plan, 2007-2015*. International Rice Research Institute, Manila, 61p.
- IRRI 2008. *Rice Today*. International Rice Research Institute Publication, Vol7:No3.
- Ito, K. 2004. The role of the feeding habits of *Trigonotylus caelestialium* (Kirkaldy) (Heteroptera: Miridae) on the production of pecky rice grains with special reference to the occurrence of split-hull paddy. *Japan Journal of Applied Entomology and Zoology* **48**: 23–32 (in Japanese with English summary).
- Jahn, H., Montkowski, A., Knaudt, K., Stöhle, A., Kiefer, F., Schick, M., and Wiedemann, K. 2001. Alpha-helical-corticotropin-releasing hormone reverses anxiogenic effects of C-type natriuretic peptide in rats. *Brain Research* **893**:21–28.
- Jahn, G.C, Litsinger, J.A., Chen, Y. and Barrion, A. 2007. Integrated Pest Management of Rice: Ecological Concepts. In: *Ecologically Based Integrated Pest Management* (Koul, O. and Cuperus, G.W. eds). CAB International, pp. 315–366.
- Jolliffe, I.T. 2002. *Principal Component Analysis*. Springer. New York.
- Kahn, C. 2005. *World History: Societies of the Past*. Portage & Main Press. New York.
- Karim, R.S.M., Azmi, M., and Sahid, I.B. 2004. Weed problems and their management in rice fields of Malaysia: An overview. *Weed Biology and Management* **4/4**:177-186(10).
- Kim S.C. and Ha, W.G. 2004. Direct seeding and weed management in Korea. In: *Proc. World Rice Research Conference*, (Tsukuba) pp. 70-81.
- Kim, S.C. and Moody, K. 1983. Minimum sampling size and minimum quadrat number for weed data collection in transplanted rice. *Korean Journal of Crop Science* **8**:319–322.
- Klosterboer, A. 1978. Red rice control in Texas. In *Red Rice: Research and Control*. Texas Agriculture Experimental Station, Bulletin 1270.
- Koornneef, M., Bentsik, L., Hilhorst, H. 2002. Seed dormancy and germination. *Current Opinion in Plant Biology* **5**: 33–36
- Kuan, C.J., Wells, J.N. and Jackson, E.K. 1990. Endogenous adenosine restrains renin release in conscious rats. *Circular Research* **66**:637–646.

- Kwon, S.L., Smith, R.J., Jr. and Talbert, R.E. 1991. Red rice (*Oryza sativa*) control and suppression in rice (*O. sativa*). *Weed Technology* **5**:811-816.
- Kwon, S.L., Smith, R.J., Jr. and Talbert, R.E. 1992. Comparative growth and development of red rice (*Oryza sativa*) and rice (*O. sativa*). *Weed Science* **40**: 57-62.
- Labrada, R. 2002. Major Weed Problems in Rice - Red/Weedy Rice and the *Echinochloa* Complex. In: *FAO Rice Information*, Vol:3.
- Labrada, R. 2003. The need for improved weed management in rice. In: Proceedings of the 20th session of the International Rice Commission, Bangkok. 23-26 July.
- Lentini, Z. & Espinoza, A.M. 2005. Coexistence of Weedy Rice and Rice in Tropical America - Gene Flow and Genetic Diversity. In: *Crop Fertility and Volunteerism: A Threat to Food Security in the Transgenic Era* (Gressel, J. ed). CRC Press, pp. 303-319.
- Langevin, S.A., Clay, K., Grace, J.B. 1990. The incidence and effects of hybridization between cultivated rice and its related weed red rice (*Oryza sativa* L.). *Evolution* **44**: 1000-1008.
- Leopold, A.C., Glenister, R. & Cohn, M.A. 1988. Relationship between water content and after-ripening in red rice. *Physiologia Plantarum* **74**:659-662.
- Maclean, J., Dawe, D., Hardy, B., and Hettel, G. 2002. Rice Almanac. 3<sup>rd</sup> edition, IRRI, pp. 1-224.
- Majisu, B. 1970. A potential dangerous weed of rice in East Africa. *East African Agriculture and Forestry Research Organization, (Newsletter 60)* Nairobi.
- Maneechote, C., Jamjod, S., Rerkasem, K. 2005. Farmers' Participation in Development of Integrated Methods of Weedy Rice Control in Thailand. *Proc. 20<sup>th</sup> Asian-Pacific Weed Science Society Conference. (Ho Chi Minh City)*, pp. 529-534.
- Mancinelli, A.L., Tabiv, Z. and Smith, P. 1967. Phytochrome and seed germination: I. Temperature dependence and relative Pbr levels in the germination of dark germination tomato seeds. *Plant Physiology* **42**:333-337.
- Mardia, K.V., Kent, J.T. and Bibby, J. 1979. *Multivariate Analysis*. Academic Press. New York.
- Metcalf, C.R. (1960). *Anatomy of the Monocotyledons*. Oxford University Press. London.
- Mortimer M, Pandey S, Piggin C. 2000. Weedy Rice: Approaches to Ecological Appraisal and Implications for Research Priorities. In: *Baki, B.B., Chin, D.V., Mortimer, M., eds. Wild and weedy rice in rice ecosystems in Asia: A review. Limited Proceedings No. 2. Los Banos (Philippines): International Rice Research Institute*, pp. 97-105

- Moldenhauer, K.A.K., and Gibbons, J.H. 2003. Rice Morphology and Development. Chapter 2.1. In: CW Smith, RH Dilday, (eds). *Rice. Origin, History, Technology, and Production*. John Wiley and Sons, Inc., Hoboken, New Jersey, pp 103-127.
- Moody, K. 1994. Weedy forms of rice in Southeast Asia. *Paper presented at the Padi Angin Workshop, MARDI, Penang, Malaysia*, 5p.
- Morrison, D.F. 1990. *Multivariate Statistical Methods*. New York: McGraw-Hill.
- Mynhardt, J.E. 1994. Competitive ability of two grass species: *Antheophora pubescens* and *Eragrostis curvula*. 1. Yield and biomass allocation. *South African Journal of Botany*, **60**:261–268.
- Nassir, A.L. and Ariyo, O.J. 2007. Multivariate analysis of variation of field-planted upland rice (*Oryza sativa* L.) in a tropical habitat. *Malaysian Applied Biology*. **36**:47-57.
- Noldin, J.A. 2000. Red rice status and management in Americas. In: *Baki BB, Chin DV, Mortimer M., eds. Wild and weedy rice in rice ecosystems in Asia – A Review*. Los Baños, Philippines: International Rice Research Institute, pp.21–24.
- Noldin, J. A., Chandler, J. M., Mccauley, G. N. 1999. Red rice (*Oryza sativa*) biology. I Characterization of red rice ecotypes. *Weed Tecnology* **13**:12-18.
- Norsworthy, J. K. and Oliveira, M.J. 2007. Role of light quality and temperature on pitted morningglory (*Ipomoea lacunosa*) germination and emergence with after ripening. *Weed Science* **15(3)**:111-118.
- Oka, H.I. 1988. *Origin of Cultivated Rice*. Tokyo: Japan Science Society Press.
- Oka, H.I., Chang, W. 1961. Hybrid swarms between wild and cultivated rice species, *Oryza perennis* and *O. sativa*. *Evolution* **15**:418–430.
- Olivares, E. 2003. The effect of lead on the phytochemistry of *Tithonia diversifolia* exposed to roadside automotive pollution or grown in pots of Pb-supplemented soil. *Brazil Journal of Plant Physiology* **15**:149-158.
- Pandey, S., and Velasco, L. 2002. Economics of direct seeding in Asia: patterns of adoption and research priorities. In: *Direct Seeding: Research Strategies and Opportunities* (Pandey, S., Mortimer, M., Wade, L., Tuong, T.P., Lopez, K. and Hardy, B. eds.). IRRI, Manila.
- Pantone, D.J. and Baker, J.B.(1991). Weed-crop competition models and response-surface analysis of red rice competition in cultivated rice, *Crop Science* **31**:1105–1110.
- Pantone, D.J., Baker, J.B. and Jordan, P.W. (1992). Path-analysis of red rice (*Oryza sativa* L.) competition with cultivated rice. *Weed Science* **40**: 313–319.
- Parker, C. and Dean, M.L. 1976. Control of wild rice in rice. *Pesticide Science* **7**:403-416

- Postel, S. 1997. *Last Oasis. Facing Water Scarcity*. Norton and Company, New York.
- Rao, S.A, Bounphanousay, C., Phetpaseuth, V. Kanyavong, K., Sengthong, B., Schiller, J.M. and Jackson, M.T. 1997. Collection and preservation of rice germplasm from Southern and Central regions of the Lao PDR. *The Lao Journal of Agriculture and Forestry* **1**: 43-56.
- Ridley, H.N. 1925. *The Flora of the Malay Peninsula* Vol(v). L.Reeve & Co. Ltd.
- Roberts, E.H., R.Q. Craufurd, & F. Le Cochet. 1961. Estimation of percentage of natural crosspollination: experiment on rice. *Nature* **190**: 1084-1085.
- Sadohara, H., Watanabe, O., and Rich, G. 2000. Control of weedy rice. In: *Baki, B.B., Chin, D.V., Mortimer, M., eds. Wild and Weedy Rice in Rice Ecosystems in Asia: A Review*, IRRI, Manila, pp. 97-105.
- SAS 2004. *SAS, Statistical Analysis Systems*. SAS User's Guide. Version 8. 2, Statistical Analysis Systems Institute, Cary, NC.
- Sato, Y. 2000. Origin and evolution of wild, weedy, and cultivated rice. In: *Wild and Weedy Rice in Rice Ecosystems in Asia – A Review*. *Baki, B.B, Chin, D.V. & Mortimer, M., (eds.)*. IRRI, Manila, pp. 7-16.
- Seshu, D.V., Sorrells, M.E. 1986. Genetic studies on seed dormancy in rice. In: *Rice genetics*. Manila, Philippines, pp. 369–382.
- Shaw, P.J.A. (2003). *Multivariate statistic for the Environmental Sciences*. Hodder-Arnold. New York.
- Sitch, L. A. (1990). Incompatibility barriers operating in crosses of *Oryza sativa* with related species and genera. In: *Gustafson, J. P. (ed). Gene Manipulation in Plant Improvement II: 19th Stadler Genetics Symposium*. New York: Plenum Press, pp: 77–93.
- Simpson, G.M. 1990. *Seed Dormancy in Grasses*. Cambridge University Press, Cambridge, UK.
- Small, J.G.C., and Gutterman, Y. 1991. Evidence for inhibitor involvement in thermodormancy of Grand Rapids lettuce seeds. *Seeds Science Research* **1**:263–267.
- Smith, B.D. 1998. *The Emergence of Agriculture*. Scientific American Library. New York
- Smith, M. 2000. The application of climate data for planning and management of sustainable rainfed and irrigated crop production. *Agriculture Forest Meteorology*. **103**:99–108.

- Street, J.E., and Bollich, P.K. 2003. Rice production. Chapter 3.2. In: *Smith, C.W. and Dilday, R.H. eds. Rice. Origin, History, Technology, and Production*. John Wiley and Sons Inc., Hoboken, New Jersey, pp 271-296.
- Suh, H. S., Sato, Y. I., and Morishima, H. 1997. Genetic characterization of weedy rice (*Oryza Sativa* L.) based on morphophysiology, isozymes and RAPD markers. *Theory of Applied Genetic* **94**:316–321.
- Sutherst, R.W., Ingram, J.S.I., Steffen, W.I. (1996). GCTE Activity 3.2 Global Change Impacts On Pests, Diseases and Weeds Implementation Plan. *Global Change and Terrestrial Ecosystems Report No. 11. GCTE Core Project Office, Canberra*.
- Sutherst, R.W., Maywald, G.F., Yonow, T., Stevens, P.M., 1999. *CLIMEX: Predicting the Effects of Climate on Plants and Animals. User Guide*. CSIRO Publishing, Melbourne, 88 p.
- Tang, L.H., and H. Morishima. 1997. Genetic characterization of weedy rices and the inference on their origins. *Breeding Science* **47**: 153–160.
- Thomas, T.H. (1992). Some reflections on the relationship between endogenous hormones and light-mediated seed dormancy. *Plant Growth* **11**:239-248
- van Auken, O. W., and J. K. Bush. 1987. Influence of plant density on the growth of *Prosopis glandulosa* var. *glandulosa* and *Buchloe dactyloides*. *Bulletin of the Torrey Botanical Club* **114**: 393–401.
- Vanichanont, P. 2004. Thai Rice: Sustainable Life For Rice Growers. In: *Proc FAO Rice Conference*, (Rome), pp. 2-7.
- Vaughan, D.A. 1994. The Wild Relatives of Rice. *A Genetic Resources Handbook*. Los Baños, Philippines: International Rice Research Institute, Manila, 137p.
- Vaughan, D.A., and Morishima, H. 2003. Biosystematics of the Genus *Oryza*. Chapter 1.2. In: *Rice. Origin, History, Technology, and Production. CW Smith and RH Dilday (eds.)*. John Wiley and Sons Inc., Hoboken, New Jersey, pp. 27-65.
- Vaughan, K. L., Ottis, B. V., Prazak-Havey, A.M., Sneller, C., Chandler, J.M., and Park, W. D. (2001). Is all red rice found in commercial rice really *Oryza Sativa*? *Weed Science* **49**:468–476.
- Vaughan D.A.; Zain, A.M.; Watanabe, H. and Okuno, K. (2003). Relationships between wild, weedy and cultivated rice in Malaysia. IPM Activities in Malaysia. *Rice Genetics Newsletter*, Vol. 12.
- Vaughan D.A. and Tomooka N. 1999. Varietal differentiation and evolution. Wild rice in Venezuela. *Rice Genetics Newsletter* **16**: 15-17.
- Wahab, A.H. and Suhaimi, O. 1991. Padi angin, adverse effects and methods of eradication. *Teknologi Padi* **7**:27-31.

- Watanabe H. (1996). Weedy rice problem in South-East Asia and control strategy. *Proc. Innovative Weed Management Strategy for Sustainable Agriculture. JIRCAS International Symposium Series No. 4*, pp. 27-32.
- Watanabe, H., Azmi, M. and Md. Zuki, I. 1996. *Ecology of Major Weeds and their Control in Direct Seeding rice Culture of Malaysia*. MARDI/MADA/JIRCAS Collaborative Study (1992-1996). Penang (Malaysia): Malaysian Agricultural Research and Development Institute. 202 p.
- Watanabe, H., D.A. Vaughan and N. Tomooka. 2000. *Proc. Wild and Weedy Rice in Rice Ecosystems in Asia – A Review (Baki, B.B., D.V. Chin and M. Mortimer, eds.)* IRRI, pp. 25-34.
- Watanabe, H., Vaughan, D.A., Tomooka, N. 2000. Weedy Rice Complexes: Case Studies From Malaysia, Vietnam and Surinam. In: *Wild and Weedy Rice in Rice Ecosystems in Asia – A Review (Baki, B.B., Chin, D.V., and Mortimer, M. eds.)*. IRRI, Manila, Philippines, pp. 25-34.
- Williams, J.F., Roberts, S.R., Hill, J.E., Scardaci, S.C. and Tibbitts, G., (1990). Managing water for weed control in rice. *California Agriculture* **44**:7–10.
- Weiner, N. 1980. Norepinephrine, epinephrine and the sympathomimetic amines. In: *Pharmacological Basis of Therapeutics*, (Gilman, A., Goodman, L. S., and GILMAN, C eds.) 6<sup>th</sup> edition. MacMillan Publishing, New York, pp. 138-175.
- Weiss, P.W. and Noble, I.R. (1984). Status of coastal dune communities invaded by *Chrysanthemoides monilifera*. *Australian Journal of Ecology* **9**:93–98.
- Wright, S. (1954). The interpretation of multivariate systems. In: Oscar, K. (ed). *Statistics and Mathematics in Biology*, Ames, Iowa: Iowa State College Press. pp. 11-34.
- Young, J.H. & Young, L.J. (1998). *Statistical Ecology: A Population Perspective*. Springer, New York.
- Zhao, Z. (1998). The Middle Yangtze Region in China is the Place Where Rice was Domesticated: Phytolith Evidence from the Diaotonguan Cave, Northern Jiangxi. *Antiquity* **72**:885-897.

## **APPENDICES**