

ACKNOWLEDGEMENTS

First and foremost, I would like to express my sincere gratitude to my main supervisor, Professor Dr. Gan Seng Neon for his invaluable guidance throughout this project and suggestions during the writing of this dissertation.

Next, I would like to extend my sincere appreciation to my co-supervisor, Prof. Madya Dr. Aziz Hassan, who has been very supportive throughout the project.

Many thanks are due to all my friends and the staff of Chemistry Department, in particular Mr. Teo Kim Teck, Ms. Azlina Puang, Ms. Nurshafiza binti Shahabudin, Mr. Gan Yik Kang, Ms. Neo Su Siang, Ms. Ng Wei Goon, Mr. Wong Yew Chuan, Ms. Lee Sook Chin, Ms. Ho Wei Ling and Mr. Zulkifli bin Abu Hassan, for their cooperation and help.

Not forgetting to express my utmost gratefulness to my family for supporting me throughout my PhD study. My parents, Mr. Lee Kooi Chuan and Mdm. Tan Bee Kiau, have been a source of continuous encouragement and prayer. My sister, Ms. Lee Siang Schee, has always provided constant supports and encouragement. Most importantly, my husband, Mr. Tang Chee Yik, has showed his undivided love and supports towards me whenever I face with difficulties. Besides, he has been very passionate in proof-reading this thesis.

Last but not least, I would like to convey my appreciation to Sumitomo Rubber Industries, SRI R&D Ltd., Japan for its financial support in this work.