

# REFERENCES

## REFERENCES

1. Soepadmo, E. (1999). Botanical Study of Malaysian Medicinal Plant and Appraisal. *Phytochemicals and Biopharmaceutins from the Malaysian Rain Forest*, Forest Research Institute Malaysia, Kuala Lumpur, 10.
2. Idris, M. A. M., Norini, H., Ng, L. T. (1999). Medicinal Plants: Trade and Investment Prospects in Malaysia. *Phytochemicals and Biopharmaceutins from the Malaysian Rain Forest*, 21.
3. Rahmani, M., Mahmood, M., Sukari, M.A., Lian, G. E. C., Yin, T. Y. Y., Ali, D. A. I. (2001). *Interdisciplinary Approaches in Natural Products Research*, Kuala Lumpur, 1.
4. Lauraceae, Wikipedia, *The Free Encyclopedia*, 11<sup>th</sup> March 2010. Wikipedia Foundation Inc. USA. <http://en.wikipedia.org/wiki/Lauraceae>.
5. Corner, E. J. H. (1988). *Wayside Trees of Malaya*, 3 ed., **1**, Cambridge, 371-381.
6. Keng, H. (1978), *Orders and Families of Malayan Seed Plants*. Singapore University Press, 117.
7. Cryptocarya, Wikipedia, *The Free Encyclopedia*, 11<sup>th</sup> January 2010. Wikipedia Foundation Inc. USA. <http://en.wikipedia.org/wiki/Cryptocarya>.
8. Ng, F. S. P. (1989). *Tree Flora of Malaya; A Manual For Foresters*, **4**, 132-138.
9. Borthakur, N., Mahanta P. K., Rastogi R.C. (1981). Alkaloids and olefinic acids from *Cryptocarya amygdalina*, *Phytochemistry*, **20** (3), 501-504.
10. Wu, T. S. and Wen Lin, F. (2001). Alkaloids of the wood of *Cryptocarya chinensis*, *Journal of Natural Products*, **64** (11), 1404-1407.
11. Awang, K., A. Hadi, A. H., Saidi, N., Mukhtar, M. R., Morita, H., Litaudon, M. (2008). New phenantrene alkaloids from *Cryptocarya crassinervia*, *Fitoterapia*, **79**, 308-310.

12. Cave, A., Leboeuf, M., Moskowitz, H., Ranaivo, A., Ralph C. Bick, Sinchai, W., Nieto, M., Sevenet, T., and Cabalion, P. (1989). Alkaloids of *Cryptocarya phyllostemon*, *Australian Journal of Chemistry*, **42**, 2243-2263.
13. Lee, S. S., Lin, Y. J., Chen, C. K., Liu, K. S. and Chen, C. H. (1993). Quaternary alkaloids from *Litsea cubeba* and *Cryptocarya konishii*, *Journal of Natural Products*, **56** (11), 1971-1976.
14. Latif, A. (1991). Plant Resources for Natural Products: *An Ethnobotanical Perspective. Medicinal from Tropical Rainforest. UKM, Malaysia*, 5-7.
15. Perry, L.M., Metzgr, J. (1980). *Medicinal plants East and Southeast Asia – Attributed Properties and Uses*, MIT Press, Cambridge, Mass., London, 199-200.
16. Lu, S. T., Lan, P. K. (1966). Studies on the alkaloids of Formosan lauraceous plants VIII. Alkaloids of *Cryptocarya chinensis* hemsl. 1. Structures of the new alkaloids Crychine and Caryachine. *Yakugaku Zasshi: Journal of the Pharmaceutical Society of Japan*, **86** (3), 177-184.
17. Lu, S.T. (1966). Studies on the alkaloids of Formosan lauraceous plants. IX. Alkaloids of *Cryptocarya chinensis* Hemsl and *Cryptocarya konishii* Hayata, *Yakugaku Zasshi: Journal of the Pharmaceutical Society of Japan*, **86** (4), 296-299.
18. Chang, W. T., Lee, S. S., Chueh, F. S., Liu, K. C. S. (1998). Formation of pavine alkaloids by callus culture of *Cryptocarya chinensis*, *Phytochemistry*, **48** (1), 119-124.
19. Lee, S. S., Liu, Y.C., Chen, C. H. (1990). Neocaryachine, a New Pavine Alkaloid from *Cryptocarya chinensis*, and NMR Spectral Properties of Related Alkaloids, *Journal of Natural Product*, **53** (5), 1267-1271.
20. Lee, S. S., Chen, C. H. (1993). Additional Alkaloids from *Cryptocarya chinensis*, *Journal of Natural Products*, **56** (2), 227-232.
21. Varadinova, T. L., Shishkov, S. A., Ivanovska, N. D., Velcheva, M. P., Danghaaghin, S., Samadangiin, Z., Yansanghiin, Z. (1996). Antiviral and immunological activity of a new

- pavine alkaloid (-)-thalimonine isolated from *Thalictrum simplex*, *Phytotherapy Research*, **10** (5), 414-417.
22. Drewes, S. E., Sehlapelo, B. M., Horn, M. M., Scott-Shaw, R., Sandor, P. (1995). *Planta Medica*, **66** (3), 199-205.
23. Sam, T. W., Yeu, C. S., Jodynis-Liebert, J., Murias, M., Bloszyk, E. (2000). Effect of sesquiterpene lactones on antioxidant enzymes and some drug-metabolizing enzymes in rat liver and kidney, *Planta Medica*, **66** (3), 199-205.
24. de Oliveira, A. M., Caliri, Luis, C. M., Regasini, O., Telascra, M., Caloni Peron, M.C., Siqueira e Silva, D. H., Gonzaga dos Santos, A., Vanderlan da Silva Bolzani, Cavalherio, A. J., Soares, C. P. (2007). *Revista Brasileira de Toxicologia Brazilian Journal of Toxicology*, **20** (1) 73-78.
25. Saad, J. M., Soepadmo E., Fang, X.P., McLaughlin, J.L., Fanwick, P. (1991). (-) Grandisin from *Cryptocarya crassinervia*, *Journal of Natural Products*, **54** (6), 1681-1683.
26. Pedro L. R. de Moraes, Claudia J. Nehme, Marcelo C. Alves, Maria Teresa V.C. Derbyshire, Alberto J. Cavalheiro. (2007). Chemical composition of flavonoids and styrylpyrones and the genetic variability of isozymes in natural populations of *Cryptocarya mandioccana* Meisner (Lauraceae), *Biochemical Systematics and Ecology*, **35**, 233-244.
27. Thomson, R. H. (1993). *The Chemistry of Natural Products*, Blackie, Glasgow, United Kingdom, **2**, 218.
28. Margaret F. Roberts., Michael Wink. (1998). *Alkaloids: Biochemistry, Ecology and Medicinal Applications*, Plenum Press., New York, 1-7.
29. Pelletier, S. W. (1970). *Chemistry of the Alkaloids*, Van Nostrand Reinhold Co., New York, 1-2.
30. Cordell, G. A. (1981). *Introduction to Alkaloids A Biogenetic Approach*, John Willey & Sons, New York, 1-4.

31. Rodger, W. Griffin Jr. (1969). Modern Organic Chemistry, Mc Graw–Hill Kogakusha, Ltd., Tokyo.
32. Carey, F. A. (1987). Organic Chemistry. 6<sup>th</sup> ed. New York, McGraw Hill.
33. Bruneton, J. (1995). *Pharmacognosy, Phytochemistry, Medicinal plants*. Lavoisier Publishing Inc. London-Paris-New York, 722-723.
34. Krane, D. B. and M. Shamma. (1982). The Isoquinolone Alkaloids, *Journal of Natural Products*, **45** (4), 377-384.
35. Lundstrom, J. (1983). Simple isoquinoline alkaloids, in *The Alkaloids*, edited by Brassi, A., Academic press, vol xxi.
36. Chen, C. Y., Chang, F. R., Pan, W. B. and Wu, Y. C. (2001). Four alkaloids from *Annona cherimola*, *Phytochemistry*, **56** (7), 753-757.
37. Botega, C., Pagliosa, F. M., da S. Bolzani, V., Yoshida, M. and Gottlieb, O. R. (1993). Benzylisoquinoline alkaloids and eudesmane sesquiterpenes from *Ocotea pulchella*, *Phytochemistry*, **32** (5), 1331-1333.
38. Yang, T. H. and Chen, C. M. (1979). Studies on the alkaloids of *Anona montana* Macf, *Proceedings of the National Science Council, Republic of China*, **3** (1), 63-66.
39. Lee, K. H., Chuah, C. H. and Goh, S. H. (1997). *sec*-benzyltetrahydroisoquinolines from *Polyalthia insignis* (annonaceae), *Tetrahedron Letters*, **38** (7), 1253-1256.
40. Johns, S. R., Lamberton, J. A and Sioumis, A. A. (1968). Alkaloids of *Xylopiapapuana* Diels (family Annonaceae), *Australian Journal of Chemistry*, **21**, 1383-1386.
41. Seguineau, C., Richomme, P., Fournet, A., Guinaudeau, H., Bruneton, J. (1991). Isoquinoline Alkaloids from *Cardiopetalum calophyllum*, *Planta Medica*, **57** (6), 581-583.
42. Wu, Y. C., Chang, G. Y., Duh, C. Y and Wang, S. K. (1993). Cytotoxic alkaloids of *Annona montana*, *Phytochemistry*, **33** (2), 497-500.

43. Nishiyama, Y., Moriyasu, M., Ichimaru, M., Iwasa, K., Kato, A., Mathenge, S. G., Mutiso, P. B. C. and Juma, F. D. (2004). Quaternary isoquinoline alkaloids from *Xylopiya parviflora*, *Phytochemistry*, **65** (7), 939-944.
44. Lamberton, J. A. and Nashist, V. N. (1972). Alkaloids of *Litsea leefeana* and *Cryptocarya foveolata* (Lauraceae), *Australian Journal of Chemistry*, **25** (12), 2737-2738.
45. Rasoanaivo, P., Ratsimamanga-Urveg, S. and Rakoto-Rtsimamanga, A. (1995). Isoquinoline alkaloid constituents of *Spirospermum penduliflorum* and *Strychnopsis thouarsii* (Menispermaceae), *Biochemical systematic and Ecology*, **23** (6), 679-680.
46. Kunitomo, J., Satoh, M. and Shingu, T. (1983). Structure and synthesis of menisporphine, a new type of isoquinoline alkaloid: Alkaloids of *menispermum dauricum* DC. (9), *Tetrahedron*, **39** (20), 3261-3265.
47. Lira, G. A., de Andrade, L. M., Florencio, K. C., Da Silva, M. S., Barbosa-Filho, J. M and Da-cunha, E. V. L. (2002). Roraimine: a bisbenzylisoquinoline alkaloid from *Cissampelos sympodialis* roots, *Fitoterapia*, **73** (4), 356-358.
48. Blanchfield, J. T., Sands, D. P. A., Kennard, C. H. L., Byriel, K. A and Kitching, W. (2003). Characterisation of alkaloids from some Australian *Stephania* (Menispermaceae) species, *Phytochemistry*, **63** (6), 711-720.
49. Brochmann-Hannsen, E. and Nielsen, B. (1965). (+)-Reticuline, a new opium alkaloid, *Tetrahedron Letters*, **18**, 1271-1274.
50. William, R. D. and Ellis, B. E. (1993). Alkaloids from *Agrobacterium rhizogenes*-transformed *Papaver somniferum* cultures, *Phytochemistry*, **32** (3), 719-723.
51. Benn, M. H. and Mitchell, R. E. (1972). The alkaloids of *Argemone grandiflora*, *Phytochemistry*, **11** (1), 461-464.
52. Suau, R., Silva, M. V., Ruiz, I. And Valpuesta, M. (1994). *N*-Benzylisoquinoline alkaloids from *Ceratocarpus heterocarpus*, *Phytochemistry*, **36** (1), 241-243.

53. Hussain, S. F., Minard, R. D., Freyer, A. J. and Shamma, M. (1981). New Alkaloids from *Fumaria parviflora*, *Journal of Natural Products*, **44** (2), 169-178.
54. Wu, W., Beal, J. L. and Doscotch, R. W. (1980). Alkaloids of *Thalictrum*. XXXIII. Isolation and Characterization of Alkaloids from the Root of *Thalictrum alpinum*, *Journal of Natural Products*, **43** (3), 372-381.
55. Wu, J., Beal, J. L., Wu, W., Doscotch, R.W. (1980). Alkaloids of *Thalictrum*. XXXIII. Isolation and Identification of Alkaloids from *Thalictrum revolutum* DC. Fruit, *Journal of Natural Products*, **43** (2), 270-277.
56. Shamma, M., Foy, J. E and Miana, G. A. (1974). Baluchistanamine. Novel type dimeric isoquinoline alkaloid, *Journal of the American Chemical Society*, **96** (25), 7809-7810.
57. Shamma M. and Foy, J. E. (1975). A Controlled Oxidation of Bisbenzylisoquinoline, *Tetrahedron Letters*, **27**, 2249-2252.
58. Al-Amri, A. M., Smith, R. M., El-Haj, B. M and Juma'a, M. H. (2004). The GC-MS detection and characterization of reticuline as a marker of opium use. *Forensic Science International*, **140** (2), 175-183.
59. Bick, I. R. C., Harley-Mason, J., Shepperd, N., Verneugo, M. J. (1961). Structural Correlations in the Nuclear Magnetic Resonance Spectra of Bisbenzylisoquinoline and Aporphine Alkaloids, *Journal of the Chemical society*, part 2, 1896-1903.
60. Goodwin, S., Shoodery, J. N., Johnson, L. F. (1958). Significance of the nonequivalence of methylenedioxyhydrogen nuclei in the nuclear magnetic resonance spectra of aporphine alkaloids, *Proceedings of the Chemical Society London*, 306-307.
61. Shamma, M. and Moniot, J. L. (1976). *Experientia*, **32**, 282.
62. Lu, S. T., Wu, Y. C. and Leou, S. P. (1985). Alkaloids of *formosan Fissistigma* and *Goniothalamus* species, *Phytochemistry*, **24** (8), 1829-1834.
63. Jossang, A. and Yanagida, N. (1984). Phd. Thesis, University Paris.

64. Shamma, M., Yoa, S. Y., Pai, B. R. and Charubala, R. (1971). The Ultraviolet Spectra of Phenolic Aporphines in Basic Solution, *Journal of Organic Chemistry*, **36** (21), 3253-3254.
65. Blaschke, G. (1968). Biosynthesis of the aporphine alkaloid bulbocapnine from reticulin. I. Studies on the biosynthesis of alkaloids. *Archiv der Pharmazie und Berichte der Deutschen Pharmazeutischen Gesellschaft*, **301** (6), 432-439.
66. Barton, D.H.R., Kirby, G. W., Steglich, W., Thomas, G. M., Battersby, A. R., Dobson, T. A. and Ramuz, H. (1965). Investigations on the biosynthesis of morphine alkaloids, *Journal of the Chemical Society*, **65**, 2423-2438.
67. Baarschers, W.H., Arndt, R. R., Pachler, K., Weisbach, J. A. and Douglas, B. (1964). Nuclear magnetic resonance study of aporphine alkaloids, *Journal of the Chemical Society*, 4778-4782.
68. Soin, T. O and Gisvold, O. (1944). Phytochemical study of *Argemone hispida*, *Journal of the American Pharmaceutical Association, Sci. Ed.*, **33**, 185-188.
69. Kier, L. B. and Soin, T.O. (1960). The alkaloids of *Argemone munita*, *Journal of the American Pharmaceutical Association, Sci. Ed.*, **49**, 187-190.
70. Chen, C. H and Soine, T.O. (1972). *Journal of the American Pharmaceutical Association, Sci. Ed.*, **61**, 55.
71. Lundstrom, J. (1983). Simple Isoquinoline Alkaloids, in the *The alkaloids*, Academia Press, vol xxi.
72. Cordell, G. A. (1981). *Introduction to Alkaloids A Biogenetic Approach*, John Willey & Sons, Inc., 374-376.
73. Chan, R. P., Craig, J. C., Manske, R. H., Soine, T. O. (1967). Optical rotatory dispersion and absolute configuration—XII: The argemonine alkaloids, *Tetrahedron*, **23** (11), 4209-4214.
74. Shamma, M. (1972). *The isoquinoline alkaloids*, Academic press, New York.
75. Dyke, S. F. (1978). *Rodd's Chemistry of Carbon Compounds*, S. Coffey. *Elesvier*, **4**, 38.

76. Stremitz, F. R. and Seiber, J. N. (1966). Alkaloids of the Papaveraceae. IV. *Argemone hispida* Gray and *A. munita* Dur. & Hilg. subsp. *rotundata* (Rydb.) G. B. Ownb.<sup>1</sup>, *Journal of Organic Chemistry*, **31** (9), 2925-2933.
77. Chen, C. H. and Soin, T. O. (1972). Synthesis and NMR spectral characteristics of bisnorargemonine isomers, *Journal of Pharmaceutical Sciences*, **61** (1), 55-60.
78. Lee, K. H. and Soin, T. O. (1968). Synthesis of (+-)-norargemonine, *Journal of Pharmaceutical Sciences*, **57** (11), 1922-1926.
79. Hruban, H. L., Santavy, F. (1967). Ultraviolet spectra and methylenedioxy group of some aromatic compounds and alkaloids, *Chemical Communications*, **32** (9), 3414-3426.
80. Johns, S. R., Lamberton, J. A., Li, C. S., Sioumis, A. A. (1970). New Alkaloids from a *papuwia* species (Annonaceae), *Australian Journal of Chemistry*, **23**, 363-368.
81. Guinaudeau, H., Leboeuf, M. and Cave, A. (1975). The phytochemistry of the Annonaceae - Elsevier, *Lloydia*, **38** (4), 289.
82. Sulaiman, M., A. Hamid, A. A. and Awang, K. (2003). Alkaloids and Flavones from *Desmos dumosus*, Roxb. Salt. (Annonaceae), *Malaysian Journal of Science*, **22** (1), 87-93.
83. Castedo, L., Saa, J. M., Suau, R. and Villaverde, C. (1980). Isoquinoline-alkaloids. Part XV. On the structure of glauvine: synthesis of oxolirioferine, norlirioferine and *N,O*-diacetyl norlirioferine, *Heterocycles*, **14** (8), 1131-1134.
84. Castro, O., Lopez, C. J., Vergara, G., Armando. (1985). Aporphine alkaloids from *Phoebe pittieri*, *Phytochemistry*, **24** (1), 203-204.
85. Castro, O., Hasbun, C. and Calderon, M. (1991). A new aporphine alkaloid from *Nectandra sinuate*, *Fitoterapia*, **62** (1), 72-73.
86. Mukhtar, M. R., Awang, K., A. Hadi, A. H. (2000). Chemical Constituents of *Phoebe Grandis* (Ness) Merr. (Lauraceae), *Malaysian Journal of Science* **19**, 67-70.
87. Fischer, D. C. H., Goncalves, M. I., Oliveira, F. and Alvarenga, M. A. (1999). Constituents from *Siparuna apiosyce*, *Fitoterapia*, **70**, 322-323.

88. Achenbach, H., Renner, C. and Addae-Mensah, I. (1982). Constituents of West African medicinal plants. X. Study of the constituents of *Hexalobus crispiflorus*. *Liebigs Annalen der Chemie*, **9**, 1623-1633.
89. Achenbach, H., Renner, C., Woerth, J. and Addae-Mensah, I. (1982). Constituents of West African medicinal plants. VIII. 3-Hydroxynornuciferine and 3-hydroxy-6a, 7-dehydronuciferine, minor alkaloids in *Hexalobus crispiflorus* - mass spectrometry in the structure elucidation of noraporphines. *Liebigs Annalen der Chemie*, **6**, 1132-1141.
90. Doskotch, R. W., Schiff, P. L and Beal, J. L. (1969). Alkaloids of thalictrum - X: Two new alkaloids from *T. minus* var. *adiantifolium*: Noroxyhydrastinine and thalifoline, *Tetrahedron*, **25** (2), 469-475.
91. Cheng-Hsiung, C., Jin, W., Shaath, N. A. and Soine, T. O. (1977). Total synthesis and NMR spectral characteristics of ( $\pm$ ) caryachine and ( $\pm$ ) isocaryachine, *Taiwan Yaoxue*, **28** (1-2), 43-55.
92. Villar, A., Mares, M., Rios, J.L., Cortes, D. (1985). Alkaloids from *Annona cherimolia* Leaves, *Journal of Natural Product*, **48** (1), 151-152.
93. Lundstrem. J. (1983). The Aporphine, in *The Alkaloids*, edited by Brassi, A., Academic press, vol xxi, 208-209.
94. Urzua, A. and Cassels, B. K. (1982). Additional alkaloids from *Laurelia philippiana* and *L. novae-zelandiae*, *Phytochemistry*, **21** (3), 773-776.
95. Richard, H.A.M. Janssen, Peter Wijkens, Cor Kruk, Biessels, H. W. A., Menichini, F., Theuns, H. G. (1990). Assignments of  $^1\text{H}$  and  $^{13}\text{C}$  NMR resonances of some isoquinoline alkaloids, *Phytochemistry*, **29** (10), 3331-3339.
96. Chowdhury, B. K., Sethi, M. L., Lloyd, H. A. (1976). Aporphine and tetrahydrobenzylisoquinoline alkaloids in *Sassafras albidum*, *Phytochemistry*, **15** (11), 1803-1804.
97. Castro, O. C., Lopes, J. L., Vergera, A. G. (1985). Aporphine alkaloids from *Phoebe pittieri*, *Phytochemistry*, **24** (1), 203-204.

98. Guinaudeau, H., Freyer, A. J., Minard, R. D and Shamma, M. (1982). Structural Variations among the aporphine-benzylisoquinoline dimer, *Tetrahedron Letters*, **23** (25), 2523-2526.
99. Jendrzewski, S. (1990). Degradation of reticuline in *Berberis* suspension cultures. *Phytochemistry*, **29** (1), 135-139.
100. Joanne, T., Blanchfield, Donald P. A. Sands, Colin, Colin H. L. Kennard, Karl A. Byriel, William Kitching. (2003). Characterisation of alkaloids from some Australian *Stephania* (Menispermaceae) species, *Phytochemistry*, **63** (6), 711-720.
101. Borthakur, N., Mahanta, P. K., and Rastogi, R. C. (1981). Alkaloids and olefinic acids from *Cryptocarya amygdalina*, *Phytochemistry*, **20** (3), 501-504.
102. Wajeratne, E. M. K., Hatanaka, Y., Tohru, K., H., Yasuhiro, T. and Leslie Gunatilaka, A. A. L. (1996). A dioxoaporphine and other alkaloids of two annonaceous plants of Sri Lanka, *Phytochemistry*, **42** (6), 1703-1706.
103. Wijeratne, E. M. K., Hatanaka, Y., Kikuchi, Y. Tezuka, Y., Gunatilaka, A. A. L. (1996). A dioxoaporphine and other alkaloids of two annonaceous plants of Sri Lanka, *Phytochemistry*, **42** (6), 1703-1706.
104. Rastogi, R. C. and Borthakur, N. (1980). Alkaloids of *Litsaea laeta* and *L. salicifolia*, *Phytochemistry*, **19** (5), 998-999.
105. Chan, K. C. and Toh, H. T. (1986). A 7-hydroxyaporphine alkaloid from *desmos dasymachalus*, *Phytochemistry*, **25** (8), 1999-2000.
106. Saidi, N. (2007). Phd. Thesis, University of Malaya.
107. Richard, H. F., Manske, Kju Hi Shin, Battersby, A. R., Shaw, D.F. (1965). The Alkaloids of Papaveraceous plants Liv the structure of Eschscholtzine, *Canadian Journal of Chemistry*, **43**, 2183-2189.
108. Dang, Y., Hong Fei, G., Jun Xi, L., Si Jiu, Y. (2009). Alkaloid from *Dicranostigma leptopodum* (Maxim) fedde, *Chinese Chemical Letters*, **20** (10), 1218-1220.

109. Wu, W.-N., Beal, J.L and Doskotch, R. W. (1980). Alkaloids of *Thalictrum* XXXV. Northalicarpine, A New Aporphine-Benzylisoquinoline Dimer, *N*-Methylaurotetanine and Thalflavidine from the Roots of *Thalictrum revolutum*, *Journal of Natural Products*, **43** (5), 567-570.
110. Tewari, S., Bhakuni, D. S and M.M. Dhar. (1972). The aporphine alkaloids of *Litsea glutenosa*, *Phytochemistry*, **11** (3), 1149-1152.
111. Nafiah, M. A. (2009). Phd. Thesis, University of Malaya.