

RUJUKAN

- Abdullah Al-Qari, S., (2003), *Ensiklopedia Herba-Herba Sekeliling Anda*, Al-Hidayah : Kuala Lumpur, p.99.
- Acharya, T.K. and Chatterjee, I.B. (1975). Isolation of chrysophanic acid-9-anthrone, the major antifungal principle of *Cassia tora* L. *Llyodia*. **38**: 218-220.
- Adegoke, G.O., Vijay Kumar, M., Gopal Krishna, A.G., Varadaraj, M.C. Sambiah, K. and Lokesh, B.R. (1998). Antioxidants and lipid oxidation in foods: A critical appraisal. *Journal of Food Science and Technology*. **35**: 283-298.
- Adeloye, O.A., Akinpelu, A.D., Ogundaini, O.A. and Obafemi, A.C. (2007). Studies on antimicrobial, antioxidant and phytochemical analysis of *Urena lobata* L. leave extract. *Journal of Physical and Natural Sciences*. **1(2)**: 1-9.
- Agarkar, S.V. and Jadge, D.R. (1999). Phytochemical and pharmacological investigations of Genus *Cassia*: A Review. *Asian Journal of Chemistry*. **11(2)**: 295-299.
- Alemayehu, G., Abegaz, B. and Kraus, W. (1998). A 1,4-anthraquinone-dihydroanthracenone dimer from *Senna sophora*. *Phytochemistry*. **48(4)**: 699-702
- Ahmad, B., Naeem, A.K., Ghufran, A. and Inamuddin. (2005). Pharmacological investigation of *Cassia sophora*, Linn. Var. *Pupurea*, Roxb. *Medical Journal of Islamic World Academy of Sciences*. **15(3)**: 105-109.
- Alexander, J., Bhatia, A.V., Mitscher, L.A. Otomo, S. and Suzuki, S.T. (1980). Methylation and hydroxylation studies on aloe-emodin. *Journal of Organic Chemistry*. **45**: 20-24.
- Allen, O. N. and Allen, E. K., (1981). *The Leguminosae : A Source Book of Characteristics, Uses and Nodulation*. Macmillan : London. pp.138-141.
- Amani, A.S.A., Maitland, D.J. and Soliman, G.A. (2006). Antiulcerogenic activity of *Alhagi maurorum*. *Pharmaceutical Biology*. **44(4)**: 292-296.
- Amarowicz, R., Pegg, R.B., Rahimi-Moghaddam, P., Barl, B. and Weil, J.A. (2004). Free-radical scavenging capacity and antioxidant activity of selected plant species from the Canadian prairies. *Food Chemistry*, **84**: 551-562.
- Ames, B.N., Shigenaga, M.K. and Hagen, T.M. (1993). Oxidants, antioxidants and the degenerative diseases of aging. *Proceedings of the National Academy of Sciences of the United States of America*. **90**: 7915-7922.

- Amritpal, S., Samir, M. and Ravi, S. (2008). Anti-inflammatory and analgesic agents from Indian medicinal plants. *International Journal of Integrative Biology*. **3(1)**: 57-72.
- Anderson, J.A. (1986). Conversion of emodin to chrysophanol in a cell-free system from *Pyrenochaeta terrestris*. *Phytochemistry*. **25(1)**: 103-106.
- Annie, S., Rajagopal, P.L. and Malini, S. (2005). Effect of *Cassia auriculata* Linn. root extract on cisplatin and gentamicin-induced renal injury. *Phytomedicine*. **12**: 555-560.
- Arabshahi-Delouee, S. and Urooj, A.(2007). Antioxidant properties of various solvent extracts of mulberry (*Morus indica* L.) leaves. *Food Chemistry*. **102**: 1233-1240.
- Arnone, A., Assante, G., Montrosi, M. and Nisini, G. (1994). Asteromine, a bioactive secondary metabolite from a strain of *Mycosphaerella asteroma*. *Phytochemistry*. **38**: 595-597.
- Arunlakshana, O. (1949). Pharmacological study of the leaves of *Cassia siamea*. *Siriraj Hospital Gazette*. **1**: 434-444.
- Ayensu, E.S. (1978). Medicinal Plants of West Africa. Reference Publications Inc.:Africa . pp.70-71.
- Ayo, R.G., Amupitan, J.O and Zhao, Y. (2007). Cytotoxicity and antimicrobial studies of 1,6,8-trihydroxy-3-methyl anthraquinone (emodin) isolated from the leaves of *Cassia nigricans* Vahl. *African Journal of Biotechnology*. **6(11)**: 1276-1279.
- Bauer, A. W., Kirby, W. M. M., Sherris, J. C. and Truck, M. (1966). Antibiotic susceptibility testing by a standardized single disk method. *The American Journal of Clinical Pathology*. **36**: 493-496
- Bhakta, T., Mukherjee, P.K., Saha, K., Pal, M., Saha, B.P. (1997). Hypoglycemic activity of *Cassia fistula* Linn. (Leguminosae) leaf (methanol extract) in alloxan-induced diabetic rats. *Journal of Ethnobotany*. **9**: 35-38.
- Bhakta, T., Mukherjee, P.K., Pal, M. and Saha, B.P. (1998a). Studies on antitussive activity of *Cassia fistula* (Leguminosae) leaf extract. *Pharmaceutical Biology*. **36**:140-143.
- Bhakta, T., Mukherjee, P.K., Mukherjee, K., Pal, M. and Saha, B.P. (1998b). Studies on *in vivo* wound healing activity of *Cassia fistula* Linn. leaves (Leguminosae) in rats. *Natural Products Scientific*. **4**: 84-87.
- Bhakta, T., Banarjee, S., Mandal, S.C., Maity, T.K., Saha, B.P. and Pal, M. (2001). Hepatoprotective activity of *Cassia fistula* leaf extract. *Phytomedicine*. **8(3)**: 220-224.

- Burkill, I.H., (1966), *A Dictionary of the Economic Product of the Malaya Peninsula*, Ministry of Agriculture and Cooperative: Kuala Lumpur. p.473-478.
- Bulus, A., Joseph, A., Habiba, V. and Karniyus, G. (2003). Studies on the use of *Cassia singueana* in malaria ethnopharmacy. *Journal of Ethnopharmacology*. **88**: 261-267.
- Brown, W.H., (1946). *Useful Plants of The Phillipines*. Bureau of Printing:Manila.pp.99-102.
- Bycroft, B.W., Hassanali-Walji, A., Johnson, A.W and King, T.J. (1970). The structure and synthesis of Barakol : a novel dioxaphenalene derivative from *Cassia siamea*. *Journal of Chemical Society*. **12**:1686-1689.
- Caceres, A., Lopez, B., Juarez, X., del Aguila, J. and Garcia, S. (1993). Plants used in Guatemala for the treatment of dermatophytic infections. 2. Evaluation of antifungal activity of seven American plants. *Journal of Ethnopharmacology*. **40**: 207-213.
- Chamida, T., Munashinge, J., Seneviratne, C.K., Thabrew, M.L. and Abeysekera, A.M. (2001). Antiradical and antilipoperoxidative effects of some plant extracts used by Sri Lankan traditional medical practitioners for cardioprotection. *Phytotherapy Research*. **15**: 519-523.
- Chan, P.K., O'Hara, P.O. and Wallace H. A. (1982). Principles and methods for acute and subchronic toxicity. In: Wallace H.A. (Eds). *Principles and Methods of Toxicology*. Raven Press: New York. pp. 1-26.
- Chang, Y-C., Chang, F-R. and Wu, Y-C. (2000). The constituents of *Lindera glauca*. *Journal of the Chinese Chemical Society*. **47**: 373-380.
- Chen, C.W and Ho, C.T., (1995). Antioxidant properties of polyphenol extracted from green tea and black tea. *Journal of Food Lipids*. **2**: 35-46.
- Cheung, L.M., Cheung, P.C.K. and Ooi, V.E.C., (2003). Antioxidant activity and total phenolics of edible mushroom extracts. *Food Chemistry*. **81**: 249-255.
- Chiang, L.C., Chiang, W., Chang, M.Y., Ng, L.T. and Lin C.C. (2003). Antileukemic activity of selected natural products in Taiwan. *The American Journal of Chinese Medicine*. **31**: 37-46.
- Chimude, F.C., Kwanashie, H.O., Adekeye, A.D., Wambebe, C. and Gamani, K.S. (2002). Antinociceptive and smooth muscle contracting activities of the methanolic extract of *Cassia tora* leaf. *Journal of Ethnopharmacology*. **81**: 205-209.
- Ching, K.L., Ping, H.L. and Yueh, H.K. (2001). The chemical constituents from the *Cassia fistula* L. *Journal of the Chinese Chemical Society*. **48**: 1053-1058.

- Cho, S-H., Kim, T-H., Lee, N-H., Son, H-S., Cho, I-J. and Ha, T-Y. (2005). Effects of *Cassia tora* fiber supplement on serum lipids in Korean diabetic patients. *Journal of Medicinal Food*. **8(3)**: 311-318.
- Choi, J.S., Lee, H.J. and Kang, S.S. (1994). Alaternin, cassiaside and rubrofusarin gentiobioside, radical scavenging principles from the seeds of *Cassia tora* on 1,1-diphenyl-2-picrylhydrazyl (DPPH) radical. *Archives of Pharmacol*. **17**: 462-466.
- Chopra, R.N., Nayar, S.L. and Chopra, I.C. (1956). Glossary of Indian Medicinal Plants. Council of Scientific & Industrial Research : New Delhi. p.54.
- Chopra, R.N., Chopra, I.C, Handa, K. L. and Kapur, L. D. (1958). *Indigenous Drugs Of India*. 2nd Edn. (Repr. Ed.). Academic Publishers, New Delhi. p. 499.
- Christophe, W. (2002). *Medicinal Plants of Southeast Asia*. 2nd Edn. Prentice Hall: Malaysia. pp. 139-140.
- Chu, Y.H., Chang, C.L. and Hsu, H.F. (2000). Flavanoid content of several vegetables and their antioxidant activity. *Journal of the Science of Food and Agriculture*. **80**: 561-566.
- Chukwujekwu, J.C., Coombes, P.H., Mulholland, D.A. dan van Staden, J. (2006). Emodin, an antibacterial anthraquinone from the roots of *Cassia occidentalis*. *South African Journal of Botany*. **72**: 295-297.
- Chung, Y.C., Chang, C.T. and Chao, W.W. (2002). Antioxidative activity and safety of the 50% ethanolic extract from red bean fermented by *Bacillus subtilis* IMR-NK1. *Journal of Agricultural, Food and Chemistry*. **50**: 2454-2458.
- Cowan, M. M. (1999). Plants products as antimicrobial agents. *Clinical Microbiology Reviews*. **12**: 564-582.
- Damodaran, S. and Venkataraman, S. (1994). A study on the therapeutic efficacy of *Cassia alata* Linn. leaf extract against *Pityriasis versicolor*. *Journal of Ethnopharmacology*. **42**:19-23.
- Dani Asmadi, I., Kamaruddin, M.Y. dan Mohd. Yassim, M.Y. (1999). Kesan madu lebah *Apis cerana* terhadap bakteria. In: *Phytochemicals and Biopharmaceutins from the Malaysian Forest*. A. Manaf, A., Khozirah, S. and Zuriati, Z. (eds.). FRIM : Kuala Lumpur, Malaysia. pp.238-245.
- Darah, I., Halim, O., (1995), Antimicrobial activity of *Cassia alata* from Malaysia, *Journal of Ethnopharmacology*, **45**: 151-156.
- Dass, A., Joshi, T. and Shukla, S. (1984) Anthraquinones from *Cassia-Sophera* Root Bark. *Phytochemistry*. **23**: 2689-91.

- Datta, S.C. and Basu, R. (1982). Seed Germination in *Cassia sophora*. *Acta Agronomica Academiae Scientiarum Hungaricae* **31**: 332-44.
- Daulatabad, C.D., Bhat, G.G., and Jamkhandi, A.M. (1996) A. Novel Keto Fatty Acid from *Cassia occidentalis* Seed Oil. *Fett- Lipid*. **98**: 176–177.
- de Padua, L.S., Bunyapraphatsara, N. and Lemmes, R.H.M.J.(Eds).(1999). PROSEA. Plant Resources of South-East Asia. Medicinal and Poisonous Plants, Bogor:Indonesia. **12(1)**. pp.445-447.
- Deachapunya, C., Thongsaard, W. and Poonyachoti, S. (2005). Barakol suppresses norepinephrine-induced inhibition of spontaneous longitudinal smooth muscle contractions in isolated rat small intestine. *Journal of Ethnopharmacology*. **101**: 227-232.
- Dean, R.T. and Davies, M.J. (1993). Reactive species and their accumulation on radical damage proteins. *Trends in Biochemical Science*. **18**: 437-441.
- Dhar, M.L., Dhar, M.M., Dhawan, B.N., Mehrotra, B.N. and Ray, C. (1968). Screening of Indian plants for biological activity. *Indian Journal of Experimentology Biology*. **6**: 232-247.
- Dharmasiri, M.G., Jayakody, J.R.A.C., Galhena, G., Liyange, S.S.P. and Ratnasooriya, W.D. (2003). Antiinflammatory and analgesic activities of mature fresh leaves of *Vitex negundo*. *Journal of Ethnopharmacology*, **87**: 199-206.
- Dickson, R.A., Houghton, P.J. and Haylands, P.J. (2007). Antibacterial and antioxidant cassane diterpenoids from *Caesalpinia benthamiana*. *Phytochemistry*. **68**: 1436-1441.
- Dorman, H.J. and Hiltunen, R. (2004). Fe (III) reductive and free radical-scavenging properties of summer savory (*Satureja hortensis* L.) extract and subfractions. *Food Chemistry*. **88**: 193-199.
- Doughari, J.H and Okafor, N.B. (2008). Antibacterial activity of *Senna siamea* leaf extracts on *Salmonella typhi*. *African Journal of Microbiology Research*. **2**: 42-46.
- Duke, J.A., 1981. *Handbook of legumes of world economic importance*. Plenum Press, New York, United States, and London, United Kingdom. P.345.
- Duraipandiyan, V. and Ignacimuthu, S. (2007). Antibacterial and antifungal activity of *Cassia fistula* L.: an ethnomedicinal plant. *Journal of Ethnopharmacology*. **112(3)**: 590-594.
- Dwivedi, S. C. and Maheshwari, H. K. (1996). Evaluation of *Cassia occidentalis* leaf extract on development and damage caused by *Callosobruchus chinensis* (L.) infesting stored cowpea. *Journal of Advanced Zoology*. **17(2)**: 89-92.

- Dwivedi, S. C. and Kumar, R. (1999). Screening of some plant extracts for their oviposition deterrent properties against the Khapra beetle, *Trogoderma granarium* (E). *Journal of Advanced Zoology*. **20(1)**: 6-9.
- Ee, G.C.L., Ng, K.N., Taufiq-Yap., Y.H., Rahmani, M. and Ali, A.M. (2002). Emodin, a larvicidal anthraquinone from *Ploiarium alternifolium*. *Journal of Tropical Medicinal Plants*. **3(1)**: 43-46.
- Eloff, J.N. (1998). A sensitive and quick microplate method to determine the minimal inhibitory concentration of plant extracts for bacteria. *Planta Medica*. **64**: 711-713.
- El-Saadany, S.S., El-Massry, R.A., Labib, S.M. and Sitohy, M.Z. (1991). The biochemical role and hypocholesterolaemic potential of the legume *Cassia fistula* in hypercholesterolaemic rats. *Die Nahrung*. **35**: 807-815.
- Endo, M. and Naoki, H. (1980). Antimicrobial and antispasmodic tetrahydroanthracenes from *Cassia singueana*. *Tetrahedron*. **36**: 2449-2452.
- Eposito Avella, M., Diaz, A., De Gracia, I., De Tello, R. and Gupta, M.P. (1991). Evaluation on traditional medicine: effects of *Cajanus cajan* L. and *Cassia fistula* L. on carbohydrate metabolism in mice. *Reviews Medical Panama*. **16**: 39-45.
- Facknath, S. and Kawol, D. (1993). Antifeedant and insecticidal effects of some plant extracts on the cabbage webworm, *Crocidolomia binotalis*. *Insect Science and its Application*. **14(5-6)**: 571-574.
- Fairbain, J.W. and El-Muhtadi, F.J. (1972). Chemotaxonomy of anthraquinones in *Rumex*. *Phytochemistry*. **11**: 263-268.
- Fasihudin, A., Hasmah, R. (1993), *Kimia Hasil Semulajadi dan Tumbuhan Ubatan*. Dewan Bahasa dan Pustaka: Kuala Lumpur. pp.157-158.
- Frankel, E.N., Huang, S.W., Kanner, J. and German, J.B. (1994). Interfacial phenomena in the evaluation of antioxidants bulk oils versus emulsions. *Journal of Agricultural and Food Chemistry*. **42**: 1054-1059.
- Frankel, E.N. (1998). Hydroperoxide formation. In: *Lipid Oxidation*. The Oily Press: Dundee. pp.23-41.
- Frost, A.J. (1994). Testing for resistance to antimicrobial drugs. In: Chart, H. (eds.) *Methods In Practical Laboratory Bacteriology*. CRC Press : London. pp.73-82.
- Ghosh, P., Thakur, S., Itoh, T., and Matsumoto, T. (1982). Sterols from Flowers of *Cassia Siamea*, *Cassia Sophera* and *Cassia Fistula*. *Indian Journal of Chemistry Section B Organic Chemistry Including Medicinal Chemistry*. **21**: 796-7.

- Gimlette, J.D. and Thomson, H.W. (1983). *A Dictionary of Malayan Medicine*. Oxford University Press: Kuala Lumpur. pp.67-68.
- Goel, R.K., Gupta, G.D., Ram, S.N., Pandey, V.B. (1991). Antiulcerogenic and anti-inflammatory effects of emodin isolated from *Rhamnus reiquiarta* Wall. *Indian Journal of Medical Research*. **159B**: 230-232.
- Gordon, M.H. (2001). The development of oxidative rancidity in foods. In: Pokorny J, Yanishlieva N, Gordon M, editors. *Antioxidants in food*. Cambridge: Woodhead Publishing Ltd. pp.7-21.
- Greenwald, R.A. (1991). Animal models for evolution of arthritic drug. *Methods and Findings in Experimental and Clinical Pharmacology*. **13**: 75-83.
- Greenwood, D. (1998). Resistance to antimicrobial agents: a personal view. *Journal of Medical Microbiology*. **47**: 751-755.
- Grice, H.C. (1986). Safety evaluation of butylated hydroxytoluene (BHT) in the liver, lung and gastrointestinal tract. *Food and Chemical Toxicology*. **24**: 1127-1130.
- Guerrero, L. M. (1921). *Medicinal uses of Philippine Plants*, Bureau of Forestry Bulletin, Manila, Philippines. **22(3)**:190
- Gupta, M.B., Nath, R., Srivastava, N., Shankar, K., Kishore, K. and Bhargava, K.P.(1980). Anti-inflammatory and antipyretic activities of β -sitosterol. *Planta Medica*. **39**: 157-163.
- Gupta, A.K., Chaugule, M.A. and Pakdalkat, R.K. (1995). NMR structural characterization of gallactomannan from *Cassia occidentalis*. *Indian Journal of Chemistry*. **34**: 169-170.
- Gupta, V., Agarwal, A. and Tiwari, H.P. (1999). Isolation and characterisation of two flavonol and a xanthone glycoside from the stem bark of *Cassia fistula* L. *Indian Journal of Chemistry B*. **28**: 282-284.
- Gupta, M., Mazumder, U.K., Rath, N. and Mukhopadhyay, D.K. (2000). Antitumour activity of methanolic extract of *Cassia fistula* L. seed against Ehrlich Ascites Carcinoma. *Journal of Ethnopharmacology*. **72**: 151-156.
- Halis, S., Derya, Y., Alis, A., Fatma, G., Akcahar, G. and Zuhail, G. (2002). An investigation of the anti-inflammatory effects of an extract from *Cladonia rangiformis* HOFFM. *Biology of Pharmaceutical Bulletin*. **25(1)**: 10-13.
- Hall, C.A. and Cuppett, S.L. (1997). Structure activities of natural antioxidants. In Auroma, O.I. and Cuppett, S.L. (Eds.). *Antioxidant methodology in vivo and in vitro concepts*. AOCS Press: Champaign IL. pp. 141-170.

- Harbone, J.B. (1973). *Phytochemical methods: A guide to modern techniques of plant analysis*. Chapman and Hall : London. p.84.
- Harish, R. and Shivanadappa, T. (2005). Antioxidant activity and hepatoprotective potential of *Phyllanthus niruri*. *Food Chemistry*. **95**: 180-185.
- Hassanali-Walji, A., King, T.J and Wallwork, S.C. (1969). Barakol, a novel dioxaphenylene derivative from *Cassia siamea*. *Journal of Chemical Society and Chemistry Communications*. **12**: 678.
- Hatano, T., Mizuta, S., Ito, H. and Yoshida, T. (1999 a). C-Glycosidic flavanoids from *Cassia occidentalis*. *Phytochemistry*. **52**: 1379-1383.
- Hatano, T., Uebayashi, H., Ito, H., Shiota, S., Tsuchiya, T. and Yoshida, T. (1999 b). Phenolic constituents of Cassia seeds and antibacterial effect of some naphthalenes and anthraquinones on Methicillin-Resistant *Staphylococcus aureus*. *Chemical Pharmaceutical Bulletin*. **47(8)**: 1121-1127.
- Hembing, W.H.M. and Setiawan, D. (2003). *Ramuan tradisional untuk pengobatan darah tinggi*. Penebar Swadaya: Jakarta. pp. 55-56.
- Hogg, N. (1998). Free radicals in disease. *Seminars in Reproductive Endocrinology*. **16**: 241-288.
- Hosseinzadeh, H. and Younesi, H.M. (2002). Antinociceptive and anti-inflammatory effects of *Crocus sativus* L. stigma and petal extracts in mice. *BMC Pharmacology*. **2**: 7-16.
- Hou, L.F., Zhou, B., Yang, L. and Liu, Z.L. (2004). Inhibition of human low density lipoprotein oxidation by flavanols and their glycosides. *Chemistry and Physics Lipids*. **129**: 209-219.
- Houghton, P.J. and Raman, A. (1998). *Laboratory Handbook for the Fractionation of Natural Extracts*. Chapman and Hall : London. pp. 94-102.
- Huang , K.C. (1992). *The Pharmacology of Chinese Herbs*. CRC Press : USA, p.103.
- Ibrahim, A., Khalifa, I.S., Khafagi, I., Youssef, T.D., Khan, S., Mesbah, M. and Khan, I. (2008). Microbial metabolism of biologically active secondary metabolites from *Nerium oleander* L. *Chemical and Pharmaceutical Bulletin*. **56(9)**: 1253-1258.
- Ikan, R. (1969). *Natural Products : A Laboratory Guide*. Academic Press : London. pp.48-51.
- Ilham, M., Yadav, M- and Norhanom, A.W. (1995). Tumor promoting activity of plants used in Malaysian traditional medicine. *Natural Product Sciences*. **1(1)**: 31-42.

- Indu Bala, J. and Ng, L.T. (1999). *Herbs. The Green Pharmacy of Malaysia*. Malaysian Agricultural Research and Development Institute (MARDI) : Kuala Lumpur. p. 125.
- Ismail, S. (2000). *Sayuran Tradisional Ulam dan Penyedap Rasa*. Universiti Kebangsaan Malaysia : Bangi, p.70.
- Jafri, M.A., Subhani, M.J., Javed, K. and Singh, S. (1999). Hepatoprotective activity of leaves of *Cassia occidentalis* against paracetamol and ethyl alcohol intoxication in rats. *Journal of Ethnopharmacology*. **66**: 355-361.
- Jain, S.C., Jain, R., Sharma, R.A. and Capasso, F. (1997). Pharmacological investigation of *Cassia italica*. *Journal of Ethnopharmacology*. **58**: 135-142.
- Jain, S.C., Sharma, R.A., Jain, R. and Mital, C. (1998). Antimicrobial screening of *Cassia occidentalis* L. in vivo and in vitro. *Phytotherapy Research*. **12(3)**: 200-204.
- Jang, H-D., Chang, K-S., Huang, Y-S., Hsu, C-L., Lee, S-H. and Su, M-S. (2007). Principal phenolic phytochemicals and antioxidant activities of three Chinese medicinal plants. *Food Chemistry*. **103**: 749-756.
- Jayaprakasha, G.K. and Rao, L.J. (2000). Phenolic constituents from the lichen *Parmotrema stuppeum* (Nyl.) Hale and their antioxidant activity. *Zeitschrift für Naturforschung*. **55(11-12)**: 1018-1022.
- Jayaprakasha, G.K., Singh, R.P. and Sakariah, K.K. (2001). Antioxidant activity of grape seed (*Vitis vinifera*) extracts on peroxidation models in vitro. *Food Chemistry*. **73(3)**: 285-290.
- Joshi, T., Dass, A., Pandey, S., Shukla, S. (1985) An Anthraquinone 3-Neohesperidoside from *Cassia-Sophera* Root Bark. *Phytochemistry* **24**: 3073-4.
- Joshi, T., Dass, A., Pandey, S. and Shukla, S. (1986) An Anthraquinone 3-Neohesperidoside from *Cassia Sophera* Root Bark. *Phytochemistry*. **24**: 3073-4.
- Joshi, P. (1986). Fish stuper fying plants employed by tribal of southern Rajashtan-a probe. *Current Science*. **55**: 647-650.
- Joseph, J.A., Shukitt-Hale, B., Denisova, N.A., Bielinski, D., Martin, A., McEwen, J.J. and Bickford, B.C. (1999). Reversals of age related declines in neuronal signal transduction, cognitive and motor behavioural deficits with blueberry, spinach or strawberry dietary supplementation. *Journal of Neuroscience*. **19**: 8114-8121.

- Kajanapothi, D., Pathong, A., Lertprasertsuke, N., Taesotikul, T., Rujjanawate, C., Kaewpinit, D., Sudthayakorn, R., Choochote, W., Chaithong, U., Jitpakdi, A. and Pitasawat, B. (2004). Toxicity of crude rhizome extract of *Kaempferia galanga* L. (Proh Hom). *Journal of Ethnopharmacology*. **90**: 359-365.
- Kajiyama, T. and Ohkatsu, Y. (2001). Effect of para-substituents of phenolics antioxidants. *Polymer Degradation and Stability*. **71(3)**: 1043-1045.
- Kashiwada, Y., Lizuka, H., Yoshioka, K., Chen, R.F., Nonaka, G. and Nishioka, I. (1990). Tannins and related compounds: XCII occurrence of enantiomeric proanthocyanidines in the leguminosae plants, *Cassia fistula* L. and *Cassia javanica*. *Chemical and Pharmaceutical Bulletin*. **38**: 888-893.
- Kaur, G., Sarwar Alam, M., Jabbar, Z., Javed, K. and Athar, M. (2006). Evaluation of antioxidant activity of *Cassia siamea* flowers. *Journal of Ethnopharmacology*, in press.
- Kazmi, M.H., Abdul Malik, Hameed, S., Akhtar, N. and Ali, S.N. (1994). An anthraquinone derivative from *Cassia italica*. *Phytochemistry*. **36(3)**: 761-763.
- Kshetra, M.B. dan Haimanti, M. (1986). Cassiadinine, a chromone alkaloid and (+)-6-hydroxymellein, a dihydroisocoumarin from *Cassia siamea*. *Phytochemistry*. **25(7)**: 1727-1730.
- Kinghorn, A.D. and Balandrin, M.E. (1992). *Human Medicinal Agents from Plants*. American Chemical Society, Washington, DC.
- Kirtikar, K.R. and Basu, B.D. (1975). *Indian Medicinal Plants*. Vol II, 2nd Ed, Jayyed Press: Delhi. pp.870-872.
- Koyama, J., Morita, I., Tagahara, K. and Aqil, M. (2001). Bianthraquinones from *Cassia siamea*. *Phytochemistry*. **56**: 849-851.
- Kumar, A., Pande, C.S. and Kaul, R.K. (1966). Chemical examination of *Cassia fistula* flowers. *Indian Journal of Chemistry*. **4**: 460.
- Kumaran, A. and Karunakaran, R.J. (2007). Antioxidant activity of *Cassia auriculata* flowers. *Fitoterapia*. **78**: 46-47.
- Kuo, S.C., Chen, S.C., La, C.F., Teng, C.M. and Wang, J.P. (1996). Studies on the anti-inflammatory and antiplatelet activities of constituents isolated from the roots and stems of *Cassia occidentalis* L. *Chinese Pharmaceutical Journal*. **48**: 291-302.
- Leinard, V., Seck, D., Lognay, G., Gaspan, C. and Severin, M. (1993). Biological activity of *Cassia occidentalis* L. against *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae). *Journal of Stored Products Research*. **29(4)**: 311-318.

- Lin Y-L., Wang, W-Y., Kuo, Y-H and Chen, C-F. (2000). Nonsteroidal constituents from *Solanum indica* L. *Journal of the Chinese Chemical Society*. **47**: 247-251.
- Lockes, D. (1983). A new approach to acute toxicity testing. *Archives of Toxicology*. **54**: 275-287.
- Mabry, T.J., Markham, K.R. and Thomas, M.B. (1970). *The Systematic Identification of Flavanoids*. Berlin, Springer-verlag. p. 398.
- Madhavi, D.L. and Salunkhe, D.K. (1995). Toxicological aspects of food antioxidants. In: Madhavi, D.L., Deshpande, S.S., Salunkhe, D.K. (Eds.). *Food Antioxidants*. Dekker: New York. p. 267.
- Magee, A.R., Van Wyk B.E. and Van Vuuren S.F. (2007). Ethnobotany and antimicrobial activity of *sieketroos* (*Arctopus* species). *South African Journal of Botany*. **73**: 159-162.
- Maity, T.P., Mandal, S.C., Mukherjee, P.K., Saha, K., Das, J. Pal, M. and Saha, B.P. (1998). Studies on antiinflammatory effect of *Cassia tora* leaf extract (Fam. Leguminosae). *Phytotherapy Research*. **12**: 221-223.
- Malhotra, S. and Misra, K. (1982). A new anthraquinone from *Cassia sophera* Heartwood. *Planta Medica*. **46(12)**: 247-249.
- Manomani, G., Bhavapriya, V., Kalpana, S., Govindasamy, S. and Apparantham, T. (2005). Antioxidant activity of *Cassia fistula* (Linn.) flowers in alloxan induced diabetic rats. *Journal of Ethnopharmacology*. **97**: 39-42.
- March, R.E. and Miao, X.-S. (2004). A fragmentation study of kaempferol using electrospray quadrupole time-of-flight mass spectrometry at high mass resolution. *International Journal of Mass Spectrometry*. **231**: 157-167.
- Mariko, N., Hasimoto, M., Genovese, I.M. and Lajolo, F.M. (2005). Antioxidant activity of dietary fruits, vegetables and commercial frozen pulps. *Journal of Agricultural and Food Chemistry*. **53**: 2928-2935.
- Marrero, E., Goicochea, C.B. and Ruano, M.P. (1998). *Cassia occidentalis* toxicosis in heifers. *Veterinary and Human Toxicology*. **40**: 307.
- Martin, R.G. (1982). Skin and eye testing in animals. In: Wallace, H.A. (ed.) *Principles and Methods of Toxicology*. Raven Press: New York. pp.209-222.
- Mastura, M. and Khozirah, S. (2000). Antimicrobial activity of *Senna alata* and *Cassia javanica* subsp. *nodosa* extracts against micro-organisms related to skin infections. *Journal of Tropical Forest Products*. **6(2)**: 218-221.
- Mathew, S. and Abraham, T.E. (2006). Studies on the antioxidant activities of cinnamon (*Cinnamomum verum*) bark extracts, through various in vitro models. *Food Chemistry*. **94**: 520-528.

- Modi, F.K and Khorana, M.L. (1952). A study of *Cassia fistula* pulp. *Indian Journal of Pharmaceutical*. **4**: 61-63.
- Mokasmit, M. (1981). Hypertensive effects of Thai medicinal plants. *Newsletter of National Research Council of Thailand*. **22**: 3-4.
- Morimoto, S., Nonaka, G. and Chen, R. (1998). Tannins and related compounds. LXI. Isolation and structures of novel bi- and triflavanoids from the leaves of *Cassia fistula* L. *Chemical and Pharmacology Bulletin*. **36**: 39-47.
- Moriyama, H., Iizuki, T., Nagai, M., Miyataka, H. and Satoh, T. (2003 a). Antiinflammatory activity of heat-treated *Cassia alata* leaf extract and its flavanoid glycoside. *Yakugaku Zasshi*. **123(7)**: 607-611.
- Moriyama, H., Iizuki, T., Nagai, M. and Hoshi, K. (2003 b). Adenine, an inhibitor of platelet aggregation, from the leaves of *Cassia alata*. *Biology Pharmaceutical Bulletin*. **26(9)**: 1361-1364.
- Morton, J.F. (1981). *Atlas of Medicinal plants of Middle America: Bahamas to Yucatan*. Charles Thomas Publisher : USA. pp.287-288.
- Muhtadi, F.J. and Moss, M.J.R. (1969). A synthesis of aloe-emodin 1,8-di- β -D-glucoside. *Tetrahedron Letters*. **43**: 3751-3752.
- Murdiati, T.B. dan Manurung, J. (1991). Uji daun ketepeng (*Cassia alata* L.) untuk pengobatan penyakit kulit (*Psoroptes cuniculi*) pada kelinci. *Penyakit Hewan*. **23**: 50-52.
- Nadkarni, K.M. (1976). *The Indian Meteria Medica*. Popular Prakashan : Bombay, Vol I. pp.283-292.
- Nageswara Rao, G., Mahesh Kumar, P., Dhandapani, V.S., Rama Krishna, T. and Hayashi, T. (2000). Constituents of *Cassia auriculata*. *Fitoterapia*. **71**: 82-83.
- Nanba, T., Kadota, S., Shimomura, K. and Iida, K. (1994). Skin-Lightening cosmetic containing hyaluronidase and collagenase inhibiting *Cassia auriculata* extracts. *Japan Kokai Tokkyo Koho*. **26**: 960.
- Narayanan, V. and Seshadri, T.R. (1972). Proanthocyanidins of *Cassia fistula*. *Indian Journal of Chemistry*. **10** : 379-381.
- Ncube, N.S., Afolayan, A.J. and Okoh, A.I. (2008). Assessment techniques of antimicrobial properties of natural compounds of plant origin: current methods and future trends. *African Journal of Biotechnology*. **7(12)**: 1797-1806.
- Neuwinger, H.D. (1996). *African ethno botany: poisons and drugs*. Chapman & Hall. P.280-296.

- Nikaido, H. and Vaara, M. (1985). Molecular basis of bacterial outer membrane permeability. *Microbiological Reviews*. **1**: 1-32.
- Nuutila, A.M., Puupponen-Pimia, R. Aarni, M. and Oksaman-Caldentey, K.M. (2003). Comparison of antioxidant activities of onion and garlic extracts by inhibition of lipid peroxidation and radical scavenging activity. *Food Chemistry*. **81**: 485-493.
- OECD (Organization for Economic Co-operation and Development). OECD Guidelines for the Testing of Chemicals/Section 4: Health effects Test No.423: Acute Oral Toxicity-Acute Class Method. Paris: OECD, 2002.
- Ogunti, E.O., Aladesanmi, A.J. and Adesanya, S.A. (1991). Antimicrobial activity of *Cassia alata*. *Fitoterapia*. **62(6)**: 537-539.
- Ong, H.C. (2005). Gelenggang kecil : Mempercepatkan Proses Bersalin. *Dewan Kosmik*. Kumpulan Karangkrif Sdn.Bhd.: Selangor. Oktober 2005. p. 48.
- Oyaizu, M. (1986). Studies on product browning reaction prepared from glucose amine. *Japan Journal of Nutrition*. **44**: 307-315.
- Padmanabha Rao, T.V. and Venkateswarlu, V. (1965). Fistucacidin from the bark and heartwood of *Cassia fistula* Linn. *Bulletin of National Institute of Sciences of India*. **31** : 28-33.
- Palanichamy, S., Nagarajan, S. and Devasagayam, M. (1988). Effect of *Cassia alata* leaf extract on hyperglycemic rats. *Journal of Ethnopharmacology*. **22**: 81-90.
- Palanichamy, S. and Nagarajan, S. (1990 a). Analgesic of *Cassia alata* leaf extract and kaempferol-3-*O*-sophoroside. *Journal of Ethnopharmacology*. **29**: 73-78.
- Palanichamy, S. and Nagarajan, S. (1990 b). Anti-inflammatory activity of *Cassia alata* leaves and kaempferol-3-*O*-sophoroside. *Fitoterapia*. **61**: 44-47.
- Panichayupakaranant, S. and Kaewsuwan, S. (2004). Bioassay-guided isolation from *Cassia alata* L. leaves. *Songklanakarin Journal of Scientific Technology*. **26(1)**: 103-107.
- Pearson, W. (2000). *The Herbal Renaissance*. Equin Research Centre, Guelph, Ontario. <http://www.erc.on.ca/herbal.htm>
- Perez, C. and Anesini, C. (1994). In vitro antibacterial activity of Argentine folk Medicinal plants against *Salmonella typhi*. *Journal of Ethnopharmacology*. **44(1)**: 41-46.
- Perry, L.M. (1980). *Medicinal Plants of East and Southeast Asia*. The MIT Press Cambridge : England. pp. 209 - 211.

- Perumal, R., Samy, S., Iggnacimuthu, S. and Sen, A. (1998). Screening of 34 medicinal plants antibacterial properties. *Journal of Ethnopharmacology*. **62**:173-182.
- Pfleger, K., Maurer, H.H. dan Weber, A. (1992). *Mass spectral and GC data of drugs, poisons, pesticides, pollutants and their metabolites*. VCH Publishers, Inc. : Weinhem. p. 1200.
- Phongpaichit, S., Pujenjob, N., Rukachaisirikul, V. and Ongsakul, M. (2004). Antifungal activity from leaf extracts of *Cassia alata* L., *Cassia fistula* L. and *Cassia tora* L. *Songklanakarin Journal of Scientific Technology*. **26(5)**: 741-748.
- Pieme, C.A., Penlap, V.N., Nkegoum, B., Taziebou, C.L., Tekweu, E.M., Etoa, F.X. and Ngongang. J. (2006). Evaluation of acute and subacute toxicities of aqueous ethanolic extract of leaves of *Senna alata* (L.) Roxb (Caesalpiniaceae). *African Journal of Biotechnology*. **5(3)**: 283-289.
- Pong, K. (2003). Oxidative stress in neurodegenerative diseases: therapeutic implications for superoxide dismutase mimetics. *Expert Opinion in Biological Therapy*. **3**: 127-139.
- Rajagopal, S.K., Manickam, P., Periyasamy, V. and Namasivayam, N. (2003). Activity of *Cassia auriculata* leaf extract in rats with alcoholic liver injury. *The Journal of Nutritional Biochemistry*. **14**: 452-458.
- Reddy, V., Urooj, A. and Kumar, A. (2005). Evaluation of antioxidant activity of some plant extracts and their application in biscuits. *Food Chemistry*. **90**: 317-321.
- Rice-Evans, C.A., Miller, N.J., Bolwell, P.G. Barmley, P.M. and Pridham, J.B. (1995). The relative antioxidant activities of plant derived polyphenolic flavanoids. *Free Radical Research*. **22**: 375-383.
- Ridley, H.N. (1922). *The Flora of The Malay Peninsula*, L.Reeve and Co., LTD : London. pp.618-619.
- Ronald, N. and Jones, M.D. (1996). Impact of changing pathogens and antimicrobial susceptibility patterns in the treatments of serious infections in hospitalized patients. *American Journal of Medical*. **100(suppl 6A)**: 3S-11S.
- Sabu, M.C. and Subburaju, T. (2002). Effect of *Cassia auriculata* Linn. on serum glucose level, glucose utilization by isolated rat hemidiaphragm. *Journal of Ethnopharmacology*. **80**: 203-206.
- Sadique, J., Chandra, T., Thenmozi, V. and Elango, V. (1987). Biochemical modes of action of *Cassia occidentalis* and *Cardiospermum halicacabum* in inflammation. *Journal of Ethnopharmacology*. **19(2)**: 201-212.

- Samuelsson, G., Farah, M.H., Claeson, P., Hagos, M., Thulin, M., Hedberg, O., Warfa, A.M., Hassan, A.O., Hassan Elmi, A., Abdurahman, A.D., Elmi, A.S., Abdi, Y.A. and Alin, M.H.(1991). Inventory of plants used in traditional medicine in Somalia. I. Plants of the families *Acanthaceae-Chenopodiaceae*. *Journal of Ethnopharmacology*. **35(1)**:25-63.
- Samy, R.P. and Ignacimuthu, S. (2000). Antibacterial activity of some folklore medicinal plants used by tribals in Western Ghats of India. *Journal of Ethnopharmacology*. **69**: 63-71.
- Sanchez, T., Moreno, J.J., Larrauri, J.A. and Saura-Calixto, F. (1998). A procedure to measure the antiradical efficiency of polyphenol. *Journals of the Science of Food and Agriculture*.**76**: 270-276.
- Saraf, S., Dixit, V.K, Tripathi, S.C. and Patnaik, G.K.(1994). Antihepatotoxic activity of *Cassia occidentalis*. *International Journal of Pharmacognosy*. **32**: 178-183.
- Satyavati, G.V., Roana, M.K. and Sharma, M. (1979). *Medicinal Plants of India*. Indian Council of Medical Research, New Delhi.
- Sawhney, A.N., Khan, M.R., Ndaalio, G., Nkunya, M.H.H. and Wavers, H. (1978). Studies on the rationale of African traditional medicine. Part II. Preliminary screening of medicinal plants for Anti-Gonococci activity. *Pakistan Journal of Science Indigenous Research*. **21**:189-192.
- Scalbert, A. (1991). Antimicrobial properties of tannins. *Phytochemistry*. **30**: 3875-3883.
- Setiawan, D. (2004). *Ramuan tradisional untuk pengobatan hepatitis*. Penebar swadaya: Jakarta. p. 58.
- Shabana, M., Mahmoud, I.,Gonaid, M., Salama, M., Mostafa, A. and Badary, O. (2000). Phytochemical and biological studies of *Cassia tora* L. grown in Egypt. *Bulletin Faculty of Pharmacy Cairo University*. **38(1)**: 123-125.
- Sharma, N., Trikha, P., Athar, M. and Raisudin, S. (1999). Protective effect of *Cassia occidentalis* extract on chemical-induced chromosomal aberrations in mice. *Drug and Chemical Toxicology*. **22**: 643-653.
- Siddhuraju, P. Mohan, P.S. and Becker, K. (2002). Studies on the antioxidant activity of Indian Laburnum (*Cassia fistula* L.): a preliminary assessment of crude extracts from stem bark, leaves, flowers and fruit pulp. *Food Chemistry*. **79**: 61-67.
- Singh, V., Singh, J. and Sharma, J.P. (1992). Anthraquinones from heartwood of *Cassia siamea*. *Phytochemistry*. **31(6)**: 2176-2177.
- Singh, S., Bani, S., Singh, G.B. (1997). Anti-inflammatory activity of Lupeol. *Fitoterapia*. **68**: 9-16.

- Slavica, B.I., Sandra, S.K. and Zoran, B.T. (2004). Antimicrobial activity of bioactive component from flower of *Linum capitatum* Kit. *Facta Universitatis* (Series: *Physics, Chemistry and Technology*). **3(1)**: 73-77.
- Soares, J.R., Dinis, T.C., Cunha, A.P. and Ameida, L.M. (1997). Antioxidant activity of some extracts of *Thymus zygis*. *Free Radical Research*. **26**: 469-478.
- Somchit, M.N., Reezal, I., Elysha Nur, I., Mutalib, A.R., (2003), In vitro antimicrobial activity of ethanol and water extracts of *Cassia alata*. *Journal of Ethnopharmacology*. **84(1)**: 1- 4.
- Struelens, J.M. (1998). Tracking the epidemiology of antimicrobial drug resistance in hospitals: Time to deploy molecular typing. *Journal of Medical Microbiology*. **47**: 1035-1046.
- Suja, K.P., Jayalekshmy, A. and Arumughan, C. (2005). Antioxidant activity of sesame cake extract. *Food Chemistry*. **91**: 213-219.
- Sukma, M., Chaichantipyuth, C., Murakami, Y., Tohda, M., Matsumoto, K. and Watanabe, H. (2002). CNS inhibitory effects of barakol, a constituents of *Cassia siamea* Lamk. *Journal of Ethnopharmacology*. **83**: 87-94.
- Süleyman, H., Demirezer, L. Ö., Kuruüzüm, A., Banoğlu, Z.N., Göçer, F., Özbakir. G. and Gepdiremen, A. (1999). Antiinflammatory effect of the aqueous extract from *Rumex patienta* L. roots. *Journal of Ethnopharmacology*. **65**: 141-148.
- Süleyman, H. and Büyükokuroğlu, M.E. (2001). The effects of newly synthesized pyrazole derivatives on formaldehyde-, carrageenan-, and dextran-induced acute paw edema in rats. *Biological and Pharmaceutical Bulletin*. **24**: 1133-1136.
- Suliman, H. B., Wasfi, I. A. and Adam, S. E. (1982). The toxicity of *Cassia occidentalis* to goats. *Veterinary and Human Toxicology*. **24(5)**: 326-30.
- Suliman, H.B. and Shommeim, A.M. (1986). Toxic effect of the roasted and unroasted beans of *Cassia occidentalis* in goats. *Veterinary and Human Toxicology*. **28(1)**: 6-11.
- Singleton, V.L., and Rossi, J.A. (1965). Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American Journal of Enology and Viticulture*. **16**: 144-158.
- Taga, M.S., Miller, E.E and Pratt, D.E. (1984). Chia seeds as a source of natural lipid antioxidants. *Journals of American Oil Chemical Society*. **61**: 928-931.
- Taylor, J.L.S., Rabe, T., McGaw, L.J., Jäger, A.K. and van Staden, J. (2001). Towards the scientific validation of traditional medicinal plants. *Plant Growth Regulation*. **34(1)**: 23-37.

- Thongsaard, W., Deachapunya, C., Pongsakorn S., Boyd, E.A., Bennet, G.W. and Marsden, C.A. (1996). Barakol : a potential anxiolytic extracted from *Cassia siamea*. *Pharmacology Biochemistry and Behaviour*. **53(3)**: 753-758.
- Thongsaard, W., Pongsakorn S., Sudsuang, R., Bennet, G.W., Kendall, D.A. and Marsden, C.A. (1997). Barakol, a natural antixyloitic, inhibits striatal dopamine release but not uptake in vitro. *European Journal of Pharmacology*. **319**: 157-164.
- Tomas-Barberan, F.A., Msonthi, J.D and Hostettman, N.K. (1988). Antifungal epicuticular methylated flavanoids from three Spanish *Helichrysum* species. *Phytochemistry*. **27**: 753-755.
- Tona, L., Ngimbi, N.P., Tsakala, M., Mesia, K., Cimanga, K., De Bruyne, T., Apers, S., Pieters, L., Totte, J. and Vlietinck. (1999). Antimalarial activity of 20 crude extracts from nine African medicinal plants used in Kinshasa, Congo. *Journal of Ethnopharmacology*. **68**: 193-203.
- Tsuda, T., Ohshima, K., Kawakishi, S. and Osawa, T. (1994). Antioxidative pigments isolated from the seeds of *Phaseolus vulgaris* L. *Journal of Agricultural and Food Chemistry*. **42**: 248-251.
- Tutour, B.L. (1990). Antioxidative activities of algal extracts. Synergistic effect with vitamin E. *Phytochemistry*. **29**: 3759-3765.
- Vedavathy, S. and Rao, K.N. (1991). Antipyretic activity of six indigenous medicinal plants of Tirumala hills. *Journal of Ethnopharmacology*. **33**: 193-196.
- Venugopalan, C.S., Flory, W., Hebert, C.D. and Tucker, T.A. (1984). Assessment of smooth muscle toxicity in *Cassia occidentalis* toxicosis. *Veterinary and Human Toxicology*. **26(4)**:300-2.
- Villaroya, M.L.E and Santos, R.B. (1976). A chemical investigation of *Cassia alata* L. (fam. Leguminosae). *Asian Journal of Pharmacy*. **3**: 10-24.
- Wader, G. R. and Kudav, N. A. (1987). Chemical investigation of *Cassia occidentalis* Linn. with special reference to isolation of xanthenes from *Cassia* sp. *Indian Journal Of Chemistry Section B Organic Chemistry Including Medicinal Chemistry*. **26(7)**: 703.
- Waterworth, P.M. (1978). Quantitative methods for bacterial sensitivity testing. In: Reeves, D.S., Phillips, I., Williams, J. D. and Wise, R. (eds.) *Laboratory Methods For Bacterial Sensitivity Testing*. Churchill Livingstone, London. pp :31-40.
- Weils, C.S. (1952). Tables for convenient calculations of median effective dose (LD₅₀ or ED₅₀) and instruction in their use. *Biometrics*. **8**: 249-263.

- Wichi, H.P. (1988). Enhanced tumor development by butylated hydroxyanisol (BHA) from the prospective of effect on forestomach and oesophageal squamous epithelium. *Food and Chemical Toxicology*. **26**: 717-723.
- Wong, S-M., Wong, M.M., Seligmann, O. and Wagner, H.(1989). New antihepatotoxic naphtho-pyrone glycosides from the seeds of *Cassia tora*. *Planta Medica*. **55**: 276-280.
- Wu, C-H. and Yen, G-C. (2004). Antigenotoxic properties of *Cassia* tea (*Cassia tora* L.): Mechanism of action and the influence of roasting process. *Life Sciences*. **76**: 85-101.
- Yamaguchi, T., Takamura, H. Matoba, T. and Terao, J. (1998). HPLC method for the evaluation of the free radical-scavenging activity of foods by using 1,1-diphenyl-2-picrylhydrazyl. *Bioscience Biotechnology Biochemistry*. **62**: 1201-1204.
- Yang, J., Guo, J. and Yuan, J. (2008). In vitro antioxidant properties of rutin. *LWT- Food Science and Technology*. **41**: 1060-1066.
- Yen, G-C., Duh, P-D. and Chuang, D-Y. (2000). Antioxidant activity of anthraquinones and anthrone. *Food Chemistry*. **70**: 437-441.
- Zainal Abidin , M.Y., Zulaikha, P. and Ropien, J. (2002). Potential of developing cosmetics and cosmeceutical products from medicinal plant. In: Chang, Y.S., Mastura, M., Vimala, S. and Nurhanan Murni, Y. (eds.). *Towards Modernisation Of Research And Technology In Herbal Industries. Proceedings of the Seminar on Medicinal and Aromatic Plants*. Forest Research Institute Malaysia (FRIM), Kuala Lumpur. pp. 1-17.
- Zainon, A.S. (2004). Tumbuhan penawar pelbagai penyakit: Tongkat Ali, Kacip Fatimah dan Pegaga. In: Chang, C.Y., Mastura, M. and Nurhanan Murni, Y. (eds). *Tongkat Ali, Kacip Fatimah & Pegaga New Dimensions Complementary Healthcare. Proceedings of the Seminar on Medicinal Plants*. Forest Research Institute Malaysia (FRIM), Kuala Lumpur. pp.3-6.
- Zainon, A.S., Rasadah, M.A. and Nik Musa'adah, M. (2004). *Tumbuhan ubatan untuk Rawatan Penyakit Radang*. Forest Research Institute Malaysia (FRIM): Kuala Lumpur. pp. 1-6.
- Zhang, X., Thuong, P.T., Jin, W.Y., Su, N.D., Sok, D.E., Bae, K.H. and Kang, S.S. (2005). Antioxidant activity of anthraquinones and flavanoids from flower of *Reynoutria sachalinensis*. *Archives of Pharmacal Research*. **28(1)**: 22-27.
- Zhenbao, J., Fei, T., Ling, G., Guanjun, T. and Xiaolin, D. (2006). Antioxidant properties of extracts from juemingzi (*Cassia tora* L.) evaluated in vitro. *LWT- Food Science and Technology*. **40(6)**: 1072-1077.