

References

References:

- Abdelkader Meriem, R.W. and Monique Biesemans (1991). Synthesis, Characterization and in Vitro antitumour activity of di-n-butyltin(IV) derivatives of some aromatic carboxylic acids including aspirin. *App.Organomet. Chem.* **5**.195-201
- Agatino DiPaola, Giovanni Cufalo, Maurizio Addamo, Marianna Bellardita, Renzo Campostrini, Marco Ischia, Riccardo Ceccato and, Leonardo Palmisano (2008). Photocatalytic activity of nanocrystalline TiO₂ (brookite, rutile and brookite-based) powders prepared by thermohydrolysis of TiCl₄ in aqueous chloride solutions, *Colloid Surf. A.* **317**. 366–376
- Alzieu, C., Sanjuan, P., Michell, P., Borel, M., Dreno, J.P.(1989). Monitoring and assessment of butyltins in Atlantic Coastal, Water. *Mar. Pollute. Bull.* **20**. 22-26
- Andriveski, R.A. (2005). Size effect in nano materials: rules and exception, in 1st Iran - Russia joint seminar & workshop on nanotechnology.: Iran
- Auciello, O., and Kingon, A. I. (1999). A critical review of physical vapour deposition techniques for the synthesis of ferroelectric thin film, *Nanostruct.Mater.* **12**. 511 - 535
- Banerjee, S., Judy Gopal, P. Muraleedharan, A. K. Tyagi and Baldev Raj (2006). Physics and chemistry of photocatalytic titanium dioxide: Visualization of bactericidal activity using atomic force microscopy. *Current Science.* **90** (10)1378-1383
- Barbieri, R., and Roalba Cefalu (1972). Mossbauer and Infrared spectroscopic studies on complexes of Diorganotin (IV) with Bis (Salicylic Aldehyde) Ethylendiimine. *J. Organomet. Chem.* **42**. 65-74
- Belapurkar, A.D., Sherkane, P., and Kale, S.P., (2006). Disinfection of drinking water using photocatalyst techniques. *Current Science.* **91**(1).73-76
- Belikov, V.A., Shatz, V.D. (1990). Review Chromatography of organic derivatives of Group IV B elements *Appl.Organomet.Chem.* **2**. 77-89
- Birchall, T., Frampton, C.S. and Johnson P. (1987). Di-μ₃-oxo-bis(μ-trichloroacetato-O-O')-bis(trichloroacetato)tetrakis[dimethyltin(IV)]. *Acta Cryst.* **C43**.1492-1494.
- Blunden, S.J., Grove, A.J., A.M. (1987). An NMR and Mossbauer spectroscopic study of antifouling rubbers containing organotin compounds. *Appl.Organomet. Chem.* **1**.57-63
- Blunden, S.J., Chapman, A. (1986). Organometallic compounds in the Environment. Longman, London, 111-119.
- Bonire J. J., Ayoko G. Adefikayo, Philip F. Olurinola, Joseph O. Ehinmidu, Neelam S. N. Jalil, and Andrew A. Omachi. (1998). Synthesis and Antifungal Activity of Some Organotin(IV) Carboxylates. *Metal-Based Drugs.* **5** (4). 233-236

Bryan, G. W., Gibbs, P.E., and Burt, G .R. (1988). A comparison of effectiveness of tributyltin chloride and five other organotin compounds in promoting the development of imposex in the dogwhelk, *Nucella Lapillus*. *J. Mar. Biol. Ass.* **68**. 733-744

Bulten, E.J., Meinema, H.A., (1991). *Metals and Their Compounds in the Environment*. VCH, Weinheim, 1245-1259.

Carmen Canevali, F.M., Roberto Scotti, Ignazio Renato Bellobono, Marco Giusti, Marco Sommariva, Massimiliano D'Arienzo, Andrea Testino, Anna Musinu, and Carla Cannas (2006). Nanocrystalline TiO₂ with Enhanced Photoinduced Charge Separation as Catalyst for the Phenol Degradation. *Int. J. Photoenergy*. 1-6

Champ, M. A., Bleil, D.F. (1988). Research needs concerning organotin compounds used in antifouling paints in coastal environments. Maryland. Science Appl. Int. Corp.
Champ, M. A., Seligman P.F. (1996). *Organotin*, Chapman & Hall, London.

Crowe, A. J., Freund, G. (1989). *Metal - based antitumor drug*. London, house Ltd.

Crompton, T.R., (1982). *Gas Chromatography of Organometallic Compounds*, Plenum Press, New York 305-562

Charles P., Poole, J.F.J.O. (2003). *Introduction to nanotechnology* John Wiley & Sons, Inc.

Chebrolu P.Rao., C.N.R. (1996). Alkoxo Bound Monooxo-and Dioxovanadium (V) complexes: Synthesis, Characterization X-ray Crystal Structure, and solution Reactivity studies. *Inorg. Chem.* **35**. 5674-5683

Danish, M. Ali .S.Muhammad Mazhar and Amin Badshah (1996). Synthesis and spectral studies of Bis{Dialkyl-[Trans-3-(2-Thiophenyl)-2 Propenoate]tin}Oxides: Crystal structure of {[(CH₃)₂ SnO₂C-CH= CH-C₄H₃S]₂O}₂ .*Main Group metal Chemistry*. **19.3**. 121-130.

Davies, R., (2001). Particle Science and technology-Aview at the milleninium. *Powder Technol.* **119**. 45 - 57

Deacon, G.B., and Phillips, R.J. (1980). Relationship between the carbon-oxygen stretching frequencies of carboxylato complexes and the type of carboxylic *Coord.Chem.Rev.* **33**. 227-250

Dietrich, B. (1981). Recent development in degradation and stabilization. *Pure & App. Chem.* **5**. 549-566

Dongliang Liao, B.L., (2007). Effects of Surfactant Composition and Concentration on Shape, Size and Photocatalytic Activity of TiO₂ Nanoparticles. *Int. J. Chem. React. Eng.* **5**. 1-15

Dubey, S. K., Roy, U., (2003). Biodegradation of tributyltin (organotins) by marine bacteria. *Appl. Organomet.Chem* .**7**. 3-8

- Eric Dreher, K., (2004). From Feynman to Funding. *Bull.Sci. Technol. Soc.***24** (1). 21-27
- Evans, C., and Karprl, S. (1986). Organotin compounds in modern technology. *J. Organomet. Chem. Lib.* **16**. Oxford. Elsevier.
- Faggiani R., Jhonson. J.P., Brown I.D. and Birchall. T. (1978). Di- μ_3 -oxo-bis(μ -trifluoroacetato-O,O')-bis(trifluoroacetato)tetrakis[dimethyltin(IV)]. *Acta Cryst.* **B34**.3743-3745.
- Feynman, R., (1991). There's plenty of room at the bottom. *Science*.**254**. 1300-1301
- Francoi, N., Ginzberg, B. (1998). Parameters involved in the sol gel of titania in reverse micell. *J.Sol Gel Sci. Technol.* **13**. 341 - 346
- Franca C.C., Morazzoni, Roberto Scotti, Ignazio Renato Bellobono, Marco Giusti,Marco Sommariva,1 Massimiliano D'Arienzo, Andrea Testino, Anna Musinu, and Carla, (2006). . Nanocrystalline TiO₂ with Enhanced Photoinduced ChargeSeparation as Catalyst for the Phenol Degradation, *Int. J. Photo energy.* 1-6
- Frank .A.(1987). Review Article Nanotechnology, *J. Phys. E. Instrument.* **20**. 1442-1451
- Frankland.E. (1854) *J.Chem.Soc*, **6**, 57.
- Gebray Asgedom., A.Sreedhara ,Chebrolu P.Rao (1995). Oxovanadium(V) Schiff base Complexes of tri,hydroxymethylaminomethane w ith Salicylaldehyde and its derivative: Synthesis,Characterization and redox activity. *Polyhedron*.**14** (13-14). 1873-1679
- Gerbay Asgedum, A.S., Jussi Kivikoski, Jussi Valkonen , Erkki Kolehmainen and Chebrolu P.Rao. (1996). Alkoxo Bound Monooxo-and Dioxovanadium (V) complexes: Synthesis, Characterization X-ray Crystal Structure,and solution Reactivity studies. *Inorg. Chem*.**35**. 5674-5683
- Gibbs, P. E., Bryan, G .W., Pascae, P.L. (1991). "TBT - induced imposex in the dogwhelk, Nucella Lapillus: Geographical uniformity of the response and effects. *Mar. Environ. Res.***32**. 1-5
- Gopinathan,S.,Deganonkar,Hundekar,A.M., and Gopinathan,C., (1993). Organotin (IV) complexes of dibasic tridentate Schiff bases containing ONO atoms, *App. Organomet. Chem*.**7**. 63-69
- Gruiter, U.M., Hitzke ,M., Kremson, J., Hirner,A.V.,(2001). Derivatization of organometal (loid) species by sodium borhydride, problems and solutions. *J.Chromatog.A*. **938**.225-236
- Gomez-Ariza, J. L. (2001). "Sample treatment in chromatography-based speciation of organometallic compound pollutants. *J. Chromatogr.***938**. 211-224
- Guettai .N. Ait Amar, H. (2005). Photooxidation of Methyl orange in presence of titanium oxide in aqueous suspension. Part II: kinetic study. *Desalination* .**185**. 439-448

Guo Min Zuo, Z.X.c., Hong chen,Guo Wen Li , Ti Miao (2006). Study on photocatalytic degradation of several volatile organic compounds. *J.Hazard.Mater.* **128 (2-3)**. 158-163

Habibbi M.H., Nasre Esfahani, M. (2006). Preparation, characterization and photocatalytic activity of a novel nanostructure composite film derived from nanopowder TiO₂ and Sol-Gel process using organic dispersant Dyes. *Pigm.* 1-9

Hapipah .M.Ali, S.Puvaneswary,B., Wan Jefry and S.W.Ng (2007). Bis [1,3-dihydroxy-2-hydroxymethyl-2-(5-nitro-2-oxidobenzylideneamino) propane-³N,O,O'] zinc(II) trihydrate. *Acta .Cryst.* E63.m1532

Handong, Y., Haolong. XU.,Kaozhen,Li., gang, Li. (2005). Synthesis of Diorganotin esters of thiosalicylic acid:X ray crystal structure of Polymeric thio Salicylic. *J.Inorg.and Organomet. Polym Mater.***15 (3)**. 319-325

Har Lal and Singh, Larceny, (2006). Synthesis, Structural and Biological studies of organotin (IV) with Schiff Base having Nitrogen and Sulphur Donor Ligands, *Bioinorg. Chem. Appl.* 1-7

Harston. P., Howie. R.A. , Wardell. J. L. (1992).Structure of Dibutyltin Bis(p-nitrobenzoate). *Acta Cryst.* **C48**.279-281.

Hidaka, H., and Zhao. (1998). Photodegradation of surfactants with TiO₂ semiconductor for environmental waste water treatment. *Proc . Indian . Acad . Sci.* **110 (3)** 215-228

Hideo Okamura, Y.S., (2004). Photosensitized degradation of Irgarol 1051 in water, *Chemosphere.***57 (7)**. 739-743

Hisao Hidaka, J.C.Z. (1992). Photodegradation of surfactants catalyzed by a TiO₂ semiconductor, *Colloid. Surf.* 67. 165-182

Hiskia , A., Troupis, A., Antonaraki, S., Gkika, E., Kormali , P., and Papaconstantino E., (2006). Polyoxometallate photocatalysis for decontaminating the aquatic environment from Intern organic and inorganic pollutants. *J. Environ. Analy. Chem..* **15(3-4)**. 233-24

Hiskia Anastasia' Aristidis Troupis ' Stamatia Antonaraki; Eleni Gkika ' Pigi Kormali ' Elias Papaconstantinou (2006). Polyoxometallate photocatalysis for decontaminating the aquatic environment from organic and inorganic pollutants. *Int .J.Environ .Analy .Chem.***86 (3-4)**. 233 – 242

Hoch, M. (2001). "Review organotin Compounds in the environment-anoverview." *Applied Geochemistry.* **16**. 719 - 743

Hoffman, R., Martin, S.T., Choi, W., Bahnemann, D. W (1995). Environmental Application of semiconductor photocatalysis. *Chem., Rev.* **95**. 69-96

Hoffman, M.R., Martin, S.T., Choi, W., Bahnemann, D.W.(1998). *Chem. Rev.* (Special volume on polyoxometallate). **98** (1)Huber. F.,Preut. H., and Hoffman. E.(1989). Structure of Bis[aquadimethyl(2,6-pyridinedicarboxylato)tin(IV)hydrate]andBis[aquadi-n-butyl(2,6-pyridinedicarboxylato)tin(IV)]. *Acta Cryst.* **C45**.51-54.

Ikonomou, M., G., Fernandez, P.M., He, T.,Cullon, D. (2002). "Gas chromatography - high resolution mass spectrometry based method for the simultaneous determination of nine organotin compounds in water, sediment and tissue in environmental samples. *Pure&Appl.Chem.* **70** (10). 2050-2064

Inaba, K., Shiraishi, H., Soma, Y. (1995). Effects of salinity, pH and temperature on aqueous solubility of four organotin compounds. *Water Research* .**29**.1415 - 1417

Ingham, R. K., Sanders,D..Rosenberg,Gemelin, H. (1960). Organotin Compounds. *Chem. Rev.* 522

Jamari, Z. (1999). Asean marine water quality criteria for tributyl tin (TBT), water quality management bureau.1-18

Joes Pedro,S. Valente, Pedro M.Padilha, Ariovaldo O.Florentino (2006). Studies on the adsorption and kinetic of photodegradation of a model compound for heterogeneous photocatalysis onto TiO₂. *Chemosphere.* **64**. 1128-1133

Koch, C.C. (2002). Nanostructure material, processing, properties and potential applications, New York Noyes publication.1-106

Kolen'ko, Y.U., Burukhin, A.A., Chuargulve ,B.R., (2002). hydrothermal synthesis of nanocrystalline powder of various crystalline phase of ZrO₂ and TiO₂. *Russ. J. Inorg. Chem.* **47** (11). 1609 - 1615

Koten, (2004). Synthetic aspects of tetraorganotin and Organotin (IV) halides. *J. Organomet. Chem.* **689**. 2145-2157

Kovacic. J.E., (1967). The C=N Streching frequency in the Infrared spectra of Schiff's base complexes I.Copper complexes of salicylidene anilines, *Spectrochim. Acta, A.* **23**.183-167

Kruis, F.E., Fissan , H., Peled, A. (1998). Synthesis of nano particles in the gas phase for electronic,optical and magnetic application-A review. *J . Aerosol. Sci.***29**. 5-6

Kulkarni V.H., N.S.B.(1971). A Spectroscopic Study of Tin (IV) Complexes with multidentate Schiff Bases, *J. Inorg. Nucl. Chem.***33**. 3781-3786

Kumar, V. G., NG SEIK WENG, Marcel Gielen (1992). Chemistry and technology of silicon and tin, Oxford University Press.

Langmuir, I. (1916). *The constitution and fundamental properties of solids and liquids.* Part i. solids. *J.Am.Chem.Soc.***38**. 2221-95

- Lian Gao Shanghai, L., (2004). Developing New Routes for Preparation of Nanostructured TiO₂ as Highly Efficient Photocatalysts, *Mat. Integ.***17(2)**. 43-49
- Lockhart, T. P., William Manders, F., and Holt, Elizabeth M. (1986). Solution and solid state Molecular structure of Me₂Sn(OAC)₂ (I) and its Hydrolyzate ([Me₂Sn(OAC)]₂O)₂ (II), by solution and solid state ¹³C NMR, X-ray Diffraction Study of II. *J. Am. Chem. Soc.* 6611-6616.
- Mc Farlane, W. and Wood, R.J. (1972). ¹¹⁹Sn Chemical shift in Organotin Carboxylate, *J. Organomet. Chem.***40**. C17-C20.
- Maguire, R. J. (1987). Review Environmental aspects of tributyltin, *App. Organomet. Chem.***1**. 475 – 498.
- Maguire, R. J. (1987). Review Environmental aspects of tributyltin, *App. Organomet. Chem.***1**. 475 – 498
- Masahiro Takeuchi, K. M. a. T. H. (2000). Determination of organotin compounds in Environmental samples. *Analy. Sci.***16**. 349-360
- Matthias, C. L., Bellama, J.M. (1986). Determination of ultra trace concentration of butyltin compounds in water by simultaneous Hydridization with GC-FPD detection. *IEEE*. 1146-51
- Maurice, J. F. L., Quenauviller, P., Donard, O.F.X. Astruce, M. (1989). Determination of tin species in environmental samples. **70 (10)**. 2051-2064
- Maurizio Addamo, M.B., Agatino Di Paola and Leonardo Palmisano (2006). Preparation and photoactivity of nanostructured anatase, rutile and brookite TiO₂ thin films. *Chem. Commun.* 4943-4945
- Mills, A., Le Hunte, S. (1997). An overview of semiconductor photo catalysis environmental application of semiconductor photo catalysis. *J. Photochem. Photobiol. A.* , **108.1** -35
- Mills, A., Le Hunte, S. (1997). An overview of semiconductor photocatalysis, *J. Photochem. Photobiol. A.***108**. 1-35
- Mills, A. and Valenzuela, M .A. (2004). Photo – oxidation of water sensitized TiO₂ and WO₃ in presence of different electron acceptors. *Revista Mexicana De fisica.* **50 (3)** .287
- Mishtu Dey C.P.R., Pauli K. Saarenketo, Kari Rissanen, Erkki Kolehmainen, Philippe Guionneau (2003) . Mn (IV) and Co (III)-complexes of -OH-rich ligands possessing O₂N, O₃N and O₄N cores: Synthesis, Characterizations and Crystal structures . *Polyhedron.***22**. 3515-3521
- Mohammadi, M.R., Codero-Cabreca, M.C., Ghorbani, M., Fray, D.J., (2006). Synthesis of high surface area nanocrystalline anatase-TiO₂ powders derived from particulate sol-gel route by tailoring processing parameters. *J. Sol. gel. Techn.* **40 (1)**. 15-23
- Morbito, R., Massanisso, P. (2000). "Derivatization methods for the determination

- Of organotin compounds in environmental samples. *Trends Analy. Chem.***19 (2-3)**. 113-119
- Nagase Makoto, Hiroyuki Kondo, et al. (1995). Determination of tributyltin and triphenyltin compounds in hair and fish using a hydrolysis technique and gas chromatography with flame photometric detection, *Analyst*.**120**.1923–1929
- Nakamoto, K.(1986). *Infrared and raman spectra of inorganic and coordination compounds*. 4th edition. New York. Jhon Wiley.
- Narula,S.P., Bharadwaj,S.K. and Sharda , Yash (1992). Dimeric Structure of Di-n-butyltin(IV) ortho-Substituted Dibenzoate. *Organometallics*.**11**.2206-2211
- Narula. S.P., Bharadwaj. S. K. and Sharma. H. K. (1988). Crystal and Molecular Structure of 1,2,3,4-Di- μ -o-aminobenzoato-O O'-1,3-bis(o-aminobenzoato-O)-1,2,4; 2,3,4-di- μ_3 -oxo-tetrakis[di-n-butyltin(IV)]. *J.Chem.Soc.Dalton Trans.* 1719-1723.
- Navio, J. A., Marchena, J.,Cerrillos,C. and Pablos., F. (1993). UV photolytic degradation of butyltin chlorides in water, *J.Photochem. Photobiol. A*. **71**. 97-102
- Navio , J. A., Cerrillos , C. , Pradera , M .A. , Moralales , E., Gomez –Ariza , J .L. (1997). "UV photoassisted degradation of phenyltin (IV) chloride in water, *J.Photoche. Photobiol. A*. 59-63
- Nicklin, S., Roboson, M. W.(1988). Organotin toxicology and biological effects. *App. Organomet. Chem.* **3**.487-508
- Ng Seik Weng, Chen Wei,V.G.Komar Das , Thomas C.W.Mak (1987).Skew-trapezoidal bipyramidal diorganotin (IV) bischelate ,Crystal structure of dimethyl bis(2-pyridinethiolate-N-oxide)tin(IV).*J.Organomet.Chem.***334**.295-305
- Omae, I. (1989). *Organotin chemistry*. Oxford: Elsevier
- Otera, J. (1981). Sn chemical shift in five and six coordinate organotin chelate. *J. Organomet. Chem.***221**. 57-61
- Othmer-Kirk (2001). *Encyclopedia of Chemical Technology*, Jhon -Wiley & Sons, Inc.
- Ozer, R. A. and J. L. Ferry (2001). "Investigation of the Photocatalytic Activity of TiO₂-Polyoxometalate Systems, *Environ. Sci. Technol.* **35**. 3242
- Parviz. M. , Ali .S.,Tariq M.Masood Muhammad Mazhar and Muhammad Danish(1997). Diethylbis[3-(2-thienyl)-2-propenato-O,O']-tin(IV), *Acta Cryst.* **C53**.1211-1213.
- Peral, J., Domenech, X., Ollis, D. F. (1997). "Heterogeneous photocatalysis for purification, decontamination and deodorization of air.*J. Chem. Techn. and Biotech.***70 (2)**.117-140

- Pellergino, C., Massanis, P., Morabito, R. (2000). Comparison of twelve selected extraction methods for the determination of butyl- and phenyl compounds in mussel samples. *Trends. Analy. Chem.* **19** (2-3). 97-106
- Pellizzetti, E., and Minero, C. (1993). Mechanism of the photooxidative degradation of organic pollutants over TiO₂ particles. *Electrochim. Acta.* **38**. 47-55
- Pollard, F.H., Nickless, G. and Cooke, D.J., (1964) *J. Chromatography*, **13**, 48
- Polle., C. and Owen, F.J. (2003). Introduction to nano technology Wiley Interscience. 59-71
- Poller, R. C. (1970). *Chemistry of organotin compounds*. New York. Academic press Inc.
- Pruchnik, F. P., Mal gorzata Ban ˆbul, Zbigniew Ciunik. Mal gorzata Latocha, Barbara
- Rickerby, D. and Morrison, M. (2007). Report from the workshop on nanotechnology for environmental remediation. JRC ISPRA
- Rao, C.N.R., Kulkarni, G.K., Jhon Thomas, P., and Edwards, P.P. (2002). Size- dependent chemistry: Properties of nanocrystals. *Chem. Euro. J.* **8**. 30-35.
- Rajeev K. Wahi, W.W.Y., , Yunping Liu, Michelle L. Mejia, Joshua C. Falkner, Whitney Nolte and Vicki L. Colvin (2005). Photodegradation of Congo Red catalyzed by nanosized TiO₂, *J. Mol. Cat. A.* **242** (1-2). 48-56
- Sadiki, A., Williams, T., Carrier, R., Thomas, B. (1996). Pilot study on the contamination of drinking water by organotin compounds from pvc materials, *Chemosphere.* **32**(12). 2389-2398.
- Sadiki, A., Williams, T. (1996). "Speciation of organotin and organolead compounds in drinking water by gas chromatography atomic emission spectrometry. *Chemosphere* **32** (10). 1983-1992
- Salata, O., (2004). Application of nanoparticles in biology and medicine. *J. Nanobiotechnol.* **2**(3). 1-6
- Salazar, M. N., Salazar, S. M. (1991). Assessing site specific effects of TBT contamination with mussel growth rates. *Mar. Environ. Res.* **32**. 131-150
- Saraswat, B.S., G.S.a.R.C.M., (1979). Schiff base complexes of Organotin (VI): Infrared and Mossbauer studies on the addition complexes of Diorganotin Dichloride with N- alkyl (Aryl) Salicylideneimine, *J. Organomet. Chem.* **164**. 153-158
- Saxena, A. K. (1987). organotin compounds toxicity and biomedical applications, *Appl. Organomet. Chem.* **1**. 39 - 56
- Sclatani, A., Palmisano, L., David, E. (1999). Photochemistry, photobiology and Photocatalytic degradation of phenol in aqueous polycrystalline TiO₂ dispersions: the

influence of Fe^{3+} , Fe^{2+} and Ag^+ on the reaction rate *J. Photochem. Photobiol.A* . **56** (1). 113 – 123

Seik Weng Ng, Hook. James M. and Gielen. M. (1999). Solid- state ^{119}Sn NMR and Antitumor Activity of Bis[1,3-Bis(3-oxapentamethylene-carbamoylthioacetato)-1,1,3,3-tetrabutyl-1,3,distannoxare],and the Crystal Structure of its Bis-ethanol solvate. *Appl.Organometal.Chem.***13**.1-7.

Shah, S.I., W. Li, Huang, Jung , C.-P. O. and Ni, C. (2002). Study of Nd^{3+} , Pd^{2+} , Pt^{4+} , and Fe^{3+} doping effect on photoreactivity of TiO_2 nanoparticles in Proceedings of the national academic science of Unites State of America (PANS). 6482-6486

Shahid, K.,Shazadi,S., Ali S., Bhatti M.H. and Khan, K.M. (2005). Organotin (IV) Complexes of 4-(2,5- Dioxo-2,5,Dihydro-1H-Pyrrol-1-yl) benzoic Acid:Synthesis ,Spectral Characterization and biological application. *J. Iran.Chem. Soc.***2**.140-148

Shahzadi;,S., Moazzam H., M.H.B., Khadija SHAHID ,Saqib Ali, Saadia Mohammad Mazhar , Khalid.M.Khan, (2002). Synthesis,Characterization,and Biological Activity of n-Tributyltin Derivatives of Pharaceutically Active Carboxylates.*Monatshefe fur chemie*. **133**. 1089-1096

Shahzadi , S., , K.S., Ali , S., Mazhar, M., Badashah, A., , Ahmed, E.,and Abdul Malik, (2005). Non -Streoidal Anti-Inflammatory Drugs (NSAIDs) Donor Ligands in Organotin (IV) Derivatives:Synthesis,Spectrosopic,Characterization and biologicalApplications, *Turk. J. Chem.* **29**. 273-287

Shazadi S., Shahid, K., Ali, S. Mazhar, M. and .Khan , K.M. (2005). Organotin (IV) Derivatives as biocides: An Investigation by IR, Solution NMR, Electron Impact MS and Assesment of structure correlation with Biocidal Activity.*J. Iran.Chem. Soc.***2** (4). 277-288

Shahid, K., Shazadi,S.,. Ali S., Bhatti M.H. and Khan, K.M. (2005). Organotin (IV) Complexes of 4-(2,5- Dioxo-2,5,Dihydro-1H-Pyrrol-1-yl) benzoic acid:Synthesis ,Spectral Characterization and Biological Application. *J. Iran.Chem. Soc.* **2**. 140-148

Shahzadi;,S., Moazzam H., M.H.B., Khadija SHAHID, Saqib Ali, Saadia Mohammad Mazhar , Khalid.M.Khan, (2002). Synthesis, Characterization,and Biological Activity of n-Tributyltin Derivatives of Pharaceutically Active Carboxylates.*Monatshefe fur chemie*. **133**. 1089-1096

Shahzadi, S., Shahid, K. Ali, S., Mazhar, M., Badashah, A., Ahmed, E.,and Abdul Malik, (2005). Non -Streoidal Anti-Inflammatory Drugs (NSAIDs) Donor Ligands in Organotin (IV) Derivatives: Synthesis, Spectrosopic Characterization and Biological SynthesisApplications.*Turk. J. Chem.* **29**. 273-287

Shahid , K., Shahzadi,S., Ali,S., Bhatti,M.H., and Khan,K.M.(2005). Organotin (IV) complexes of 4-(2, 5Dioxo-2,5-dihydro –1H-pyrrol-1-yl) benzoic acid: Synthesis, spectral characterization and biological applications. *J. Iran. Chem. Soc.* **2**.140-148

- Shahzadi,S.,Ali,S.,and Jin G-X (2006). Synthesis,Characterization and crystal structure of Bis (acetyl acetateto) dicholorotin (IV) Journal of Iranian chemical society **3 (4)** 323-326
- Siang Guan Teoh, Show-Hing Ang, Eng Seng Looi, Chy-Aun Keok, Soon Beng Teo, Jean-Paul Delereq(1996).Synthesis and crystal structure of Di-n-Butylbis (2-amino-5-chlorobenzoato) tin (IV). *J.Organomet.Chem.***523**.75-78
- Siang Guan Teoh, Show-Hing Ang, Jean-Paul Delereq, (1997). Synthesis and Characterization of Di-n-Butylbis (2,4 dihydroxybenzoato) tin (IV). *Polyhedron*.**16 (21)**. 3727-3733
- Skop, Tadeusz Wilczok (2003). "Structure, properties and cytostatic activity of tributyltin Amino aryl carboxylates. *Inorg.Chim. Acta.* **356**. 62-68
- Smith, P. J., Luit Jen J.G.A, klimmer, O.R. (1978). Toxicological data on organotin compounds, International Tin Research Institute London.
- Soderquist, C. J., Crosby, D .G. (1980). Degradation of triphenyltin hydroxide in water, *J. Agric . Food .Chem.* **28**.111-117
- Sobczynski, A.Dobosz, A. (2001).Water purification by photocatalysis on semiconductors. *Polish J. Environ. Studies*.**10.4**. 195-205
- Stab, J., Cofino,A van Hattum, B.Brinkman ,U.A. and Frensenius,T. (1993). GC/Mass analysis of organotin compounds in the environment. *Anal. Chimica Acta A* **347**. 247
- Syamal, A., and Theriot , L.J. (1973). Magnetic Properties of Oxovanadium (IV) complexes of N- (Hydroxy alkyl) Salicylidnimines, *Inorg.Chem.* **12 (1)**. 245-248
- Sobczyński,.A. A.D., (2001).Water Purification by Photocatalysis Review on Semiconductors, *Polish J. Environ. Studies.* **10 (4)**. 195-205.
- Sheldrick, G. M. (1997). SHELXL97 and SHELXS97, Program for the Refinement of Crystal Structure, University of Göttingen, Germany.
- Szorcsik., A., Nagy. L., Pellerito. T., Yamaguchi, Yoshida .K.,(2003). Preparation and structural studies of organotin (IV) complexes formed with organic carboxylic acid. *J. radioanaly. Nucl. Chem.* **236 (1)**. 3-10
- Siang Guan, Teoh, Show-Hing Ang, Jean–Paul Delereq, (1997). Synthesis and Characterization of Di-n-Butylbis (2,4 dihydroxybenzoato) tin (IV), *Polyhedron*.,**16 (21)**.3727-3733
- Szoresik, A., Nagy, Lh, Pellerito,Yamaguchi ,L., , T., Yoshida , K. (2003). Preparation and structural studies of organotin IV complexes formed organic carboxylic acid. *J. Anal. Nuc. Chem* .**236 (1)**. 3-10

- Tabassum, S., pottinari , C. (2006). Review chemical and biotechnological development in organotin cancer chemotherapy. *J. Organomet.Chem.***691**. 1761-1766
- Terry A. Egerton, J.A.M., (2008).The influence of platinum on UV and ‘Visible’ photocatalysis by rutile and Degussa P₂₅., *J. Photochem. Photobiol.A.***194**. 283-28
- Tieknik Edward R.T. (1991). Review Structural chemistry of organotin carboxlates : a review of the crystallographic literature.*Appl.Organomet.Chem.***5**.1-23.
- Toshiro Minabe, Donald A.Tryl, Phillip Sawunyama (2000). TiO₂ mediated photodegradation of liquid and solid organic compounds,*J.Photochem.photobiol A: chemistry.***137**. 53-62
- Tran, V.H., Nguyen, T.P. and Molinie, P.(1996).Thermal stabilization of PVC via the polaron mechanism.*Polym. Degrad. Stab.* **53**. 279-288
- Tsuda, T., Inone, T., kojima, M., Akeis, S.(1995). Daily intakes of tribulyltin and triphenyltin compounds from meals. *J. AOAC. Intern.***78**. 941
- Vasta,.C. , Jain.V.K, Das, T.K. (1990). Stuctural Chemistry of Organotin Carboxylate VI Characterization of {[R₂Sn (O₂CR')₂O] }₂ (R= Me,Et ,Pr and Bu , R'= thiophene and Furan) X-ray Crystal structure of {[Bu₂ Sn (O₂ CC₄H₃S)]₂O.*J.Organomet.Chem.***396**.9 -18
- Vesely, M., Zita , J . , Vesela , M., Chova , J .,Chmoucka (2005)..Photocatalytic processes and their utilitic .*Chem . Listy.* **99**. 505-513
- Vidal, A., Herrero, J. Romero, M, Sanchez, B. and Sanchez, M. (1994). Heterogeneous photo catalysis: degradation of ethylbenzene in TiO₂ aqueous suspensions. *J. Photo. Chem.A.***79 (3)**. 213 - 219
- Vishwakiran, Y.Anil, A.C.Venkat and sawant, S.S. 2006,*Chemoshere.* **62**. 1718-1725
- Visoottiviseth, P., Kruawan, K., Bhumiratana, A., wileviat, P. (1995). Isolation of bacterial culture capable of degrading Triphenyltin Pesticides. *Appl. Organomet .Chem.***9**. 1-9
- Wilkinson, J. (1982). *Comprehensive organo metallic chemistry.***2**. Oxford Pergamon Press.
- Wen-zhen Zhang, T.Z., Wen Yin and Geng-yu Cao (2007). Relationship Between Photocatalytic Activity and Structure of TiO₂ Thin Film. *Chin. J. Chem. Phys.***20 (1)**. 95-98
- Wetchakun , N. S.P (2008). Effect of temperature on the degree of anatase-rutile transformation in titanium dioxide nanoparticles synthesized by the modified sol-gel method. *Curr. Appl. Phy.* **8**. 343-346
- Wengrovius. J. H. and Garbauskas. M. F. (1992). Solution and solid state structure of several dialkyltin Dicarboxylate Complexes ,[R₂Sn(O₂CR'CO₂)]_x : Polymorphic organotin Polymer.*Organomettalics.***11**.1334-1342.

Xianfeng, Y., Feng Chen and Jinlong Zhang.(2005). Effects of calcination on the physical and photocatalytic properties of TiO₂ powders prepared by sol-gel template method' *J. Sol Gel Sci.Technol.* **34** (2).181

Xiao-qiang Wang, Jian-ping Zhang, Wei-de Zhu and Li-yi Shi (2007). Preparation and properties of nano-TiO₂ modified interior wall paint *Journal of Shanghai University (English Edition)*.**11** (4). 432-436

Yip Foo Win, T.S.G., Bohari M.Y. Synthesis and characterization of tributyltin (IV) complexes derived from pyridine monocarboxylic acids.(2006). *J.Anal.sci.* **10** (2) 285-294

Yuksel Bayrak, a.M.I.,(2005). Studies on the phase behavior of the system non-ionic surfactant/alcohol/alkane/H₂O , *Colloid Surface., A.* **268**. 99-103

Yu.M.Chumakov,V.I.Tsapkov,Z.A.Starikova,I.I.Vorontsov,A.A.Korlyukov,B.Ya.Antosyak ,M.Perrin (2003).The structure and antimycoite of condensation products of some aminoalcohols with salicylaldehyde and its derivatives.*J.Mol.Struct.***647**.269-274.

Zhang, R., Gao, L. and Zhang,Q. (2004). Photodegradation of surfactants on the nanosized TiO₂ prepared by hydrolysis of the alkoxide titanium.*Chemosphere.* **54**. 405-411