

BIBLIOGRAPHY

- Abbasi, S. A., Abbasi, N., & Soni, R. (1998). Heavy metals in the environment, Mittal, New Delhi.
- Abdel-Shafy, H. I., Abdel- Sabour, M. F., & Aly, R. O. (1998). Adsorption of nickel and mercury from drinking water by activated carbon. *Environmental Management and Health*, 9, 170 – 175.
- Ania, C. O., Parra, J. B., & Pis, J. J. (2002). Influence of oxygen-containing functional groups on active carbon adsorption of selection organic compound. *Fuel Process Technology*. 79, 265 – 271.
- Atieh, M. A., Bakather, O. Y., Al-Tawabini, B., Bukhari, A. A., Abuilaiwi, F. A., & Fettouhi, M. B. (2010). Effect of carboxylic functional group functionalized on carbon nanotubes surface on the removal of lead from water. *Bioinorganic Chemistry and Applications*, 2010, 1 – 9.
- Bae, J. H., Shanmugaraj, A. M., Noh, W. H., Choi, W. S., & Ryu, S.H. (2007). Surface chemical Functionalization single walled carbon nanotubes with anchored phenol structures. Physical and chemical characterization. *Applied Surface Science*, 253, 4150 – 4155.
- Bandosz, T. J. (2008). Surface Chemistry of Carbon Materials. In P. Serp & J. L. Figueiredo (Eds.), *Carbon Materials for Catalysis* (pp. 45-92). Hoboken, NJ, USA. : John Wiley & Sons, Inc.
- Barkauskas, J., & Dervintyl, M. (2004). An investigation of functional groups on the surface of activated carbon. *J.Serb.Chem. Soc*, 69, 363 – 375.
- Behra, P., Bonnissel-Gissinger, P., Alnot, M. Revel, R. & Ehrhardt, J. J. (2001). XPS and XAS study of the sorption of Hg(II) onto pyrite. *Langmuir*, 17, 3970 – 3979.
- Berlin, M., Zalups, R. K., & Fowler, B. A. (2007). Mercury. In G. F. Nordberd., B. A. Fowler., M. Nordberg., & L. T. Friberg (Eds.), *Handbook on the toxicology of metals* (pp. 675-727). USA: Academic Press Elsevier.
- Bethune, D. S., Klang, C. H., de Vries, M. S., Gorman, G., Savoy, R., Vazquez, J. & Beyers, R. (1993). Colbat-catalysed growth of carbon nanotubes with single-atomic –layer walls. *Nature*, 363, 605.
- Biniak, S., Szymanski, G., Siedlewski, J., & Swiatkowski, A. (1997). The characterization of activated carbons with oxygen and nitrogen surface groups. *Carbon*, 35, 1799 – 1810.
- Brown, J. R., Bancroff, G. M., 7 Fyle, W. S., McLean, R. A. N. (1979). Mercury removal from water by iron sulphide minerals. An electron spectroscopy for chemical analysis (ESCA) study. *Environmental Science & Technology*, 13, 1142 – 1144.
- Campbell, K. C. & Thomson, S. J. (1958). The investigation of chemisorptions and catalyst poisons by radiochemical techniques. *Trans Faraday Soc*, 55, 985 -991.

- Carpi, A. (1997). Mercury from combustion sources; A review of the chemical species emitted and their transport in the atmosphere. *Water, Air, and Soil Pollution*, 98, 241 – 251.
- Carpi, A. (2001). The toxicology of mercury. National Science Foundation Vision Learning. New York.
<http://web.visionlearning.com/carpi/Hg%20Toxicology%20Brief.pdf>.
- Castilla, C. M., Ramon, M. V. L., & Marin, F. C. (2000). Changes in surface chemistry of activated carbons by wet oxidation. *Carbon*, 38, 1995 – 2001.
- Catalyst poison. (2013). In *Encyclopædia Britannica*. Retrieved from <http://www.britannica.com/EBchecked/topic/99157/catalyst-poison>
- Chen, C., Hu, J., Shao, D., Li, J., & Wang, X. (2009). Adsorption behaviour of multiwalled carbon nanotube/iron oxide magnetic composites for Ni(II) and Sr(II). *Journal of Hazardous Materials*, 164, 923 – 928.
- Chen, J. C., Wey, M. Y., & Liu, Z. S. (2001). Adsorption mechanism of heavy metals on sorbents during incineration. *Journal of Environmental Engineering*, 127, 63 – 69.
- Chen, L., Xie, H., Li, Y., & Yu, W. (2008). Surface chemical modification of multiwalled carbon nanotubes by a wet-mechanochemical reaction. *Journal of Nanomaterials*, 2008, 1 – 5.
- Cho, H. H., Wepasnick, K., Smith, B. A., Bangash, F. K., Fairbrother, D. H., & Ball, W. P. (2010). Sorption of Aqueous Zn(II) and Cd(II) by multiwall carbon nanotubes: The relative roles of oxygen-containing functional groups and graphenic carbon. *Langmuir*, 26, 967 – 981.
- Cooney, D. O., (1999). *Adsorption design for wastewater treatment*. New York: Lewis Publisher.
- Czepirski, L. Mieczyslaw R. B, Komorowska-Czepirska, E.(2000) Some generalization of Langmuir adsorption isotherm. *Internet Journal of Chemistry*, 3(14),1-27.
- Das, S. K., Das, A. R., & Guha, A. K. (2009). Adsorption behaviour of mercury on functionalized Aspergillus versicolor mycelia: Atomic force microscopic study. *Langmuir*, 25, 360 – 366.
- Datsyuk, V., Kalyva, M., Papagelis, K., Parthenios, J., Tasis, D., Siokou, A., Kallitsis, I., & Galiotis, C. (2008). Chemical oxidation of multiwalled carbon nanotubes. *Carbon*, 45, 833 – 840.
- Daud. W. M. A. W. & Houshamnd. (2010). Textural characteristic, surface chemistry and oxidation of activated carbon. *Journal of Natural gas Chemistry*, 19, 267 – 279.
- Dresselhaus, M. S. & Endo, M. (2001). Relation of carbon nanotubes to other carbon materials. In M. S. Dresselhaus, G. Dresselhaus, & Ph. Arouris (Eds.), *Carbon nanotubes synthesis, structure, properties and application*, (pp. 11 – 28). Berlin Heidelberg, Germany: Springer.

- Dresselhaus, M. S., & Endo, M. . (2001). *Relation of carbon nanotubes to other carbon materials*. Berlin Heidelberg, Germany: Springer.
- Dresselhaus, M. S., Rao, A. M., & Dresselhaus, G. (2004). Raman spectroscopy in carbon. *Encyclopedia of Nanoscience and Nanotechnology*, 9, 307 – 338.
- Du, X., Zhu, Y. G., Liu, W. J. & Zhao, X. S. (2005). Uptake of mercury (Hg) by seeding of rice (*Oryza sativa* L.) grown in solution culture and interaction with arsenate uptake. *Environmental and Experimental Botany*, 54, 1 -7.
- Duffus, J. H., (2002). Heavy metals-A meaningless term. *Pure Appl. Chem*, 74, 793 – 807.
- Dunleavy, J. (2006). Mercury as catalyst poison. *Platinum Metal Rev*, 50, 159.
- Ebbesen, T. (1996). Carbon nanotubes, *Physics Today*, 49, 26.
- El Zayat, M. & Smith, E. (2010). Removal of heavy metals by using activated carbon produced from cotton stalks. *Canadian Journal on Environmental, Construction and Civil Engineering*, 1, 71 – 79.
- El-Sheikh, A. H. (2008). Effect of oxidation of activated carbon on its enrichment efficiency of metal ions: Comparison with oxidized and non-oxidized multiwalled carbon nanotubes. *Talanta*, 75, 127 – 134.
- El-Sheikh, A. H., Al-Degs, Y. S., Al- As'as, R. M., & Sweileh, J. A. (2011). Effect of oxidation and geometrical dimensions of carbon nanotubes on Hg(II) sorption and preconcentration from real waters. *Desalination*, 270, 214 – 220.
- Eom, Y., Won, Y. H., Ryu, J. Y., & Lee, T. G. (2011). Biosorption of mercury ions from aqueous solution by garlic (*Allium sativum* L.) powder. *Korean J. Chem. Eng*, 28, 1439 – 1443.
- Essa, A. M. M., Macaskie, L. E., & Brown, N. L. (2005). A new method for mercury removal. *Biotechnology Letters*, 27, 1649 – 1655.
- Fabre, B., Jezequel, K., & Lebeau, T. (2003). Maximum uptakes of cadmium on free and immobilised bacteria and actinomycetes. *Environ Chem Lett*, 1, 141 – 144.
- Fan, Y., Liu, Z., Wang, L., & Zhang. J. (2009). Synthesis of starch-stabilized Ag nanoparticles and Hg²⁺ recognition in aqueous media. *Nanoscale Res. Lett*, 4, 1230 – 1235.
- Feng, Q., Lin, Q., Gong, Fuzhong., Sugita, Shuichi., & Shoya, M. (2004). Adsorption of lead and mercury by rice husk ask. *Journal of Colloid and Interface Science*, 270, 1 – 8.
- Green-Ruiz, C. (2006). Mercury (II) removal from aqueous solutions by nonviable *Bacillus* sp. from a tropical estuary. *Bioresource Technology*, 97, 1907 – 1911.
- Greger, M., Wang, Y. & Neuschutz, C. (2005). Absence of Hg transpiration by shoot after Hg uptake by roots of six terrestrial plant species. *Environmental Pollution*, 134, 201 – 208.

- Gupta, V. K., Agarwal, S., & Saleh, T. A. (2011). Chromium removal by combining the magnetic properties of iron oxide with adsorption properties of carbon nanotubes. *Water Research*, 45, 2207 – 2212.
- Haris, P. J. F., (2009). *Carbon nanotube Science; synthesis, properties and application*. New York: Cambridge University Press.
- Hawaiah I. M., Bassim H. H., Abdul L. A.(2004). Adsorption Isotherms for Phenol Onto Activated Carbon. *ASEAN Journal of Chemical Engineering*, 4 , 70-76.
- Hu, H., Zhao, B., Itkis, M. E., & Haddon, R. C. (2003). Nitric acid purification of single walled carbon nanotubes. *J. Phys. Chem B*, 107, 13838 – 13842.
- Iijima, S. & Ichihashi, T. C. (1993). Single-shell carbon nanotubes of 1nm-diameter. *Nature*, 363, 603 – 605.
- Iijima, S. (1991). Helical microtubules of graphitic carbon. *Nature*, 354, 56 – 58.
- Inglezakis, V. J. & Poulopoulos, S. G. (2006). *Adsorption, ion exchange and catalyst; Design of operation and environmental application*. Netherlands: Elsevier.
- Jaramillo, J., Gomez-Serrano, V., & Alvarez, P. M. (2009). Enhanced of metal ion onto Functionalization granular activated carbons prepared from cherry stones. *Journal of Hazardous Materials*, 161, 670 – 676.
- Jean, G. E. & Bancroft, G. M. (1986). Heavy metal adsorption by sulphide mineral surfaces. *Geochimica et Cosmochimica Acta*, 50, 1455 – 1463.
- Jeong, H. Y., Klaue, B., Blum, J. D. & Hayes, K. F. (2007). Sorption of mercuric ion by synthetic nanocrystalline mackinawite (FeS). *Environmental Science & Technology*, 41, 7699 – 7705.
- Jeong, Y., Kim, J., & Lee, G. W. (2010). Optimizing Functionalization of multiwalled carbon nanotubes using sodium lignosulfaonate. *Colloid Polymer Science*, 288, 1 – 6.
- Jorio, A., Pimento, A., Souza-Filho, A. G., Saito, R., Dresselhaus, G., & Dresselhaus, M. S. (2003). Characterizing carbon nanotubes samples with resonance Raman scattering. *New Journal of Physics*, 5, 139.1 – 139.17.
- Julien, F., Baudu, M., & Mazet, M. (1998). Relationship between chemical and physical surface properties of activated carbon. *Water Research*. 32, 3414 – 3424.
- Kaalfaoui, M., Knani, S., Hachicha, M. A., Ben Lamine, A. (2003). New theoretical expression for the five adsorption types isotherms classified by BET based on statistical physics treatment. *Journal of Colloidal and Interface Science*, 263, 350 – 356.
- Kandah, M. I., & Meunier, J. L. (2007). Removal of nickel ions from water by multiwalled carbon nanotubes. *Journal of Hazardous Materials*, 146, 238 – 288.
- Katsikas, L., Gutierrez, M., & Henglein, A. (1996). Bimetallic colloids:silver and mercury. *J.Phys. Chem*, 100, 11203 – 11206.

- Khalkhali, r. A., & Omidvari, R. (2005). Adsorption of mercuric ion from aqueous solution using activated carbon. *Polish Journal of Environmental Studies*, 14, 185 – 188.
- Kiang, C. H., Goddard, W. A., Bayers, R. & Bethune, S. (1995). Carbon nanotubes with single-layer walls. *Carbon*, 33, 903 – 914.
- Kim, B., & Sigmund, W. M. (2004). Functionalization multiwalled carbon nanotubes/gold nanoparticle composite. *Langmuir*, 20, 8239 – 8242.
- Kurniawan , T. A., Chan, G. Y.S., Lo, W. H. & Babel, S. (2006). Comparisons of low-cost adsorbents for treating wastewaters. *Science of the Total Environment*, 366, 409– 426.
- Li, Y. H., Ding, J., Luan, Z., Di, Z., Zhu, Y., Xu, C., Wu, D., & Wei, B. (2003). Competitive adsorption of Pb²⁺, Cu²⁺ and Cd²⁺ ions from aqueous solutions by multiwalled carbon nanotubes, *Ing. Eng. Chem. Res*, 45, 9144 -9149.
- Li, Y. H., Wang, S., Wei, J., Zhang, X., Xu, C., Luan, Z., Wu, D., & Wei, B. (2002). Lead adsorption on carbon nanotubes. *Chem. Phys. Lett.* 375, 263 – 266.
- Li, Y. H., Zhao, Y. M., Hu, W. B., Ahmad, I., Zhu, Y. Q., Peng, X. J., & Luan, Z. K. (2007). Carbon nanotubes - the promising adsorbent in wastewater treatment. *Journal of Physics: Conference Series*, 61, 698-702.
- Lu, C., & Chiu, H. (2006). Adsorption of zinc(II) from water with purified carbon nanotubes. *Chemical Engineering Science*, 61, 1138 – 1145.
- Luo, G., Yao, H., Xu, M., Cui, X., Chen, W., Gupta, R., and Xu, Z. (2010). Carbon nanotubes-silver composite for mercury capture and analysis. *Energy Fuels*, 24, 419 – 426.
- Ma, A., Lu, J., Yang, S., & Ming Ng, K. (2006). Quantitative non-covalent Functionalization of carbon nanotubes. *Journal of Cluster Science*, 17, 599 – 608.
- Mamba, G., Mbianda, X. Y., Govender, P. P., Mamba B. B., Krause, R. W. (2010). Application of multiwalled carbon nanotubes-cyclodextrin polymers in the removal of heavy metals from water. *Journal of Applied Sciences*. 10, 940 – 949.
- Mamba,. G., Mbianda, X. Y., Govender, P. P., Mamba, B. B., & Krause, R. W. (2010). Application of multiwalled carbon nanotubes-cyclodextrin polymer in the removal of heavy metals from water. *Journal of Applied Sciences*, 10, 940 -949.
- Mercer, T. T. (1979). Adsorption of mercury vapour by gold and silver. *Anal.Chem*, 51, 1026 – 1030.
- Mohan, D, Gupta, V. K., Srivastava, S. K., & Chander, S. (2001). Kinetics of mercury adsorption from wastewater using activated carbon derived from fertilizer waste. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 177(2–3), 169-181.
- Moradi, O., Zare, K., Yari, M. (2011). Interaction of some heavy metal ions with single walled carbon nanotubes. *International Journal of Nano Dimension*, 1, 203 – 220.

- Morris, T., Copeland, H., McLinden, E., Wilson, S., & Szulczewski, G. (2002). The effect of mercury adsorption on the optical response of size-selected gold and silver nanoparticles. *Langmuir*, 18, 7261 -7264.
- Murakami, K., Kondo, R., Fuda, K., & Matsunaga, T. (2003). Acidity distribution of carboxyl groups in Loy Yang brown coal: Its analysis and change by heat treatment. *Journal of Colloid and Interface Science*, 260, 176 – 183.
- Nakamura, T., Ohana, T., Ishihara, M., Hasegawa, M., & Koga, Y. (2007). Chemical modification of single walled carbon nanotubes with sulphur-containing functionalities. *Diamond & Related Materials*, 16, 1091 – 1094.
- Namasivayam, C., Kadirvelu, K., (1999). Uptake of mercury(II) from wastewater by activated carbon from an unwanted agricultural solid by-product: coirpith. *Carbon* 37, 79–84
- Naseh, M. V., Khodadadi, A. A., Mortazavi, Y., Sahraei, O. A., Pourfayaz, F., & Sedghi, S. M. (2009). Functionalization of carbon nanotubes using nitric oxidation and DBD plasma, *World Academy of Science Engineering and Technology*, 19, 177 – 179.
- Norley, J. (2001). The Role of Natural Graphite in Electronics Cooling. *Electronic Cooling*. US: Electronic Cooling ITEM Publication.
- Nyouist, R. A. (2001). *Interpreting infrared, raman, nuclear magnetic spectra; Variables in data interpretation of infrared and raman spectra*. New York: Academic Press.
- Okeola, F. O & Odebunmi, E. O. (2010). Comparison of Freundlich and Langmuir isotherms for adsorption of methylene blue by agrowaste derived activated carbon. *Advances in Environmental Biology*, 4, 239 – 335.
- Owens, P. J., & Poole, C. P. (2008). *The physics and chemistry of nanosolid*. USA: John Wiley & Son Inc.
- Papandreou, A., Stournaras, C. J., & Panyas, D. (2007). Copper and cadmium adsorption on pellets made from fired coal fly ash. *Journal of Hazardous Materials*, 148, 538 – 547.
- Pereira, M. F. R., Soares, S. F., Orfao, J. J. M., & Figueiredo, J. L. (2003). Adsorption of dyes on activated carbon: influence of surface chemical groups. *Carbon*, 41, 811 – 821.
- Pirrone, N., Cinnirella, S., Feng, X., Finkelman, R. B., Friedli, H. R., Leaner, J., Mason, R., Mukherjee, A. B., Stracher, G. B., Street, D. G., & Telmer, K. (2010). Global mercury emission to the atmosphere from anthropogenic and natural sources. *Atmos. Chem. Phys.*, 10, 5951 – 5964.
- Puente, G., Pis, J. J., Menendez, J. A., Grange, P. (1997). Thermal stability of oxygenated functions in activated carbons. *Journal of Analytical and Applied Pyrolysis*, 43, 125 – 138.

- Puziy, A. M., Poddubnaya, O. I., Ritter, J. A., Ebner, A. D., & Holland, C. E. (2001). Elucidation of the ion binding mechanism in heterogeneous carbon-composite adsorbent. *Carbon*, 39, 2313 – 2324.
- Radovic, L. R. (2009). Physicochemical properties of carbon materials; A brief overview. In P. Serp, & J. L. Figueiredo (Eds.), *Carbon materials for catalyst* (pp. 1 – 44), USA: John Wiley & Sons, Inc.
- Ramon, M. V. L., Stoeckli, F., Castilla, C. M., & Marin, F. C. (1999). On the characterization of acidic and basic surface sites on carbons by various techniques. *Carbon*, 37, 1215 – 1221.
- Ritter, J. A. & Bibler, J. P. (1992). Removal of mercury from wastewater: Large scale performance of an ion exchange process. *Water Science & Technology*, 25, 165 – 172.
- Rodin, A. (2004). Adsorption. In R. D. Noble & P. A. Terry (Eds.), *Principles of chemical separation with environmental application*, (pp. 234 – 275). UK, Cambridge University Press.
- Roque – Malherbe, R.M. A. (2007). Adsorption and diffusion in nanoporous materials. New York: CRC Press.
- Schneider, P. (1995). Adsorption isotherm of microporous-mesoporous solid revisited. *Applied Catalyst A: General*, 129, 157 – 165.
- Schneider, R. M., Calvin, C. F., Barros, M. A. S. D., & Tavares, C. R. G. (2007). Adsorption of chromium ion in activated carbon. *Chemical Engineering Journal*, 132, 355 – 362.
- Shahdab, M. J., Mohebbi, A., & Soltani, A. (2011). Mercury(II) removal from aqueous solutions by adsorption on multiwalled carbon nanotubes. *Korean J. Chem Eng*, 28, 1029 – 1034.
- Silva, H. S., Ruiz, S. V., Granados, D. L., & Santangelo, J. M. (2010). Adsorption of mercury(II) from liquid solutions using modified activated carbons. *Materials Research*, 13, 129 – 134.
- Silverstein, R. M. & Bassler, G. C. (1991). *Spectroscopic identification of organic compound*. Los Altos California: John Wiley & Son, Inc.
- Sing, K. S. W. (1982). Reporting physisorption data for gas/solid systems. *Pure & Appl. Chem*, 54, 2201 – 2218.
- Sumesh, E., Bootharaju, M. S. & Pradeep, A. T. (2011). A particle silver nanoparticle-based adsorbent for the removal of Hg²⁺ from water. *Journal of Hazardous Materials*, 189, 450 – 457.
- Sun, J. & Gao, L. (2003). Development of a dispersion process for carbon nanotubes in ceramic matrix by heterocoagulation. *Carbon*, 41, 1063 -1068.
- Szymanski, G. S., Karpinski, Z., Biniak, S., & Swiatkowski, A. (2002). The effect of the gradual thermal decomposition of surface oxygen species on the chemical and catalytic properties of oxidized activated carbon. *Carbon*, 40, 2627 – 2639.

- Tawabini, B., Al-Khalidi, S., Atieh, M., & Khaled, M. (2010). Removal of mercury from water by multiwalled carbon nanotubes. *Water Science & Technology*, 61, 591 – 598.
- Terashima, Y., Ozaki, H., & Sekine, M., (1986). Removal of dissolved heavy metals by chemical coagulation, magnetic seeding and high gradient magnetic filtration. *Water Research*, 20, 537 – 545.
- Terrones, M. (2003). Science and technology of the twenty-first century: Synthesis, properties, and application of carbon nanotubes. *Annu.Rev.Mater.Res*, 33. 419 – 501.
- Tessonnier, J. P., Rosenthal, D., Hansen, T. W., Hess, C., Schuster, M. E., Blume, R., Pfander, N., Timpe, O., Su, D. S. & Scheogl, R. (2009). Analysis of the structure and chemical properties of some commercial carbon nanostructures, *Carbon*, 47, 1779 – 1798.
- Tsang, S. C., Cheng, Y. K., Harris, P. J. F., & Green, M. L. (1994). A simple chemical method of opening and filling carbon nanotubes. *Nature*, 372, 159 – 162.
- USEPA (1981). Control and treatment technology for the metal finishing industry; Ion exchange. Report (EPA 625/8-81-007). Cincinnati.
- USEPA (1997). Aqueous mercury treatment, Capsule. Report EPA/625/R-97/004. Cincinnati.
- USEPA (1997). Volume II: An inventory of anthropogenic mercury emission in the United State. Report EPA-452/R-97-004. Washington, DC.
- Uzun, I. & Guzel, F. (2000). Adsorption of some heavy metal ions from aqueous solution by activated carbon and comparison of percent adsorption results of activated carbon with those of some other adsorbent. *Turk. J. Chem.* 24, 191 – 297.
- Valdes, H., Sanchez-Polo, M. Rivera-Utrilla, J., & Zaror, C. A. (2002). Effect of ozone treatment on surface properties of activated carbon. *Langmuir*, 18, 2111 – 2116.
- Vukovic, G. D., Marinkovic, A. D., Colic, M., Ristic, M. D., Aleksic, R., Peric-Grujic, A. A., & Uskokovic, P. S. (2010). Removal of cadmium from aqueous solutions by oxidized and ethylenediamine-functionalized multiwalled carbon nanotubes. *Chemical Engineering Journal*, 157, 238 – 248.
- Wang, Y., Duen, Y. Yang, L., Zhao, C., Shen, X., Zhang, M., Zhuo, Y., & Chen., C. (2009). Experimental study on mercury transformation and removal in coal-fired boiler flue gases. *Fuel Processing Technology*, 90, 543 – 651.
- Wepasnick, K. A., Smith, B. A., Schrote, K. E., Wilson, H. K., Diegelmann, S. R., Fairbrother, D. H. (2011). Surface and structural characterization of multiwalled carbon nanotubes following different oxidative treatment. *Carbon*, 49, 24 – 36.
- Wilhelm, S. M. (Eds.). (2008). Risk analysis for operation of aluminium heat exchanger contaminated by mercury: *Proceedings of AIChE Spring Meeting Global Congress on Process Safety*. New Orleans.

- Wise, K. E., Park, C., Siochi, E. J., & Harrison, J. S. (2004). Stable dispersion of single wall carbon nanotubes in polyimide: The role of noncovalent interaction. *Chemical Physics Letters*, 391, 207 – 211.
- World Health Organization (WHO) .(2003). Elemental mercury and inorganic mercury compound: Human health aspects. Concise International Chemical Assessment Document 50.
- Xia, W., Wang, Y., Bergstraber, R., Kundu, S., & Muhler, M. (2007). Surface characterization of oxygen-functionalized multiwalled carbon nanotubes by high-resolution X-ray photoelectron spectroscopy and temperature-programmed desorption. *Applied Surface Science*, 254, 247 – 250.
- Xue, Y. Y., Guo, Y., Zhang, Z. G., Guo, Y. L., Wang, Y. Q., & Lu, G. Z. (2008). The role of surface properties of activated carbon in the catalytic reduction of NO by carbon. *Applied Surface Science*, 255, 2591 – 2595.
- Yahaya, N. K. E. M., Latiff, M. F. P. M., Abustan, I., Bello, O. S., Ahmad, M. A. (2011). Adsorptive removal of Cu(II) using activated carbon prepared from rice husk by ZnCl₂ activation subsequent gasification with CO₂. *International Journal of Engineering & Technology*, 11, 207 – 211.
- Yan, T. Y. (1996). Mercury removal from oil by reactive adsorption. *Ind.Eng.Chem.Res*, 35, 3697 – 3701.
- Yavari, R., Huang, Y., & Ahmadi, S. (2011). Adsorption of cesium (I) from aqueous solution using oxidized multiwall carbon nanotubes. *Journal of Radioanalytical and Nuclear Chemistry*, 287(2), 393-401.
- Yu, H., Jin, Y., Li, Z., Peng, F., & Wang, H. (2008). Synthesis and characterization of sulfonated single-walled carbon nanotubes and their performance as solid acid catalyst. *Journal of solid State Chemistry*, 181, 432 – 438.
- Yu, X. Y., Luo, T., Zhang, Y. X., Jia, Y., Zhu, B. J., Fu, X. C., Liu, J. H., Huang, X. J. (2011). Adsorption of lead(II) on O₂-plasma-oxidized multiwalled carbon nanotubes; thermodynamics, kinetics, and desorption. *ACS Applied Materials Interfaces*, 3, 2585 – 2593.
- Zeroual, Y., Moutaouakkil, A., Dzairi, F. Z., Talbi, M., Chung, P. U., Lee, K., 7 Blaghen, M. (2003). Biosorption of mercury from aqueous solution by *Ulva lactuca* biomass. *Bioresource Technology*, 90, 349 – 351.
- Zhao, C., Ji, L., Liu, H., Hu, G., Zhang, S., Yang, M., & Yang, Z. (2004). Functionalization carbon nanotubes containing isocyanate groups. *Journal of Solid State Chemistry*, 177, 4394 – 4398.
- Zhao, X., Jia, Q., Song, N., Zhou, W., & Li, Y. (2010). Adsorption of Pb(II) from an aqueous solution by titanium dioxide/carbon nanotube nanocomposites; Kinetics, thermodynamics and isotherms. *J. Chem. Eng. Data*, 55, 4428 – 4433.
- Zhu, J., Deng, B., Yang, J., & Gang, D. (2009). Modifying activated carbon with hybrid ligands for enhancing aqueous mercury removal. *Carbon*, 47, 2014 -2025.