

## REFERENCES

- Abdullah, K. (2011). Integrated river basin management report: Towards realising integrated river basin management in ~ Malaysia, from <http://www.water.gov.my/river-managementengineering-mainmenu-300/20?task=view&lang=en>
- Ahalya, N., Ramachandra, T., & Kanamadi, R. (2003). Biosorption of heavy metals. *Research Journal of Chemistry and Environment*, 7(4), 71-79.
- Ahmad, A., Rafatullah, M., Sulaiman, O., Ibrahim, M. H., Chii, Y. Y., & Siddique, B. M. (2009). Removal of Cu (II) and Pb (II) ions from aqueous solutions by adsorption on sawdust of Meranti wood. *Desalination*, 247(1), 636-646.
- Akar, T., Kaynak, Z., Ulusoy, S., Yuvaci, D., Ozsari, G., & Akar, S. T. (2009). Enhanced biosorption of nickel(II) ions by silica-gel-immobilized waste biomass: Biosorption characteristics in batch and dynamic flow mode. *Journal of Hazardous Materials*, 163(2-3), 1134-1141. doi: 10.1016/j.jhazmat.2008.07.084
- Akmar Zakaria, Z., Suratman, M., Mohammed, N., & Azlina Ahmad, W. (2009). Chromium (VI) removal from aqueous solution by untreated rubber wood sawdust. *Desalination*, 244(1), 109-121.
- Aliane, A., Bounatiro, N., Cherif, A., & Akretche, D. (2001). Removal of chromium from aqueous solution by complexation-ultrafiltration using a water-soluble macroligand. *Water Research*, 35(9), 2320-2326.
- Alluri, H. K., Ronda, S. R., Settalluri, V. S., Bondili, J. S., Suryanarayana, V., & Venkateshwar, P. (2007). Biosorption: An eco-friendly alternative for heavy metal removal. *African Journal of Biotechnology*, 6(25), 2924-2931.
- Alomá, I., Martín-Lara, M. A., Rodríguez, I. L., Blázquez, G., & Calero, M. (2012). Removal of nickel (II) ions from aqueous solutions by biosorption on sugarcane bagasse. *Journal of the Taiwan Institute of Chemical Engineers*, 43(2), 275-281. doi: 10.1016/j.jtice.2011.10.011
- Anawar, H., Komaki, K., Akai, J., Takada, J., Ishizuka, T., Takahashi, T., Yoshioka, T., Kato, K. (2002). Diagenetic control on arsenic partitioning in sediments of the Meghna River delta, Bangladesh. *Environmental Geology*, 41(7), 816-825.
- APHA. (1992). *Standard methods for the examination of water and wastewater* (18 ed.). Washington: American Public Health Association.
- Apiratikul, R., Madacha, V., & Pavasant, P. (2011). Kinetic and mass transfer analyses of metal biosorption by *Caulerpa lentillifera*. *Desalination*, 278(1-3), 303-311. doi: 10.1016/j.desal.2011.03.092
- Areco, M. M., & dos Santos Afonso, M. (2010). Copper, zinc, cadmium and lead biosorption by *Gymnogongrus torulosus*. Thermodynamics and kinetics studies.

*Colloids and Surfaces B: Biointerfaces*, 81(2), 620-628. doi: 10.1016/j.colsurfb.2010.08.014

- Argun, M. E., Dursun, S., Ozdemir, C., & Karatas, M. (2007). Heavy metal adsorption by modified oak sawdust: Thermodynamics and kinetics. *Journal of Hazardous Materials*, 141(1), 77-85.
- Arslanoglu, H., Altundogan, H. S., & Tumen, F. (2009). Heavy metals binding properties of esterified lemon. *Journal of Hazardous Materials*, 164(2-3), 1406-1413. doi: 10.1016/j.jhazmat.2008.09.054
- Asadi, F., Shariatmadari, H., & Mirghaffari, N. (2008). Modification of rice hull and sawdust sorptive characteristics for remove heavy metals from synthetic solutions and wastewater. *Journal of Hazardous Materials*, 154(1-3), 451-458. doi: 10.1016/j.jhazmat.2007.10.046
- Babarinde, N. A. A., Babalola, J. O., & Sanni, R. A. (2006). Biosorption of lead ions from aqueous solution by maize leaf. *International Journal of Physical Sciences*, 1(1), 23-26.
- Badri, M. A. (1988). Heavy metals pollution in the urban environment. In S. Sani & M. A. Badri (Eds.), *Environmental monitoring and assessment: Tropical urban applications*. Bangi: Universiti Kebangsaan Malaysia.
- Baig, K. S., Doan, H. D., & Wu, J. (2009). Multicomponent isotherms for biosorption of  $\text{Ni}^{2+}$  and  $\text{Zn}^{2+}$ . *Desalination*, 249(1), 429-439. doi: 10.1016/j.desal.2009.06.052
- Bairagi, H., Khan, M. M. R., Ray, L., & Guha, A. K. (2011). Adsorption profile of lead on *Aspergillus versicolor*: A mechanistic probing. *Journal of Hazardous Materials*, 186(1), 756-764. doi: 10.1016/j.jhazmat.2010.11.064
- Barakat, M. (2011). New trends in removing heavy metals from industrial wastewater. *Arabian Journal of Chemistry*, 4(4), 361-377.
- Baral, S., Das, N., Ramulu, T., Sahoo, S., Das, S., & Chaudhury, G. R. (2009). Removal of Cr (VI) by thermally activated weed *Salvinia cucullata* in a fixed-bed column. *Journal of Hazardous Materials*, 161(2-3), 1427-1435.
- Bardet, M., Foray, M. F., & Tr an, Q. K. (2002). High-resolution solid-state CPMAS NMR study of archaeological woods. *Analytical chemistry*, 74(17), 4386-4390.
- Barka, N., Abdennouri, M., Boussaoud, A., & El Makhfouk, M. (2010). Biosorption characteristics of Cadmium(II) onto *Scolymus hispanicus* L. as low-cost natural biosorbent. *Desalination*, 258(1-3), 66-71. doi: 10.1016/j.desal.2010.03.046
- Basheer, I., & Hajmeer, M. (2000). Artificial neural networks: fundamentals, computing, design, and application. *Journal of microbiological methods*, 43(1), 3-31.
- Bayramođlu, G., & Yakup Arıca, M. (2009). Construction a hybrid biosorbent using *Scenedesmus quadricauda* and Ca-alginate for biosorption of Cu(II), Zn(II) and

- Ni(II): Kinetics and equilibrium studies. *Bioresource Technology*, 100(1), 186-193. doi: 10.1016/j.biortech.2008.05.050
- Baysal, Z., Çınar, E., Bulut, Y., Alkan, H., & Dogru, M. (2009). Equilibrium and thermodynamic studies on biosorption of Pb(II) onto *Candida albicans* biomass. *Journal of Hazardous Materials*, 161(1), 62-67. doi: 10.1016/j.jhazmat.2008.02.122
- Beccari, M., Pomponio, S., & Di Castro, V. (2009). Self-assembly of para-substituted benzenethiols on copper: An XPS study. *Superlattices and Microstructures*, 46(1-2), 25-29. doi: 10.1016/j.spmi.2008.11.010
- Benguella, B., & Benaissa, H. (2002). Cadmium removal from aqueous solutions by chitin: kinetic and equilibrium studies. *Water Research*, 36(10), 2463-2474.
- Betancur, M., Bonelli, P. R., Velásquez, J. A., & Cukierman, A. L. (2009). Potentiality of lignin from the kraft pulping process for removal of trace nickel from wastewater: Effect of demineralisation. *Bioresource Technology*, 100(3), 1130-1137. doi: 10.1016/j.biortech.2008.08.023
- Bhanoori, M., & Venkateswerlu, G. (2000). In vivo chitin-cadmium complexation in cell wall of *Neurospora crassa*. *Biochimica et Biophysica Acta (BBA)-General Subjects*, 1523(1), 21-28.
- Bhatti, H. N., Khalid, R., & Hanif, M. A. (2009). Dynamic biosorption of Zn(II) and Cu(II) using pretreated *Rosa gruss an teplitz* (red rose) distillation sludge. *Chemical Engineering Journal*, 148(2-3), 434-443. doi: 10.1016/j.cej.2008.09.028
- Blázquez, G., Martín-Lara, M. A., Tenorio, G., & Calero, M. (2011). Batch biosorption of lead(II) from aqueous solutions by olive tree pruning waste: Equilibrium, kinetics and thermodynamic study. *Chemical Engineering Journal*, 168(1), 170-177. doi: 10.1016/j.cej.2010.12.059
- Božić, D., Stanković, V., Gorgievski, M., Bogdanović, G., & Kovačević, R. (2009). Adsorption of heavy metal ions by sawdust of deciduous trees. *Journal of Hazardous Materials*, 171(1-3), 684-692. doi: 10.1016/j.jhazmat.2009.06.055
- Brook, T., Taib, M., & Narayanaswamy, R. (1997). Extending the range of a fibre-optic relative-humidity sensor. *Sensors and Actuators B: Chemical*, 39(1-3), 272-276.
- Bueno, B. Y. M., Torem, M. L., Molina, F., & de Mesquita, L. M. S. (2008). Biosorption of lead(II), chromium(III) and copper(II) by *R. opacus*: Equilibrium and kinetic studies. *Minerals Engineering*, 21(1), 65-75. doi: 10.1016/j.mineng.2007.08.013
- Bueno, L. O., & Sordi, V. L. (2008). Creep behaviour of Fe–Mn–Al steel from 500°C to 800°C. *Materials Science and Engineering: A*, 483-484, 560-563. doi: 10.1016/j.msea.2006.12.182

- Bulut, Y., & Tez, Z. (2007). Removal of heavy metals from aqueous solution by sawdust adsorption. *Journal of Environmental Sciences*, 19(2), 160-166. doi: 10.1016/s1001-0742(07)60026-6
- Caglarirmak, N. (2007). The nutrients of exotic mushrooms (*Lentinula edodes* and *Pleurotus* species) and an estimated approach to the volatile compounds. *Food Chemistry*, 105(3), 1188-1194. doi: 10.1016/j.foodchem.2007.02.021
- Canabady-Rochelle, L.-S., Sanchez, C., Mellema, M., & Banon, S. (2010). Calcium carbonate–hydrolyzed soy protein complexation in the presence of citric acid. *Journal of Colloid and Interface Science*, 345(1), 88-95. doi: 10.1016/j.jcis.2010.01.037
- Cao, Y.-r., Liu, Z., Cheng, G.-l., Jing, X.-b., & Xu, H. (2010). Exploring single and multi-metal biosorption by immobilized spent *Tricholoma lobayense* using multi-step response surface methodology. *Chemical Engineering Journal*, 164(1), 183-195. doi: 10.1016/j.cej.2010.08.055
- Cayllahua, J. E. B., de Carvalho, R. J., & Torem, M. L. (2009). Evaluation of equilibrium, kinetic and thermodynamic parameters for biosorption of nickel(II) ions onto bacteria strain, *Rhodococcus opacus*. *Minerals Engineering*, 22(15), 1318-1325. doi: 10.1016/j.mineng.2009.08.003
- Cerino-Córdova, F. J., García-León, A. M., Soto-Regalado, E., Sánchez-González, M. N., Lozano-Ramírez, T., García-Avalos, B. C., & Loredó-Medrano, J. A. (2012). Experimental design for the optimization of copper biosorption from aqueous solution by *Aspergillus terreus*. *Journal of Environmental Management*, 95, S77-S82. doi: 10.1016/j.jenvman.2011.01.004
- Chakravarty, P., Sarma, N. S., & Sarma, H. P. (2010a). Biosorption of cadmium(II) from aqueous solution using heartwood powder of *Areca catechu*. *Chemical Engineering Journal*, 162(3), 949-955. doi: 10.1016/j.cej.2010.06.048
- Chakravarty, S., Mohanty, A., Sudha, T. N., Upadhyay, A. K., Konar, J., Sircar, J. K., Madhukar, A., Gupta, K. K. (2010b). Removal of Pb(II) ions from aqueous solution by adsorption using bael leaves (*Aegle marmelos*). *Journal of Hazardous Materials*, 173(1-3), 502-509. doi: 10.1016/j.jhazmat.2009.08.113
- Chatterjee, S. K., Bhattacharjee, I., & Chandra, G. (2010). Biosorption of heavy metals from industrial waste water by *Geobacillus thermodenitrificans*. *Journal of Hazardous Materials*, 175(1-3), 117-125. doi: 10.1016/j.jhazmat.2009.09.136
- Cheevaporn, V., & Menasveta, P. (2003). Water pollution and habitat degradation in the Gulf of Thailand. *Marine Pollution Bulletin*, 47(1-6), 43-51. doi: 10.1016/s0025-326x(03)00101-2
- Chen, G., Zeng, G., Tang, L., Du, C., Jiang, X., Huang, G., Liu, H., Shen, G. (2008). Cadmium removal from simulated wastewater to biomass byproduct of *Lentinus edodes*. *Bioresource Technology*, 99(15), 7034-7040. doi: 10.1016/j.biortech.2008.01.020

- Chen, J. P., Hong, L., Wu, S., & Wang, L. (2002). Elucidation of interactions between metal ions and Ca alginate-based ion-exchange resin by spectroscopic analysis and modeling simulation. *Langmuir*, *18*(24), 9413-9421.
- Cheng, X., Guan, H., & Su, Y. (2000). Polymerization of vinyl acetate initiated by a copper alginate coordination polymer film/Na<sub>2</sub>SO<sub>3</sub>/H<sub>2</sub>O system. *Journal of Inorganic and Organometallic Polymers*, *10*(3), 115-126.
- Chojnacka, K. (2010). Biosorption and bioaccumulation – the prospects for practical applications. *Environment International*, *36*(3), 299-307. doi: 10.1016/j.envint.2009.12.001
- Cojocaru, C., Diaconu, M., Cretescu, I., Savić, J., & Vasić, V. (2009). Biosorption of copper(II) ions from aqua solutions using dried yeast biomass. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *335*(1-3), 181-188. doi: 10.1016/j.colsurfa.2008.11.003
- Congeevaram, S., Dhanarani, S., Park, J., Dexilin, M., & Thamaraiselvi, K. (2007). Biosorption of chromium and nickel by heavy metal resistant fungal and bacterial isolates. *Journal of Hazardous Materials*, *146*(1), 270-277.
- Cruz-Olivares, J., Pérez-Alonso, C., Barrera-Díaz, C., Natividad, R., & Chaparro-Mercado, M. C. (2011). Thermodynamical and analytical evidence of lead ions chemisorption onto *Pimenta dioica*. *Chemical Engineering Journal*, *166*(3), 814-821. doi: 10.1016/j.cej.2010.11.041
- Cuculic, V., Cukrov, N., Kwokal, Z., & Mlakar, M. (2009). Natural and anthropogenic sources of Hg, Cd, Pb, Cu and Zn in seawater and sediment of Mljet National Park, Croatia. *Estuarine, Coastal and Shelf Science*, *81*(3), 311-320.
- Dalimova, G., & Akhmedova, Z. (2001). Biodestruction of lignins by the basidiomycete *Pleurotus ostreatus*. *Chemistry of Natural Compounds*, *37*(1), 83-85.
- Dang, V. B. H., Doan, H. D., Dang-Vu, T., & Lohi, A. (2009). Equilibrium and kinetics of biosorption of cadmium(II) and copper(II) ions by wheat straw. *Bioresource Technology*, *100*(1), 211-219. doi: 10.1016/j.biortech.2008.05.031
- Das, D., Das, N., & Mathew, L. (2010). Kinetics, equilibrium and thermodynamic studies on biosorption of Ag(I) from aqueous solution by macrofungus *Pleurotus platypus*. *Journal of Hazardous Materials*, *184*(1-3), 765-774. doi: 10.1016/j.jhazmat.2010.08.105
- Davis, T. A., Volesky, B., & Mucci, A. (2003). A review of the biochemistry of heavy metal biosorption by brown algae. *Water Research*, *37*(18), 4311-4330. doi: 10.1016/s0043-1354(03)00293-8
- Debbaudt, A., Ferreira, M., & Gschaidner, M. (2004). Theoretical and experimental study of M<sup>2+</sup> adsorption on biopolymers. III. Comparative kinetic pattern of Pb, Hg and Cd. *Carbohydrate Polymers*, *56*(3), 321-332. doi: 10.1016/j.carbpol.2004.02.009

- Demirbas, A. (2008). Heavy metal adsorption onto agro-based waste materials: A review. *Journal of Hazardous Materials*, 157(2-3), 220-229. doi: 10.1016/j.jhazmat.2008.01.024
- Demri, B., & Muster, D. (1995). XPS study of some calcium compounds. *Journal of Materials Processing Technology*, 55(3), 311-314.
- Deng, W., Louie, P., Liu, W., Bi, X., Fu, J., & Wong, M. (2006). Atmospheric levels and cytotoxicity of PAHs and heavy metals in TSP and PM<sub>2.5</sub> at an electronic waste recycling site in southeast China. *Atmospheric Environment*, 40(36), 6945-6955.
- Denkhaus, E., & Salnikow, K. (2002). Nickel essentiality, toxicity, and carcinogenicity. *Critical Reviews in Oncology/hematology*, 42(1), 35-56.
- Department of Environment. (1986). Environmental quality report 1985. Kuala Lumpur: Ministry of Science, Technology and Environment.
- Department of Environment. (1998). Classifications of Malaysian rivers: Ministry of Science, Technology and Environment, Malaysia.
- Desai, V., & Kaler, S. G. (2008). Role of copper in human neurological disorders. *The American Journal of Clinical Nutrition*, 88(3), 855S-858S.
- Dizhbite, T., Zakis, G., Kizima, A., Lazareva, E., Rossinskaya, G., Jurkane, V., Telysheva, G., Viesturs, U. (1999). Lignin—a useful bioresource for the production of sorption-active materials. *Bioresource Technology*, 67(3), 221-228.
- dos Santos, W. N. L., Cavalcante, D. D., da Silva, E. G. P., das Virgens, C. F., & Dias, F. d. S. (2011). Biosorption of Pb(II) and Cd(II) ions by *Agave sisalana* (sisal fiber). *Microchemical Journal*, 97(2), 269-273. doi: 10.1016/j.microc.2010.09.014
- Duruibe, J., Ogwuegbu, M., & Ekwurugwu, J. (2007). Heavy metal pollution and human biotoxic effects. *International Journal of Physical Sciences*, 2(5), 112-118.
- Eisler, R. (1981). *Trace metal concentrations in marine organisms*. New York: Pergamon Press.
- Entezari, M. H., & Soltani, T. (2009). Cadmium and lead ions can be removed simultaneously from a binary aqueous solution by the sono-sorption method. *Ultrasonics Sonochemistry*, 16(4), 495-501. doi: 10.1016/j.ultsonch.2008.12.001
- Environmental Quality Act 1974 (Act 127) and subsidiary legislation*. (2007). Legal Research Board, International Law Book Services.
- Environmental Quality Act 1974 (Act 127) regulations, rules and orders (as at 25th June) 2011*. (2011). Legal Research Board, International Law Book Services.

- Ertugay, N., & Bayhan, Y. K. (2010). The removal of copper (II) ion by using mushroom biomass (*Agaricus bisporus*) and kinetic modelling. *Desalination*, 255(1-3), 137-142. doi: 10.1016/j.desal.2010.01.002
- Eto, K. (2000). Minamata disease. *Neuropathology*, 20, 14-19.
- Febrianto, J., Kosasih, A. N., Sunarso, J., Ju, Y.-H., Indraswati, N., & Ismadji, S. (2009). Equilibrium and kinetic studies in adsorption of heavy metals using biosorbent: A summary of recent studies. *Journal of Hazardous Materials*, 162(2-3), 616-645. doi: 10.1016/j.jhazmat.2008.06.042
- Feng, N., Guo, X., & Liang, S. (2009). Adsorption study of copper (II) by chemically modified orange peel. *Journal of Hazardous Materials*, 164(2-3), 1286-1292. doi: 10.1016/j.jhazmat.2008.09.096
- Feng, N., Guo, X., Liang, S., Zhu, Y., & Liu, J. (2011). Biosorption of heavy metals from aqueous solutions by chemically modified orange peel. *Journal of Hazardous Materials*, 185(1), 49-54. doi: 10.1016/j.jhazmat.2010.08.114
- Ferner, D. J. (2001). Toxicity, heavy metals. *eMedical Journal*, 2(5), 1.
- Figueira, M., Volesky, B., & Mathieu, H. (1999). Instrumental analysis study of iron species biosorption by *Sargassum* biomass. *Environmental Science and Technology*, 33(11), 1840-1846.
- Finney, K. N., Sharifi, V. N., & Swithenbank, J. (2009). Combustion of spent mushroom compost and coal tailing pellets in a fluidised-bed. *Renewable Energy*, 34(3), 860-868.
- Fiol, N., Villaescusa, I., Martínez, M., Miralles, N., Poch, J., & Serarols, J. (2006). Sorption of Pb(II), Ni(II), Cu(II) and Cd(II) from aqueous solution by olive stone waste. *Separation and Purification Technology*, 50(1), 132-140. doi: 10.1016/j.seppur.2005.11.016
- Geib, S. M., Filley, T. R., Hatcher, P. G., Hoover, K., Carlson, J. E., Jimenez-Gasco, M. d. M., Nakagawa-Izumi, A., Sleighter, R. L., Tien, M. (2008). Lignin degradation in wood-feeding insects. *Proceedings of the National Academy of Sciences*, 105(35), 12932-12937. doi: 10.1073/pnas.0805257105
- Ghods, P., Isgor, O. B., Brown, J. R., Bensebaa, F., & Kingston, D. (2011). XPS depth profiling study on the passive oxide film of carbon steel in saturated calcium hydroxide solution and the effect of chloride on the film properties. *Applied Surface Science*, 257(10), 4669-4677. doi: 10.1016/j.apsusc.2010.12.120
- Ghosh, M., & Singh, S. P. (2005). A review on phytoremediation of heavy metals and utilization of it's by products. *Applied Ecology and Environmental Resources*, 3(1), 1-18.
- Gialamouidis, D., Mitrakas, M., & Liakopoulou-Kyriakides, M. (2009). Biosorption of nickel ions from aqueous solutions by *Pseudomonas* sp. and *Staphylococcus xylosus* cells. *Desalination*, 248(1-3), 907-914. doi: 10.1016/j.desal.2008.10.011

- Gibson, S., Lam, C., McCrae, W., & Goldberg, A. (1967). Blood lead levels in normal and mentally deficiency children. *Archives of disease in childhood*, 42(226), 573-578.
- Ginterova, A., & Maxiaitová, A. (1975). The balance of nitrogen and composition of proteins in *Pleurotus ostreatus* grown on natural substrates. *Folia Microbiologica*, 20(3), 246-250.
- Giri, A. K., Patel, R. K., & Mahapatra, S. S. (2011). Artificial neural network (ANN) approach for modelling of arsenic (III) biosorption from aqueous solution by living cells of *Bacillus cereus* biomass. *Chemical Engineering Journal*, 178, 15-25. doi: 10.1016/j.cej.2011.09.111
- Goodyear, K., & McNeill, S. (1999). Bioaccumulation of heavy metals by aquatic macro-invertebrates of different feeding guilds: A review. *Science of the Total Environment*, 229(1), 1-19.
- Grimm, A., Zanzi, R., Björnbom, E., & Cukierman, A. L. (2008). Comparison of different types of biomasses for copper biosorption. *Bioresource Technology*, 99(7), 2559-2565. doi: 10.1016/j.biortech.2007.04.036
- Gupta, R., Ahuja, P., Khan, S., Saxena, R., & Mohapatra, H. (2000). Microbial biosorbents: Meeting challenges of heavy metal pollution in aqueous solutions. *Current Science*, 78(8), 967-974.
- Gupta, V. K., Carrott, P. J. M., Ribeiro Carrott, M. M. L., & Suhas. (2009). Low-cost adsorbents: Growing approach to wastewater treatment - a review. *Critical Reviews in Environmental Science and Technology*, 39(10), 783-842. doi: 10.1080/10643380801977610
- Gupta, V. K., Rastogi, A., & Nayak, A. (2010). Biosorption of nickel onto treated alga (*Oedogonium hatei*): Application of isotherm and kinetic models. *Journal of Colloid and Interface Science*, 342(2), 533-539. doi: 10.1016/j.jcis.2009.10.074
- Han, R., Zhang, J., Zou, W., Xiao, H., Shi, J., & Liu, H. (2006). Biosorption of copper (II) and lead (II) from aqueous solution by chaff in a fixed-bed column. *Journal of Hazardous Materials*, 133(1), 262-268.
- Hanafiah, M., Ibrahim, S., & Yahaya, M. (2006). Equilibrium adsorption study of lead ions onto sodium hydroxide modified lalang (*Imperata cylindrical*) leaf powder. *Journal of Applied Sciences Research*, 2, 1169-1174.
- Hanes, C. S. (1932). Studies on plant amylases: The effect of starch concentration upon the velocity of hydrolysis by the amylase of germinated barley. *Biochemical Journal*, 26(5), 1406.
- Harada, M. (1995). Minamata disease: Methylmercury poisoning in Japan caused by environmental pollution. *CRC Critical Reviews in Toxicology*, 25(1), 1-24.
- Harrison, P. T. C. (2001). *Health effects of environmental chemicals in pollution: Causes, effects and control* (4 ed.). Cambridge: Royal Society of Chemistry UK.



- Hashim, M. A., & Chu, K. H. (2004). Biosorption of cadmium by brown, green, and red seaweeds. *Chemical Engineering Journal*, 97(2-3), 249-255. doi: 10.1016/s1385-8947(03)00216-x
- Hashim, M. A., Mukhopadhyay, S., Sahu, J. N., & Sengupta, B. (2011). Remediation technologies for heavy metal contaminated groundwater. *Journal of Environmental Management*, 92(10), 2355-2388. doi: 10.1016/j.jenvman.2011.06.009
- Hatfield, G. R., Maciel, G. E., Erbaturo, O., & Erbaturo, G. (1987). Qualitative and quantitative analysis of solid lignin samples by carbon-13 nuclear magnetic resonance spectrometry. *Analytical chemistry*, 59(1), 172-179.
- Hawari, A. H., & Mulligan, C. N. (2006). Biosorption of lead(II), cadmium(II), copper(II) and nickel(II) by anaerobic granular biomass. *Bioresource Technology*, 97(4), 692-700. doi: 10.1016/j.biortech.2005.03.033
- Henini, G., Laidani, Y., & Souahi, F. (2011). Study of adsorption of copper on biomass *Pleurotus mutilus* and the possibility of its regeneration by desorption. *Energy Procedia*, 6, 441-448. doi: 10.1016/j.egypro.2011.05.051
- Hussain, M. A., Salleh, A., & Milow, P. (2009). Characterization of the adsorption of the lead (II) by the nonliving biomass *Spirogyra neglecta* (Hasall) Kützing. *American Journal of Biochemistry and Biotechnology*, 5(2), 75-83.
- Huster, D. (2010). Wilson disease. *Best Practice & Research Clinical Gastroenterology*, 24(5), 531-539. doi: 10.1016/j.bpg.2010.07.014
- Iddou, A., Hadj Youcef, M., Aziz, A., & Ouali, M. S. (2011). Biosorptive removal of lead (II) ions from aqueous solutions using *Cystoseira stricta* biomass: Study of the surface modification effect. *Journal of Saudi Chemical Society*, 15(1), 83-88. doi: 10.1016/j.jscs.2010.10.007
- Igwe, J., & Abia, A. (2006). A bioseparation process for removing heavy metals from waste water using biosorbents. *African Journal of Biotechnology*, 5(12), 1167-1179.
- Iqbal, M., Saeed, A., & Zafar, S. I. (2009). FTIR spectrophotometry, kinetics and adsorption isotherms modeling, ion exchange, and EDX analysis for understanding the mechanism of Cd<sup>2+</sup> and Pb<sup>2+</sup> removal by mango peel waste. *Journal of Hazardous Materials*, 164(1), 161-171. doi: 10.1016/j.jhazmat.2008.07.141
- Issabayeva, G., Aroua, M. K., & Sulaiman, N. M. (2008). Continuous adsorption of lead ions in a column packed with palm shell activated carbon. *Journal of Hazardous Materials*, 155(1-2), 109-113. doi: 10.1016/j.jhazmat.2007.11.036
- Izquierdo, M., Gabaldón, C., Marzal, P., & Álvarez-Hornos, F. J. (2010). Modeling of copper fixed-bed biosorption from wastewater by *Posidonia oceanica*. *Bioresource Technology*, 101(2), 510-517. doi: 10.1016/j.biortech.2009.08.018

- Jalali, R., Ghafourian, H., Asef, Y., Davarpanah, S., & Sepehr, S. (2002). Removal and recovery of lead using nonliving biomass of marine algae. *Journal of Hazardous Materials*, 92(3), 253-262.
- Javaid, A., Bajwa, R., Shafique, U., & Anwar, J. (2011). Removal of heavy metals by adsorption on *Pleurotus ostreatus*. *Biomass and Bioenergy*, 35(5), 1675-1682. doi: 10.1016/j.biombioe.2010.12.035
- Javanbakht, V., Zilouei, H., & Karimi, K. (2011). Lead biosorption by different morphologies of fungus *Mucor indicus*. *International Biodeterioration and Biodegradation*, 65(2), 294-300. doi: 10.1016/j.ibiod.2010.11.015
- Ji, Y., Gao, H., Sun, J., & Cai, F. (2011). Experimental probation on the binding kinetics and thermodynamics of Au(III) onto *Bacillus subtilis*. *Chemical Engineering Journal*, 172(1), 122-128. doi: 10.1016/j.cej.2011.05.077
- Jiang, Y., Pang, H., & Liao, B. (2009). Removal of copper(II) ions from aqueous solution by modified bagasse. *Journal of Hazardous Materials*, 164(1), 1-9. doi: 10.1016/j.jhazmat.2008.07.107
- Jones, B., Haynes, R., & Phillips, I. (2010). Effect of amendment of bauxite processing sand with organic materials on its chemical, physical and microbial properties. *Journal of Environmental Management*, 91(11), 2281-2288.
- Jonglertjunya, W. (2008). Biosorption of lead (II) and copper (II) from aqueous solution. *Chiang Mai Journal of Science*, 35, 69-81.
- Kalavathy M, H., Regupathi, I., Pillai, M. G., & Miranda, L. R. (2009). Modelling, analysis and optimization of adsorption parameters for H<sub>3</sub>PO<sub>4</sub> activated rubber wood sawdust using response surface methodology (RSM). *Colloids and Surfaces B: Biointerfaces*, 70(1), 35-45. doi: 10.1016/j.colsurfb.2008.12.007
- Kalyani, G., Rao, H. J., Kumar, T. A., Mariadas, K., Vijetha, P., Kumar, Y. P., Kumaraswamy, K., Pallavi, P., Sumalatha, B. (2010). Biosorption of lead from aqueous solutions using egg shell powder as biosorbent: Equilibrium modelling. *International Journal of Biotechnology and Biochemistry*, 6(6), 911-920.
- Kamal, M. H. M. A., Azira, W. M. K. W. K., Kasmawati, M., Haslizaidi, Z., & Saime, W. N. W. (2010). Sequestration of toxic Pb(II) ions by chemically treated rubber (*Hevea brasiliensis*) leaf powder. *Journal of Environmental Sciences*, 22(2), 248-256. doi: 10.1016/s1001-0742(09)60101-7
- Kardam, A., Raj, K. R., Arora, J. K., Srivastava, M. M., & Srivastava, S. (2010). Artificial Neural Network modeling for sorption of cadmium from aqueous system by shelled *Moringa oleifera* seed powder as an agricultural waste. *Journal of Water Resource and Protection*, 2(4), 339-344.
- Khan, A. A., & Singh, R. (1987). Adsorption thermodynamics of carbofuran on Sn (IV) arsenosilicate in H<sup>+</sup>, Na<sup>+</sup> and Ca<sup>2+</sup> forms. *Colloids and Surfaces*, 24(1), 33-42.

- Khan, N. A., Ibrahim, S., & Subramaniam, P. (2004). Elimination of heavy metals from wastewater using agricultural wastes as adsorbents. *Malaysian Journal of Science*, 23(1), 43-51.
- Kilic, M., Yazici, H., & Solak, M. (2009). A comprehensive study on removal and recovery of copper(II) from aqueous solutions by NaOH-pretreated *Marrubium globosum* ssp. *globosum* leaves powder: Potential for utilizing the copper(II) condensed desorption solutions in agricultural applications. *Bioresource Technology*, 100(7), 2130-2137. doi: 10.1016/j.biortech.2008.11.002
- King, P., Rakesh, N., Beenalahari, S., Prasanna Kumar, Y., & Prasad, V. (2007). Removal of lead from aqueous solution using *Syzygium cumini* L.: Equilibrium and kinetic studies. *Journal of Hazardous Materials*, 142(1), 340-347.
- Kleinübing, S. J., Guibal, E., da Silva, E. A., & da Silva, M. G. C. (2012). Copper and nickel competitive biosorption simulation from single and binary systems by *Sargassum filipendula*. *Chemical Engineering Journal*, 184, 16-22. doi: 10.1016/j.cej.2011.11.023
- Krishnani, K., & Ayyappan, S. (2006). Heavy metals remediation of water using plants and lignocellulosic agrowastes. *Reviews of Environmental Contamination and Toxicology*, 59-84.
- Krishnani, K., Meng, X., Christodoulatos, C., & Boddu, V. (2008). Biosorption mechanism of nine different heavy metals onto biomatrix from rice husk. *Journal of Hazardous Materials*, 153(3), 1222-1234. doi: 10.1016/j.jhazmat.2007.09.113
- Kumar, K. V., & Porkodi, K. (2009). Modelling the solid-liquid adsorption processes using artificial neural networks trained by pseudo second order kinetics. *Chemical Engineering Journal*, 148(1), 20-25. doi: 10.1016/j.cej.2008.07.026
- Kumar, R., Bhatia, D., Singh, R., & Bishnoi, N. R. (2012). Metal tolerance and sequestration of Ni(II), Zn(II) and Cr(VI) ions from simulated and electroplating wastewater in batch process: Kinetics and equilibrium study. *International Biodeterioration and Biodegradation*, 66(1), 82-90. doi: 10.1016/j.ibiod.2011.11.006
- Langmuir, I. (1916). The constitution and fundamental properties of solids. Part I. Solids. *Journal of the American Chemical Society*, 38(11), 2221-2295.
- Langmuir, I. (1917). The constitution and fundamental properties of solids and liquids. Part II. Liquids. *Journal of the American Chemical Society*, 39(9), 1848-1906.
- Lapointe, D., & Couture, P. (2010). Accumulation and effects of nickel and thallium in early-life stages of fathead minnows (*Pimephales promelas*). *Ecotoxicology and Environmental Safety*, 73(4), 572-578.
- Lasheen, M. R., Ammar, N. S., & Ibrahim, H. S. (2012). Adsorption/desorption of Cd(II), Cu(II) and Pb(II) using chemically modified orange peel: Equilibrium and kinetic studies. *Solid State Sciences*, 14(2), 202-210. doi: 10.1016/j.solidstatesciences.2011.11.029

- Lawal, O. S., Sanni, A. R., Ajayi, I. A., & Rabi, O. O. (2010). Equilibrium, thermodynamic and kinetic studies for the biosorption of aqueous lead(II) ions onto the seed husk of *Calophyllum inophyllum*. *Journal of Hazardous Materials*, 177(1-3), 829-835. doi: 10.1016/j.jhazmat.2009.12.108
- Lee, I. H., Kuan, Y.-C., & Chern, J.-M. (2006). Factorial experimental design for recovering heavy metals from sludge with ion-exchange resin. *Journal of Hazardous Materials*, 138(3), 549-559. doi: 10.1016/j.jhazmat.2006.05.090
- Lee, Y.-C., & Chang, S.-P. (2011). The biosorption of heavy metals from aqueous solution by *Spirogyra* and *Cladophora* filamentous macroalgae. *Bioresource Technology*, 102(9), 5297-5304. doi: 10.1016/j.biortech.2010.12.103
- Lemus, M., & Chung, K. (1999). Effect of temperature on copper toxicity, accumulation, and purification in tropical fish juveniles *Petenia kraussii* (Pisces: Cichlidae). *Caribbean Journal of Science*, 35, 64-69.
- Lesmana, S. O., Febriana, N., Soetaredjo, F. E., Sunarso, J., & Ismadji, S. (2009). Studies on potential applications of biomass for the separation of heavy metals from water and wastewater. *Biochemical Engineering Journal*, 44(1), 19-41. doi: 10.1016/j.bej.2008.12.009
- Li, G., Zhao, Z., Liu, J., & Jiang, G. (2011a). Effective heavy metal removal from aqueous systems by thiol functionalized magnetic mesoporous silica. *Journal of Hazardous Materials*. doi: 10.1016/j.jhazmat.2011.05.015
- Li, H., Lin, Y., Guan, W., Chang, J., Xu, L., Guo, J., & Wei, G. (2010). Biosorption of Zn(II) by live and dead cells of *Streptomyces ciscaucasicus* strain CCNWHX 72-14. *Journal of Hazardous Materials*, 179(1-3), 151-159. doi: 10.1016/j.jhazmat.2010.02.072
- Li, J., Chen, E., Su, H., & Tan, T. (2011b). Biosorption of Pb<sup>2+</sup> with modified soybean hulls as absorbent. *Chinese Journal of Chemical Engineering*, 19(2), 334-339. doi: 10.1016/s1004-9541(11)60173-0
- Li, Q., Chai, L., Yang, Z., & Wang, Q. (2009). Kinetics and thermodynamics of Pb(II) adsorption onto modified spent grain from aqueous solutions. *Applied Surface Science*, 255(7), 4298-4303. doi: 10.1016/j.apsusc.2008.11.024
- Lim, S. F., Zheng, Y. M., Zou, S. W., & Chen, J. P. (2008). Characterization of copper adsorption onto an alginate encapsulated magnetic sorbent by a combined FT-IR, XPS, and mathematical modeling study. *Environmental Science and Technology*, 42(7), 2551-2556.
- Liu, Y., Cao, Q., Luo, F., & Chen, J. (2009). Biosorption of Cd<sup>2+</sup>, Cu<sup>2+</sup>, Ni<sup>2+</sup> and Zn<sup>2+</sup> ions from aqueous solutions by pretreated biomass of brown algae. *Journal of Hazardous Materials*, 163(2-3), 931-938. doi: 10.1016/j.jhazmat.2008.07.046
- Locci, E., Laconi, S., Pompei, R., Scano, P., Lai, A., & Marincola, F. C. (2008). Wheat bran biodegradation by *Pleurotus ostreatus*: A solid-state Carbon-13 NMR

study. *Bioresource Technology*, 99(10), 4279-4284. doi: 10.1016/j.biortech.2007.08.048

- López-Mesas, M., Navarrete, E. R., Carrillo, F., & Palet, C. (2011). Bioseparation of Pb(II) and Cd(II) from aqueous solution using cork waste biomass. Modeling and optimization of the parameters of the biosorption step. *Chemical Engineering Journal*, 174(1), 9-17. doi: 10.1016/j.cej.2011.07.026
- Luo, J.-m., Xiao, X., & Luo, s.-l. (2010). Biosorption of cadmium(II) from aqueous solutions by industrial fungus *Rhizopus cohnii*. *Transactions of Nonferrous Metals Society of China*, 20(6), 1104-1111. doi: 10.1016/s1003-6326(09)60264-8
- Maier, H. R., & Dandy, G. C. (2000). Neural networks for the prediction and forecasting of water resources variables: a review of modelling issues and applications. *Environmental Modelling & Software*, 15(1), 101-124.
- Majumdar, S. S., Das, S. K., Chakravarty, R., Saha, T., Bandyopadhyay, T. S., & Guha, A. K. (2010). A study on lead adsorption by *Mucor rouxii* biomass. *Desalination*, 251(1-3), 96-102. doi: 10.1016/j.desal.2009.09.137
- Malkoc, E., & Nuhoglu, Y. (2005). Investigations of nickel(II) removal from aqueous solutions using tea factory waste. *Journal of Hazardous Materials*, 127(1-3), 120-128. doi: 10.1016/j.jhazmat.2005.06.030
- Martín-Lara, M. Á., Rico, I. L. R., Vicente, I. d. l. C. A., García, G. B., & de Hoces, M. C. (2010). Modification of the sorptive characteristics of sugarcane bagasse for removing lead from aqueous solutions. *Desalination*, 256(1-3), 58-63. doi: 10.1016/j.desal.2010.02.015
- Mashitah, M., Zulfadhfy, Z., & Bhatla, S. (1999). Ability of *Pycnoporus sanguineus* to remove copper ions from aqueous solution. *Artificial Cells, Blood Substitutes and Biotechnology*, 27(5-6), 429-433.
- Mata, Y. N., Blázquez, M. L., Ballester, A., González, F., & Muñoz, J. A. (2008). Characterization of the biosorption of cadmium, lead and copper with the brown alga *Fucus vesiculosus*. *Journal of Hazardous Materials*, 158(2-3), 316-323. doi: 10.1016/j.jhazmat.2008.01.084
- Matlock, M. M., Howerton, B. S., & Atwood, D. A. (2001). Irreversible precipitation of mercury and lead. *Journal of Hazardous Materials*, 84(1), 73-82.
- McIntyre, J. K., Baldwin, D. H., Meador, J. P., & Scholz, N. L. (2008). Chemosensory deprivation in juvenile coho salmon exposed to dissolved copper under varying water chemistry conditions. *Environmental Science and Technology*, 42(4), 1352-1358.
- Meena, A. K., Kadirvelu, K., Mishra, G. K., Rajagopal, C., & Nagar, P. N. (2008). Adsorptive removal of heavy metals from aqueous solution by treated sawdust (*Acacia arabica*). *Journal of Hazardous Materials*, 150(3), 604-611. doi: 10.1016/j.jhazmat.2007.05.030

- Megat Hanafiah, M., Yahya, M., Zakaria, H., & Ibrahim, S. (2007). Adsorption of Cd (II) ions from aqueous solutions by lalang (*Imperata cylindrica*) leaf powder: Effect of physicochemical environment. *Journal of Applied Sciences*, 7, 489-493.
- Memon, S. Q., Memon, N., Shah, S. W., Khuhawar, M. Y., & Bhangar, M. I. (2007). Sawdust—A green and economical sorbent for the removal of cadmium (II) ions. *Journal of Hazardous Materials*, 139(1), 116-121. doi: 10.1016/j.jhazmat.2006.06.013
- Moncrieff, A., Koumides, O., Clayton, B. E., Patrick, A., Renwick, A., & Roberts, G. (1964). Lead poisoning in children. *Archives of Disease in Childhood*, 39(203), 1-13.
- Monser, L., & Adhoum, N. (2002). Modified activated carbon for the removal of copper, zinc, chromium and cyanide from wastewater. *Separation and Purification Technology*, 26(2-3), 137-146.
- Moulder, J. F., Stickle, W. F., Sobol, P. E., & Bomben, K. D. (1992). Handbook of x-ray photoelectron spectroscopy: a reference book of standard spectra for identification and interpretation of XPS data. *Perkin-Elmer: Boca Raton, FL*, 261.
- Muhamad, H., Doan, H., & Lohi, A. (2010). Batch and continuous fixed-bed column biosorption of Cd<sup>2+</sup> and Cu<sup>2+</sup>. *Chemical Engineering Journal*, 158(3), 369-377. doi: 10.1016/j.cej.2009.12.042
- Mulgund, M. G., Kininge, P. T., Pillai, M. M., & Sanandam, M. R. (2011). Biosorptive removal of heavy metals (Cd, Pb and Cu) from aqueous solutions by *Cassia Angustifolia* bark. *International Journal of Engineering Science and Technology*, 3(2), 1642-1647.
- Munagapati, V. S., Yarramuthi, V., Nadavala, S. K., Alla, S. R., & Abburi, K. (2010). Biosorption of Cu(II), Cd(II) and Pb(II) by *Acacia leucocephala* bark powder: Kinetics, equilibrium and thermodynamics. *Chemical Engineering Journal*, 157(2-3), 357-365. doi: 10.1016/j.cej.2009.11.015
- Murphy, V., Tofail, S. A. M., Hughes, H., & McLoughlin, P. (2009). A novel study of hexavalent chromium detoxification by selected seaweed species using SEM-EDX and XPS analysis. *Chemical Engineering Journal*, 148(2-3), 425-433. doi: 10.1016/j.cej.2008.09.029
- Nadeem, R., Nasir, M. H., & Hanif, M. S. (2009). Pb (II) sorption by acidically modified *Cicer arietinum* biomass. *Chemical Engineering Journal*, 150(1), 40-48. doi: 10.1016/j.cej.2008.12.001
- Naghash, A., Etsell, T., & Xu, S. (2006). XRD and XPS study of Cu-Ni interactions on reduced copper-nickel-aluminum oxide solid solution catalysts. *Chemistry of Materials*, 18(10), 2480-2488.
- Naiya, T. K., Chowdhury, P., Bhattacharya, A. K., & Das, S. K. (2009). Saw dust and neem bark as low-cost natural biosorbent for adsorptive removal of Zn(II) and

Cd(II) ions from aqueous solutions. *Chemical Engineering Journal*, 148(1), 68-79. doi: 10.1016/j.cej.2008.08.002

- Nesbitt, H., Legrand, D., & Bancroft, G. (2000). Interpretation of Ni2p XPS spectra of Ni conductors and Ni insulators. *Physics and Chemistry of Minerals*, 27(5), 357-366.
- Neto, C. P., Rocha, J., Gil, A., Cordeiro, N., Esculcas, A., Rocha, S., Delgadillo, I., de Jesus, J. D. P., Correia, A. J. F. (1995). <sup>13</sup>C solid-state nuclear magnetic resonance and Fourier transform infrared studies of the thermal decomposition of cork. *Solid State Nuclear Magnetic Resonance*, 4(3), 143-151.
- Ngah, W. S. W., & Fatinathan, S. (2010). Pb(II) biosorption using chitosan and chitosan derivatives beads: Equilibrium, ion exchange and mechanism studies. *Journal of Environmental Sciences*, 22(3), 338-346. doi: 10.1016/s1001-0742(09)60113-3
- Ngah, W., & Hanafiah, M. (2008). Biosorption of copper ions from dilute aqueous solutions on base treated rubber (*Hevea brasiliensis*) leaves powder: Kinetics, isotherm, and biosorption mechanisms. *Journal of Environmental Sciences*, 20(10), 1168-1176.
- Nuhoglu, Y., & Malkoc, E. (2009). Thermodynamic and kinetic studies for environmentally friendly Ni(II) biosorption using waste pomace of olive oil factory. *Bioresource Technology*, 100(8), 2375-2380. doi: 10.1016/j.biortech.2008.11.016
- Nurchi, V. M., & Villaescusa, I. (2008). Agricultural biomasses as sorbents of some trace metals. *Coordination Chemistry Reviews*, 252(10-11), 1178-1188. doi: 10.1016/j.ccr.2007.09.023
- Ofomaja, A. E. (2010). Intraparticle diffusion process for lead(II) biosorption onto mansonia wood sawdust. *Bioresource Technology*, 101(15), 5868-5876. doi: 10.1016/j.biortech.2010.03.033
- Ofomaja, A. E., & Naidoo, E. B. (2010). Biosorption of lead(II) onto pine cone powder: Studies on biosorption performance and process design to minimize biosorbent mass. *Carbohydrate Polymers*, 82(4), 1031-1042. doi: 10.1016/j.carbpol.2010.05.024
- Ofomaja, A. E., & Naidoo, E. B. (2011). Biosorption of copper from aqueous solution by chemically activated pine cone: A kinetic study. *Chemical Engineering Journal*, 175, 260-270. doi: 10.1016/j.cej.2011.09.103
- Ofomaja, A. E., Unuabonah, E. I., & Oladoja, N. A. (2010). Competitive modeling for the biosorptive removal of copper and lead ions from aqueous solution by *Mansonia* wood sawdust. *Bioresource Technology*, 101(11), 3844-3852. doi: 10.1016/j.biortech.2009.10.064
- Okoronkwo, N., Igwe, J., & Okoronkwo, I. (2007). Environmental impacts of mercury and its detoxification from aqueous solutions. *African Journal of Biotechnology*, 6(4), 335-340.

- Ong, S., Seng, C., & Lim, P. (2007). Kinetics of adsorption of Cu (II) and Cd (II) from aqueous solution on rice husk and modified rice husk. *Electronic Journal of Environmental, Agricultural and Food Chemistry*, 6(2), 1764-1774.
- Ortiz, Z. I., Díaz-Arista, P., Meas, Y., Ortega-Borges, R., & Trejo, G. (2009). Characterization of the corrosion products of electrodeposited Zn, Zn–Co and Zn–Mn alloys coatings. *Corrosion Science*, 51(11), 2703-2715. doi: 10.1016/j.corsci.2009.07.002
- Otero, M., Rozada, F., Morán, A., Calvo, L. F., & García, A. I. (2009). Removal of heavy metals from aqueous solution by sewage sludge based sorbents: competitive effects. *Desalination*, 239(1-3), 46-57. doi: 10.1016/j.desal.2008.03.005
- Pakula, M., Biniak, S., & Swiatkowski, A. (1998). Chemical and electrochemical studies of interactions between iron (III) ions and an activated carbon surface. *Langmuir*, 14(11), 3082-3089.
- Park, D., Yun, Y.-S., & Park, J. M. (2010). The past, present, and future trends of biosorption. *Biotechnology and Bioprocess Engineering*, 15(1), 86-102. doi: 10.1007/s12257-009-0199-4
- Pehlivan, E., Altun, T., & Parlayıcı, S. (2009b). Utilization of barley straws as biosorbents for Cu<sup>2+</sup> and Pb<sup>2+</sup> ions. *Journal of Hazardous Materials*, 164(2-3), 982-986. doi: 10.1016/j.jhazmat.2008.08.115
- Pehlivan, E., Altun, T., Cetin, S., & Iqbal Bhangar, M. (2009a). Lead sorption by waste biomass of hazelnut and almond shell. *Journal of Hazardous Materials*, 167(1-3), 1203-1208. doi: 10.1016/j.jhazmat.2009.01.126
- Poliakoff, M., & Licence, P. (2007). Sustainable technology: Green chemistry. *Nature*, 450(7171), 810-812.
- Polprasert, C. (1982). Heavy metal pollution in the Chao Phraya River estuary, Thailand. *Water Research*, 16(6), 775-784.
- Powell, P. P. (1991). Minamata disease: a story of mercury's malevolence. *Southern Medical Journal*, 84(11), 1352-1358.
- Prakash, N., Manikandan, S. A., Govindarajan, L., & Vijayagopal, V. (2008). Prediction of biosorption efficiency for the removal of copper(II) using artificial neural networks. *Journal of Hazardous Materials*, 152(3), 1268-1275. doi: 10.1016/j.jhazmat.2007.08.015
- Ptashynski, M., Pedlar, R., Evans, R., Wautier, K., Baron, C., & Klaverkamp, J. (2001). Accumulation, distribution and toxicology of dietary nickel in lake whitefish (*Coregonus clupeaformis*) and lake trout (*Salvelinus namaycush*). *Comparative Biochemistry and Physiology Part C: Toxicology and Pharmacology*, 130(2), 145-162.



- Qaiser, S., Saleemi, A. R., & Umar, M. (2009). Biosorption of lead from aqueous solution by *Ficus religiosa* leaves: Batch and column study. *Journal of Hazardous Materials*, 166(2-3), 998-1005. doi: 10.1016/j.jhazmat.2008.12.003
- Qasimullah, Q., Ahmad, A., Rafatullah, M., Sulaiman, O., & Hashim, R. (2011). Role of sawdust in adsorption of  $Zn^{2+}$  and  $Cd^{2+}$  ions from aqueous system. *Journal of Industrial Research and Technology*, 1(1), 6-11.
- Qdais, H. A., & Moussa, H. (2004). Removal of heavy metals from wastewater by membrane processes: A comparative study. *Desalination*, 164(2), 105-110.
- Rafatullah, M., Sulaiman, O., Hashim, R., & Ahmad, A. (2012). Removal of cadmium (II) from aqueous solutions by adsorption using meranti wood. *Wood Science and Technology*, 46(1-3), 221-241. doi: 10.1007/s00226-010-0374-y
- Rahman, M. S., & Islam, M. R. (2009). Effects of pH on isotherms modeling for Cu(II) ions adsorption using maple wood sawdust. *Chemical Engineering Journal*, 149(1-3), 273-280. doi: 10.1016/j.cej.2008.11.029
- Raj, K. R., Kardam, A., Arora, J. K., Srivastava, M. M., & Srivastana, S. (2010). Neural Network Modeling for Ni(II) removal from aqueous system using shelled *Moringa oleifera* seed powder as an agricultural waste. *Journal of Water Resource and Protection*, 02(04), 331-338. doi: 10.4236/jwarp.2010.24038
- Ramrakhiani, L., Majumder, R., & Khowala, S. (2011). Removal of hexavalent chromium by heat inactivated fungal biomass of *Termitomyces clypeatus*: Surface characterization and mechanism of biosorption. *Chemical Engineering Journal*, 171(3), 1060-1068. doi: 10.1016/j.cej.2011.05.002
- Rao, H. J., Kalyani, G., Rao, K. V., Kumar, T. A., Mariadas, K., Kumar, Y. P., Vijetha, P., Pallavi, P., Sumalatha, B., Kumaraswamy, K. (2010). Kinetic studies on biosorption of lead from aqueous solutions using egg shell powder. *International Journal of Biotechnology and Biochemistry*, 6(6), 957-968.
- Reddad, Z., Gérente, C., Andrès, Y., Ralet, M. C., Thibault, J. F., & Cloirec, P. L. (2002). Ni (II) and Cu (II) binding properties of native and modified sugar beet pulp. *Carbohydrate Polymers*, 49(1), 23-31.
- Reddy, D. H. K., Harinath, Y., Seshaiyah, K., & Reddy, A. V. R. (2010b). Biosorption of Pb(II) from aqueous solutions using chemically modified *Moringa oleifera* tree leaves. *Chemical Engineering Journal*, 162(2), 626-634. doi: 10.1016/j.cej.2010.06.010
- Reddy, D. H. K., Ramana, D. K. V., Seshaiyah, K., & Reddy, A. V. R. (2011). Biosorption of Ni(II) from aqueous phase by *Moringa oleifera* bark, a low cost biosorbent. *Desalination*, 268(1-3), 150-157. doi: 10.1016/j.desal.2010.10.011
- Reddy, D. H. K., Seshaiyah, K., Reddy, A. V. R., Rao, M. M., & Wang, M. C. (2010a). Biosorption of  $Pb^{2+}$  from aqueous solutions by *Moringa oleifera* bark: Equilibrium and kinetic studies. *Journal of Hazardous Materials*, 174(1-3), 831-838. doi: 10.1016/j.jhazmat.2009.09.128

- Reddy, M., & Dunn, S. (1986). Distribution coefficients for nickel and zinc in soils. *Environmental Pollution Series B, Chemical and Physical*, 11(4), 303-313.
- Reilly, C. (1980). *Metal contamination of food* (3 ed.). Oxford: Blackwell Science Ltd.
- Reimann, C., Niskavaara, H., Kashulina, G., Filzmoser, P., Boyd, R., Volden, T., Tomilina, O., Bogatyrev, I. (2001). Critical remarks on the use of terrestrial moss (*Hylocomium splendens* and *Pleurozium schreberi*) for monitoring of airborne pollution. *Environmental Pollution*, 113(1), 41-57. doi: 10.1016/s0269-7491(00)00156-1
- Rozaini, C., Jain, K., Oo, C., Tan, L., Azraa, A., & Tong, K. (2010). Optimization of nickel and copper ions removal by modified mangrove barks. *International Journal of Chemical Engineering and Applications*, 1(1), 84-89.
- Sadrzadeh, M., Mohammadi, T., Ivakpour, J., & Kasiri, N. (2008). Separation of lead ions from wastewater using electrodialysis: Comparing mathematical and neural network modeling. *Chemical Engineering Journal*, 144(3), 431-441.
- Salamatinia, B., Kamaruddin, A. H., & Abdullah, A. Z. (2010). Regeneration and reuse of spent NaOH-treated oil palm frond for copper and zinc removal from wastewater. *Chemical Engineering Journal*, 156(1), 141-145. doi: 10.1016/j.cej.2009.10.010
- Salamatinia, B., Kamaruddin, A., & Abdullah, A. (2007). Removal of Zn and Cu from wastewater by sorption on oil palm tree-derived biomasses. *Journal of Applied Sciences*, 7(15), 2020-2027.
- Salamatinia, B., Kamaruddin, A., & Abdullah, A. (2008). Modeling of the continuous copper and zinc removal by sorption onto sodium hydroxide-modified oil palm frond in a fixed-bed column. *Chemical Engineering Journal*, 145(2), 259-266.
- Sarojam, P. (2010). ICP-Optical Emission Spectroscopy Application note. MA: Perkin Elmer, Inc.
- Sawalha, M. F., Peralta-Videa, J. R., Sanchez-Salcido, B., & Gardea-Torresdey, J. L. (2009). Sorption of hazardous metals from single and multi-element solutions by saltbush biomass in batch and continuous mode: Interference of calcium and magnesium in batch mode. *Journal of Environmental Management*, 90(2), 1213-1218. doi: 10.1016/j.jenvman.2008.06.002
- Seiler, H. G., Siger, A., & Sigel, H. (1994). *Handbook on metals in clinical and analytical chemistry*. New York: Marcel Dekker.
- Shakirullah, M., Ahmad, I., & Shah, S. (2006). Sorption studies of nickel ions onto sawdust of *Dalbergia sissoo*. *Journal of the Chinese Chemical Society*, 53(5), 1045-1052.
- Shamshuddin, J., Fauziah, I. C., & Bell, L. (2009). Effect of dolomitic limestone and gypsum applications on soil solution properties and yield of corn and groundnut grown on ultisols. *Malaysian Journal of Soil Science*, 13, 1-12.

- Shin, E. W., Karthikeyan, K. G., & Tshabalala, M. A. (2007). Adsorption mechanism of cadmium on juniper bark and wood. *Bioresource Technology*, 98(3), 588-594. doi: 10.1016/j.biortech.2006.02.024
- Shroff, K. A., & Vaidya, V. K. (2011). Kinetics and equilibrium studies on biosorption of nickel from aqueous solution by dead fungal biomass of *Mucor hiemalis*. *Chemical Engineering Journal*, 171(3), 1234-1245. doi: 10.1016/j.cej.2011.05.034
- Shukla, S., Yu, L., Dorris, K., & Shukla, A. (2005). Removal of nickel from aqueous solutions by sawdust. *Journal of Hazardous Materials*, 121(1-3), 243-246. doi: 10.1016/j.jhazmat.2004.11.025
- Singh, A. D., Abdullah, N., & Vikineswary, S. (2003). Optimization of extraction of bulk enzymes from spent mushroom compost. *Journal of Chemical Technology and Biotechnology*, 78(7), 743-752.
- Sivalingam, P., & Sani, A. B. (1980). Mercury content in hair from fishing communities of the state of Penang, Malaysia. *Marine Pollution Bulletin*, 11(7), 188-191.
- Sivulka, D. J. (2005). Assessment of respiratory carcinogenicity associated with exposure to metallic nickel: A review. *Regulatory Toxicology and Pharmacology*, 43(2), 117-133. doi: 10.1016/j.yrtph.2005.06.014
- Słaba, M., & Długoński, J. (2011). Efficient Zn<sup>2+</sup> and Pb<sup>2+</sup> uptake by filamentous fungus *Paecilomyces marquandii* with engagement of metal hydrocarbonates precipitation. *International Biodeterioration and Biodegradation*, 65(7), 954-960. doi: 10.1016/j.ibiod.2011.07.004
- Southichak, B., Nakano, K., Nomura, M., Chiba, N., & Nishimura, O. (2006). *Phragmites australis*: A novel biosorbent for the removal of heavy metals from aqueous solution. *Water Research*, 40(12), 2295-2302. doi: 10.1016/j.watres.2006.04.027
- Sreedevi, P., Sivaramakrishna, B., Suresh, A., & Radhakrishnaiah, K. (1992). Effect of nickel on some aspects of protein metabolism in the gill and kidney of the freshwater fish, *Cyprinus carpio* L. *Environmental Pollution*, 77(1), 59-63.
- Stokke, B. T., Draget, K. I., Smidsrød, O., Yuguchi, Y., Urakawa, H., & Kajiwara, K. (2000). Small-angle X-ray scattering and rheological characterization of alginate gels. 1. Ca-alginate gels. *Macromolecules*, 33(5), 1853-1863.
- Subbaiah, M. V., Vijaya, Y., Kumar, N. S., Reddy, A. S., & Krishnaiah, A. (2009). Biosorption of nickel from aqueous solutions by *Acacia leucocephala* bark: Kinetics and equilibrium studies. *Colloids and Surfaces B: Biointerfaces*, 74(1), 260-265. doi: 10.1016/j.colsurfb.2009.07.028
- Subbaiah, M. V., Vijaya, Y., Reddy, A. S., Yuvaraja, G., & Krishnaiah, A. (2011a). Equilibrium, kinetic and thermodynamic studies on the biosorption of Cu(II) onto *Trametes versicolor* biomass. *Desalination*, 276(1-3), 310-316. doi: 10.1016/j.desal.2011.03.067

- Subbaiah, M. V., Yuvaraja, G., Vijaya, Y., & Krishnaiah, A. (2011b). Equilibrium, kinetic and thermodynamic studies on biosorption of Pb(II) and Cd(II) from aqueous solution by fungus (*Trametes versicolor*) biomass. *Journal of the Taiwan Institute of Chemical Engineers*, 42(6), 965-971. doi: 10.1016/j.jtice.2011.04.007
- Sud, D., Mahajan, G., & Kaur, M. (2008). Agricultural waste material as potential adsorbent for sequestering heavy metal ions from aqueous solutions – A review. *Bioresource Technology*, 99(14), 6017-6027.
- Suksabye, P., Thiravetyan, P., & Nakbanpote, W. (2008). Column study of chromium(VI) adsorption from electroplating industry by coconut coir pith. *Journal of Hazardous Materials*, 160(1), 56-62. doi: 10.1016/j.jhazmat.2008.02.083
- Svecova, L., Spanelova, M., Kubal, M., & Guibal, E. (2006). Cadmium, lead and mercury biosorption on waste fungal biomass issued from fermentation industry. I. Equilibrium studies. *Separation and Purification Technology*, 52(1), 142-153. doi: 10.1016/j.seppur.2006.03.024
- Taib, M. N., Andres, R., & Narayanaswamy, R. (1996). Extending the response range of an optical fibre pH sensor using an artificial neural network. *Analytica Chimica Acta*, 330(1), 31-40.
- Tan, G., Yuan, H., Liu, Y., & Xiao, D. (2010). Removal of lead from aqueous solution with native and chemically modified corncobs. *Journal of Hazardous Materials*, 174(1-3), 740-745. doi: 10.1016/j.jhazmat.2009.09.114
- TAPPI standard T203 cm-09: Alpha-, beta- and gamma-cellulose in pulp. The technical association of the pulp and paper industry (TAPPI) test methods. (2009). Atlanta, United State of America: TAPPI Press.
- TAPPI standard T222 om-02: Acid-insoluble lignin in wood and pulp. The technical association of the pulp and paper industry (TAPPI) test methods. (2002). Atlanta, United State of America: TAPPI Press.
- Tay, C. C., Liew, H. H., Yin, C.-Y., Abdul-Talib, S., Surif, S., Suhaimi, A. A., & Yong, S. K. (2011a). Biosorption of cadmium ions using *Pleurotus ostreatus*: Growth kinetics, isotherm study and biosorption mechanism. *Korean Journal of Chemical Engineering*, 28(3), 825-830. doi: 10.1007/s11814-010-0435-9
- Tay, C.-C., Liew, H.-H., Redzwan, G., Yong, S.-K., Surif, S., & Abdul-Talib, S. (2011b). *Pleurotus ostreatus* spent mushroom compost as green biosorbent for nickel (II) biosorption. *Water Science and Technology*, 64(12), 2425-2432. doi: 10.2166/wst.2011.805
- Tay, C.-C., Liew, H.-H., Yong, S.-K., Surif, S., & Abdul-Talib, S. (2009). *Biosorption of lead (II) from aqueous solutions by Pleurotus as a toxicity biosorbent*. Paper presented at the Environmental Science and Technology Conference (ESTEC 2009), Kuala Terengganu, Malaysia.
- Tay, C.-C., Redzwan, G., Liew, H.-H., Yong, S.-K., Surif, S., & Abdul-Talib, S. (2010). *Copper (II) biosorption characteristic of Pleurotus spent mushroom compost*.

Paper presented at the The 2010 International Conference on Science and Social Research (CSSR 2010), Kuala Lumpur, Malaysia.

- Telysheva, G., Dizhbite, T., Evtuguin, D., Mironova-Ulmane, N., Lebedeva, G., Andersone, A., Bikovens, O., Chirkava, J., Belkova, L. (2009). Design of siliceous lignins – novel organic/inorganic hybrid sorbent materials. *Scripta Materialia*, 60(8), 687-690. doi: 10.1016/j.scriptamat.2008.12.051
- Thevannan, A., Mungroo, R., & Niu, C. H. (2010). Biosorption of nickel with barley straw. *Bioresource Technology*, 101(6), 1776-1780. doi: 10.1016/j.biortech.2009.10.035
- Tippayawong, N., Chaichana, C., Promwungkwa, A., & Rerkkriangkrai, P. (2011). Clean Energy from Gasification of Biomass for Sterilization of Mushroom Growing Substrates. *International Journal of Energy*, 5(4), 96-103.
- Tsekova, K., Todorova, D., Dencheva, V., & Ganeva, S. (2010). Biosorption of copper(II) and cadmium(II) from aqueous solutions by free and immobilized biomass of *Aspergillus niger*. *Bioresource Technology*, 101(6), 1727-1731. doi: 10.1016/j.biortech.2009.10.012
- Tunali Akar, S., Arslan, S., Alp, T., Arslan, D., & Akar, T. (2012). Biosorption potential of the waste biomaterial obtained from *Cucumis melo* for the removal of Pb<sup>2+</sup> ions from aqueous media: Equilibrium, kinetic, thermodynamic and mechanism analysis. *Chemical Engineering Journal*, 185-186, 82-90. doi: 10.1016/j.cej.2012.01.032
- United Nations Commission on Sustainable Development. (2010). Water Issues: Contributing to the success of the eighteenth and nineteenth sessions of the commission on sustainable development. *Eighteenth session*. Retrieved from [http://www.unwater.org/downloads/UN-Water\\_UNSGAB\\_CSD\\_18\\_19.pdf](http://www.unwater.org/downloads/UN-Water_UNSGAB_CSD_18_19.pdf)
- United Nations Environment Programme. (2009). Converting waste agricultural biomass into a resource: Compendium of technology. Retrieved from [www.unep.or.jp/.../WasteAgriculturalBiomassEST\\_Compndium.pdf](http://www.unep.or.jp/.../WasteAgriculturalBiomassEST_Compndium.pdf)
- United Nations Environmental Programme. (2007). Environmental pollution and impacts on public health: Implications of the Dandora municipal dumping site in Nairobi, Kenya. Retrieved from [http://www.unep.org/urban\\_environment/pdfs/dandorawastedump-reportssummary.pdf](http://www.unep.org/urban_environment/pdfs/dandorawastedump-reportssummary.pdf)
- Universiti Kebangsaan Malaysia - Department of Environment. (2000). Projek pengawasan biologi dan indikator biologi. Bangi: Bureau of Consultancy and Innovation, UKM-DOE, .
- Uysal, M., & Ar, I. (2007). Removal of Cr(VI) from industrial wastewaters by adsorption. *Journal of Hazardous Materials*, 149(2), 482-491. doi: 10.1016/j.jhazmat.2007.04.019
- Vagheti, J. C. P., Lima, E. C., Royer, B., da Cunha, B. M., Cardoso, N. F., Brasil, J. L., & Dias, S. L. P. (2009). Pecan nutshell as biosorbent to remove Cu(II), Mn(II)

- and Pb(II) from aqueous solutions. *Journal of Hazardous Materials*, 162(1), 270-280. doi: 10.1016/j.jhazmat.2008.05.039
- Veado, M., De Oliveira, A. H., Veado, J. C. C., Revel, G., & Pinte, G. (2000). Analysis and distribution of metals in the Paraopeba and the Das Velhas Rivers, Brazil. *Water SA*, 26(2), 249-254.
- Vieira, R. H. S. F., & Volesky, B. (2000). Biosorption: A solution to pollution? *International Microbiology*, 3(1), 17-24.
- Vijayaraghavan, K., & Yun, Y. S. (2008). Bacterial biosorbents and biosorption. *Biotechnology Advances*, 26(3), 266-291.
- Vijayaraghavan, K., Joshi, U. M., & Balasubramanian, R. (2010). Removal of metal ions from storm-water runoff by low-cost sorbents: Batch and column studies. *Journal of Environmental Engineering*, 136, 1113.
- Vijayaraghavan, K., Teo, T. T., Balasubramanian, R., & Joshi, U. M. (2009). Application of *Sargassum* biomass to remove heavy metal ions from synthetic multi-metal solutions and urban storm water runoff. *Journal of Hazardous Materials*, 164(2-3), 1019-1023. doi: 10.1016/j.jhazmat.2008.08.105
- Vimala, R., & Das, N. (2011). Mechanism of Cd(II) adsorption by macrofungus *Pleurotus platypus*. *Journal of Environmental Sciences*, 23(2), 288-293. doi: 10.1016/s1001-0742(10)60405-6
- Vinodhini, V., & Das, N. (2009). Mechanism of Cr (VI) biosorption by neem sawdust. *American-Eurasian Journal of Scientific Research*, 4(4), 324-329.
- Volesky, B. (2007). Biosorption and me. *Water Research*, 41(18), 4017-4029. doi: 10.1016/j.watres.2007.05.062
- Volesky, B., & Holan, Z. (1995). Biosorption of heavy metals. *Biotechnology Progress*, 11(3), 235-250.
- Wahab, M. A., Jellali, S., & Jedidi, N. (2010). Ammonium biosorption onto sawdust: FTIR analysis, kinetics and adsorption isotherms modeling. *Bioresource Technology*, 101(14), 5070-5075. doi: 10.1016/j.biortech.2010.01.121
- Wang, J., & Chen, C. (2009). Biosorbents for heavy metals removal and their future. *Biotechnology Advances*, 27(2), 195-226. doi: 10.1016/j.biotechadv.2008.11.002
- Wise, L. E., Murphy, M., & d'Addieco, A. A. (1946). Chlorite holocellulose, its fractionation and bearing on summative wood analysis and on studies on the hemicelluloses. *Paper Trade Journal*, 122(2), 35-43.
- Witek-Krowiak, A., Szafran, R. G., & Modelski, S. (2011). Biosorption of heavy metals from aqueous solutions onto peanut shell as a low-cost biosorbent. *Desalination*, 265(1-3), 126-134. doi: 10.1016/j.desal.2010.07.042

- Wong, K., Lee, C., Low, K., & Haron, M. (2003). Removal of Cu and Pb from electroplating wastewater using tartaric acid modified rice husk. *Process Biochemistry*, 39(4), 437-445.
- Wu, M.-f., Si, N.-c., & Chen, J. (2011). Contact reactive brazing of Al alloy/Cu/stainless steel joints and dissolution behaviors of interlayer. *Transactions of Nonferrous Metals Society of China*, 21(5), 1035-1039. doi: 10.1016/s1003-6326(11)60818-2
- Wu, Y., Zhang, S., Guo, X., & Huang, H. (2008). Adsorption of chromium(III) on lignin. *Bioresource Technology*, 99(16), 7709-7715. doi: 10.1016/j.biortech.2008.01.069
- Wuyep, P., Chuma, A., Awodi, S., & Nok, A. (2007). Biosorption of Cr, Mn, Fe, Ni, Cu and Pb metals from petroleum refinery effluent by calcium alginate immobilized mycelia of *Polyporus squamosus*. *Scientific Research and Essay*, 2(7), 217-221.
- Xi, Y., Mallavarapu, M., & Naidu, R. (2010). Reduction and adsorption of Pb<sup>2+</sup> in aqueous solution by nano-zero-valent iron—A SEM, TEM and XPS study. *Materials Research Bulletin*, 45(10), 1361-1367. doi: 10.1016/j.materresbull.2010.06.046
- Xiangliang, P., Jianlong, W., & Daoyong, Z. (2005). Biosorption of Pb(II) by *Pleurotus ostreatus* immobilized in calcium alginate gel. *Process Biochemistry*, 40(8), 2799-2803. doi: 10.1016/j.procbio.2004.12.007
- Xiao, X., Luo, S., Zeng, G., Wei, W., Wan, Y., Chen, L., Guo, H., Cao, Z., Yang, L., Chen, J., Xi, Q. (2010). Biosorption of cadmium by endophytic fungus (EF) *Microsphaeropsis* sp. LSE10 isolated from cadmium hyperaccumulator *Solanum nigrum* L. *Bioresource Technology*, 101(6), 1668-1674. doi: 10.1016/j.biortech.2009.09.083
- Yahaya, Y. A., Mat Don, M., & Bhatia, S. (2009). Biosorption of copper (II) onto immobilized cells of *Pycnoporus sanguineus* from aqueous solution: Equilibrium and kinetic studies. *Journal of Hazardous Materials*, 161(1), 189-195. doi: 10.1016/j.jhazmat.2008.03.104
- Yang, F., Liu, H., Qu, J., & Paul Chen, J. (2011). Preparation and characterization of chitosan encapsulated *Sargassum* sp. biosorbent for nickel ions sorption. *Bioresource Technology*, 102(3), 2821-2828. doi: 10.1016/j.biortech.2010.10.038
- Yao, Z. Y., Qi, J. H., & Wang, L. H. (2010). Equilibrium, kinetic and thermodynamic studies on the biosorption of Cu(II) onto chestnut shell. *Journal of Hazardous Materials*, 174(1-3), 137-143. doi: 10.1016/j.jhazmat.2009.09.027
- Yeneneh, A. M., Maitra, S., & Eldemerdash, U. (2011). Study on biosorption of heavy metals by modified lignocellulosic waste. *Journal of Applied Sciences*, 11(21), 3555-3562.
- Yetilmezsoy, K., & Demirel, S. (2008). Artificial neural network (ANN) approach for modeling of Pb(II) adsorption from aqueous solution by *Antep pistachio*

- (*Pistacia Vera* L.) shells. *Journal of Hazardous Materials*, 153(3), 1288-1300. doi: 10.1016/j.jhazmat.2007.09.092
- Yipmantin, A., Maldonado, H. J., Ly, M., Taulemesse, J. M., & Guibal, E. (2011). Pb(II) and Cd(II) biosorption on *Chondracanthus chamissoi* (a red alga). *Journal of Hazardous Materials*, 185(2-3), 922-929. doi: 10.1016/j.jhazmat.2010.09.108
- Yu, Q., & Kaewsarn, P. (2000). Adsorption of Ni<sup>2+</sup> from aqueous solutions by pretreated biomass of marine macroalga *Durvillaea potatorum*. *Separation Science and Technology*, 35(5), 689-701.
- Yurlova, L., Kryvoruchko, A., & Kornilovich, B. (2002). Removal of Ni (II) ions from wastewater by micellar-enhanced ultrafiltration. *Desalination*, 144(1-3), 255-260.
- Yurtsever, M., & Şengil, İ. A. (2009). Biosorption of Pb(II) ions by modified quebracho tannin resin. *Journal of Hazardous Materials*, 163(1), 58-64. doi: 10.1016/j.jhazmat.2008.06.077
- Zakhama, S., Dhaouadi, H., & M'Henni, F. (2011). Nonlinear modelisation of heavy metal removal from aqueous solution using *Ulva lactuca* algae. *Bioresource Technology*, 102(2), 786-796. doi: 10.1016/j.biortech.2010.08.107
- Zein, R., Suhaili, R., Earnestly, F., Indrawati, & Munaf, E. (2010). Removal of Pb(II), Cd(II) and Co(II) from aqueous solution using *Garcinia mangostana* L. fruit shell. *Journal of Hazardous Materials*, 181(1-3), 52-56. doi: 10.1016/j.jhazmat.2010.04.076
- Zhang, Y., Liu, W., Xu, M., Zheng, F., & Zhao, M. (2010). Study of the mechanisms of Cu<sup>2+</sup> biosorption by ethanol/caustic-pretreated baker's yeast biomass. *Journal of Hazardous Materials*, 178(1-3), 1085-1093. doi: 10.1016/j.jhazmat.2010.02.051
- Zhou, D., Zhang, L., & Guo, S. (2005). Mechanisms of lead biosorption on cellulose/chitin beads. *Water Research*, 39(16), 3755-3762. doi: 10.1016/j.watres.2005.06.033
- Zulfadhly, Z., Mashitah, M., & Bhatia, S. (2001). Heavy metals removal in fixed-bed column by the macro fungus *Pycnoporus sanguineus*. *Environmental Pollution*, 112(3), 463-470.
- Zvinowanda, C. M., Okonkwo, J. O., Agyei, N. M., Staden, M., Jordaan, W., & Kharebe, V. (2010). Recovery of Lead (II) from aqueous solutions by *Zea mays* tassel biosorption. *American Journal of Biochemistry and Biotechnology*, 6, 1-10.