

Adschiri T., Hakuta Y., Sue K., Arai K., "Hydrothermal synthesis of metal oxide nanoparticles at supercritical conditions", *Journal of Nanoparticle Research* 3 (2001) 227-235

Alcantara R., Lavela P., Tirado J. L., Stoyanova R., Kuzmanova E., Zhecheva E. "Lithium–nickel citrate precursors for the preparation of LiNiO<sub>2</sub> insertion electrodes", *Chemistry of Materials* 9 (1997) 2145

Amatucci G. G., Tarascon J. M., D Larcher., Klein L. C., "Synthesis of electrochemically active LiCoO<sub>2</sub> and LiNiO<sub>2</sub> at 100 °C", *Solid State Ionics* 84 (1996) 169

Amine K., Yasuda H., Yamachi M., "Olivine LiCoPO<sub>4</sub> as 4.8 V electrode material for lithium batteries", *Electrochemical and Solid-State Letters*, 3 (2000) 178–179

Ammundsen, B. et al. in Proc. Int. Symp. Electrochem. Soc. Vol. 99-24, 57–67 (ECS, Pennington, NJ, 2000)

Armstrong, A. R. & Bruce, P. G., "Synthesis of layered LiMnO<sub>2</sub> as an electrode for rechargeable lithium batteries," *Nature* 381 (1996) 499-500

Arrabito M., Penazzi N., Panero S., Reale P., "Investigation of structural and interfacial characteristics of electrode materials for lithium batteries", *Journal of Power Sources* 94 (2001) 225-229

Bakoyannakis D. N. , Deliyanni E. A., Zouboulis A. I., Matis K.A., Nalbandian L., Kehagias Th., "Akaganeite and goethite-type nanocrystals: synthesis and characterization", *Microporous and Mesoporous Materials* 59 (2003) 35–42

Barboux P., Tarascon J. M., Shokoohi F. K., "The use of acetates as precursors for the low-temperature synthesis of LiMn<sub>2</sub>O<sub>4</sub> and LiCoO<sub>2</sub> intercalation compounds", *J Journal of Solid State Chemistry* 94 (1991) 185

Barreca D., Massignan C., "Composition and microstructure of Cobalt Oxide thin films obtained from a novel Cobalt(II) precursor by chemical vapor deposition", *Chemistry of Materials* 13 (2001) 588-593

Biswas M., Prabhakaran K., Gokhale N. M., Sharma S. C., "Synthesis of nanocrystalline yttria doped ceria powder by urea-formaldehyde polymer gel auto-combustion process", *Materials Research Bulletin* 42 (2007) 609-617

Blasse G., "The structures of ZnLiVO<sub>4</sub> and ZnLiNbO<sub>4</sub>", Journal of Inorganic and Nuclear Chemistry, 25 (1963) 136

Bramnik N.N., Bramnik K.G., Buhrmester T., Bachtz C., Ehrenberg E., Fuess H., "Electrochemical and structural study of LiCoPO<sub>4</sub>-based electrodes", Journal of Solid State Electrochemistry, 8 (2004) 558

Brinker C. J., Scherer G. W., "Sol - gel science: The Physics and the chemistry of sol gel processing", Academic Press, Inc. London (1990)

Burukhin A., Brylev O., Hany P., Churagulov B. R., "Hydrothermal synthesis of LiCoO<sub>2</sub> for lithium rechargeable batteries Solid State Ionics, 151 (2002) 259-263

Chaliha S., Borah M. N., Sarmah P. C., Rahman A., "Effect of substrate temperature on structural properties of thermally evaporated ZnSe thin films of different thickness", Journal of Physics: Conference Series 114 (2008) 012048

Chang L.L.Y., Wang F.Y., "Li- (Mg,Zn,Ni) VANADATES", Journal of the American Ceramic Society 71 (1988) 689

Chen D. H., He X. R., "Synthesis of Nickel Ferrite Nanoparticles by Sol-Gel Method", Materials Research Bulletin 36 (2001) 1369-1377

Chen F., Zhu K., Gan G. J., Shen S., Kooli F., "Hydrothermal processing of amorphous hydrous zirconia gels in the presence of 1,12-diaminododecane", Materials Research Bulletin 42 (2007a) 1128-1136

Chen Q., Wang J., Tang Z., He W., Shao H., Zhang J., "Electrochemical performance of the carbon coated Li<sub>3</sub>V<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> cathode material synthesized by a sol-gel method", Electrochimica Acta 52 (2007b) 5251-5257

Chen W., Mai L.Q., Xu Q., Zhu Q.Y., Yang H.P., "Novel soft solution synthesis and characterization of submicromic LiCoVO<sub>4</sub>", Materials Science and Engineering: B 100 (2003a) 221-224

Chen W., Xu Q., Hu Y.S., Mai L.Q., Zhu Q.Y., Effect of modification by poly(ethylene oxide) on the reversibility of insertion/extraction of Li<sup>+</sup> ion in V<sub>2</sub>O<sub>5</sub> xerogel films Journal of Materials Chemistry 12 (2002) 1926

Chen Y., Hen Y., Wang G. X., Konstatinov K., Liu H. K., Dou S.X., "Synthesis and characterization of  $\text{LiCo}_x\text{Mn}_y\text{Ni}_{1-x-y}\text{O}_2$  as a cathode material for secondary lithium batteries", Journal of Power Sources (2003b) 184-188

Chick L. A., Pederson L. R., Maupin G. D., Bates J. L., Thomous L. E., Exarhos G. J., Glycine Nitrate Combustion Synthesis of Oxide Ceramic Powders, Materials Letters 10 (1990) 6-12

Chien A. T., Speck J. S., Lange F. F., Daykin A. C., Levi C. G., "Low temperature/low pressure hydrothermal synthesis of barium titanate: powder and heteroepitaxial thin films", Journal of Materials Research 10 (1995) 1784

Chitra S., Kalyani P., Yebka B., Mohan T., Haro-Poniatowski E., Gangadharan R., Julien C., "Synthesis, characterization and electrochemical studies of  $\text{LiNiVO}_4$  cathode material in rechargeable lithium batteries", Materials Chemistry and Physics 65 (2000) 32

Dahn, J. R., Von Sacken, U., Juzkow, M. W., Al-Janaby, H., "Rechargeable  $\text{LiNiO}_2/\text{carbon}$  cells", Journal of The Electrochemical Society 138 (1991) 2207-2211

Fey G. T. K., Chen K. S., "Synthesis, characterization, and cell performance of  $\text{LiNiVO}_4$  cathode materials prepared by a new solution precipitation method", Journal of Power Sources 81- 82 (1999) 467-471

Fey G. T. K., Cho Y. D., Muralidharan P., "Synthesis and electrochemical studies on surface-modified  $\text{LiCoVO}_4$  with  $\text{La}_2\text{O}_3$  and malonic acid for cathode material of Li-ion cells", Pure and Applied Chemistry 80 (2008) 2521-2536

Fey G. T. K., Dahn J. R., Zhang M. J., Li W., "The effects of the stoichiometry and synthesis temperature on the preparation of the inverse spinel  $\text{LiNiVO}_4$  and its performance as a new high voltage cathode material," Journal of Power Sources 68 (1997) 549-552

Fey G. T. K., Huang D. L., "Synthesis, characterization and cell performance of inverse spinel electrode materials for lithium secondary batteries", Electrochimica Acta 45 (1999) 295-314

Fey G. T. K., Li W., Dahn J. R., "LiNiVO<sub>4</sub>: A 4.8 Volt Electrode Material for Lithium Cells", Journal of Electrochemical Society 141 (1994) 2279

Fey G. T. K., Muralidharan P., Lu C. Z., "Synthesis and characterization of a new inverse spinel  $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{VO}_4$  for lithium-ion batteries", Materials Letters 60 (2006a) 1209-1212

Fey G. T. K., Muralidharan P., Lu C. Z., Cho Y. D., "Electrochemical characterization of high performance  $\text{Al}_2\text{O}_3$  (MEA) coated  $\text{LiNiVO}_4$  cathode materials for secondary lithium batteries", Solid State Ionics 177 (2006b) 877-883

Fey G. T. K., P Muralidharan., Cho Y.D., "Electrochemical performance and  ${}^7\text{Li}$  NMR studies on an inverse spinel  $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{VO}_4$  for Li-ion batteries", Journal of Power Sources 174 (2007) 1152-1155

Fey G. T. K., Perng W. B., "A new preparation method for a novel high voltage cathode material:  $\text{LiNiVO}_4$ ", Materials Chemistry and Physics 47 (1997) 279-282

Fey G. T. K., Wu C. S., "Dopant effects and conductivity studies on a new high voltage cathode material with inverse spinel structure", Pure and Applied Chemistry 69 (1997) 2329

Fey G.T.K., "New High Voltage Cathode Materials for Rechargeable Lithium Batteries", Active Passive Electronic Components 18 (1995) 11-21

Fu L. J., Liu H., Li C., Wu Y. P.: E. Rahm, R. Holze, H. Q. Wu, "Electrode materials for lithium secondary batteries prepared by sol-gel methods", Progress in Materials Science 50 (2005) 881-928

Garcia B., Barboux P., Ribot F., Kahn-Harari A., Mazerolles L., Baffier N., "The structure of low temperature crystallized  $\text{LiCoO}_2$ ", Solid State Ionics 80 (1995) 111

Garcia B., Farcy J., Pereira-Ramos J. P. , Baffier N., "Electrochemical Properties of Low Temperature Crystallized  $\text{LiCoO}_2$ ", Journal of the Electrochemical Society 144 (1997) 1179

Garcia B., Farcy J., Pereira-Ramos J. P., Perichon J., Baffier N., "Low-temperature cobalt oxide as rechargeable cathodic material for lithium batteries", Journal of Power Sources 54 (1995) 373-377

Gonzalez C., Gaitan M., Lopez M. L., Veiga M. L., Saez-Puche R., Pico C., "Structure and magnetic properties of  $\text{LiMVO}_4$  ( $M = \text{Co, Ni, Cu}$ ) spinels", Journal of Material Science, 29 (1994) 3458

Guo X., Sujatha D. P., Ravi B. G., Parise J. B., Sampatha S., Hansond J. C., Phase evolution of yttrium aluminum garnet (YAG) in a citrate-nitrate gel combustion process Journal of Materials Chemistry 14 (2004) 1288-1292

Hassoun J., Reale P., Scrosati B., “Recent advances in liquid and polymer lithium-ion batteries”, Journal of Materials Chemistry 17 (2007) 3668–3677

Hench L. L., West J. K., “The Sol-Gel process”, Chemical Reviews 90 (1990) 33-72

Hon Y. M., Lin S. P., Fung K. Z., Hon M. H., “Synthesis and characterization of nano-LiMn<sub>2</sub>O<sub>4</sub> powder by tartaric acid gel process”, Journal of the European Ceramic Society 22 (2002) 653

Hong Y. S., Park H. B, Yi J. E, Han C. H, Kim S. J., “Characterization of spinel lithium manganite prepared by citrate sol-gel method”, Bulletin of the Korean Chemical Society 18 (1997) 11

<http://en.wikipedia.org/wiki/Vanadate>

Huang B., Jang Y. I., Chiang Y. M., Sadoway D. R., “Electrochemical evaluation of LiCoO<sub>2</sub> synthesized by decomposition and intercalation of hydroxides for lithium-ion battery applications”, Journal of Applied Electrochemistry 28 (1998) 1365-1369

Hwang B. J., Santhanam R., Liu D. G., “Characterization of nanoparticles of LiMn<sub>2</sub>O<sub>4</sub> synthesized by citric acid sol–gel method”, Journal of Power Sources 97-98 (2001) 443-446

Hwang C. C., Wu T. Y., Synthesis and characterization of nanocrystalline ZnO powders by a novel combustion synthesis method Materials Science and Engineering: B 111 (2004) 197-206

Ikeda, H., Saito, T. & Tamura, H. in Proc. Manganese Dioxide Symp. Vol. 1 (eds Kozawa, A. & Brodd, R.H.) (IC sample Office, Cleveland, OH, 1975)

Ito Y., “Phase relations of the lithium vanadate- nickel oxide (LiVO<sub>3</sub> - NiO) system and some properties of lithium nickel vanadate (LiNiVO<sub>4</sub>)”, Nippon Kagaku Kaishi 11 (1979) 1483

Jeong S. K., Nahm K. S., Stephan A. M., “Synthesis of  $\text{Li}(\text{Co}_{0.8}\text{Ni}_{0.2-y}\text{Al}_y)\text{O}_2$  ( $y \leq 0.02$ ) by combustion method as a possible cathode material for lithium batteries”, Materials Science and Engineering A 445-446 (2007) 657-662

Jin B., Gu H.B., Kim K.W., “Effect of different conductive additives on charge/discharge properties of  $\text{LiCoPO}_4/\text{Li}$  batteries”, Journal of Solid State Electrochemistry, 12 (2008) 105-111

Julien C., El-Farh L., Rangan S., Massot M., “Studies of  $\text{LiNi}_{0.6}\text{Co}_{0.4}\text{O}_2$  cathode material prepared by the citric acid-assisted sol-gel method for lithium batteries”, Journal of Sol-Gel Science and Technology 15 (1999) 63-72

Kalyani P., “On the electrochemical investigations of substituted  $\text{LiNiVO}_4$  for lithium battery cathodes”, International Journal of Electrochemical Science 4 (2009) 30-42

Kalyani P., Kalaiselvi N., Muniyandi N., “An innovative soft-chemistry approach to synthesize  $\text{LiNiVO}_4$ ”, Materials Chemistry and Physics 77 (2002) 662- 668

Kanasaku T., Amezawa K., Yamamoto N., “Hydrothermal synthesis and electrochemical properties of Li-Mn-spinel”, Solid State Ionics, 133 (2000) 51-56

Kanno R., Kawamoto Y., Takeda Y., Hasegawa M., Yamamoto O., “Structure and Lithiation Mechanism of the Spinel,  $\text{LiCuVO}_4$ ”, Solid State Ionics 40/41 (1980) 576-579

Kazakopoulos A., Chissafis K. and Kalogirou O., “Ionic Conductivity Study on Polycrystalline  $\text{LiFeVO}_4$  AIP Conference Proceeding 1203 (2010) 644-649

Kazakopoulos A., Sarafidis C., Chrissafis K., Kalogirou O., “Synthesis and characterization of inverse spinel  $\text{LiNiVO}_4$  and  $\text{LiCoVO}_4$  with impedance spectroscopy”, Solid State Ionics 179 (2008) 1980-1985

Khomane R. B., Gopukumar S., Agrawal A. C., Kulkarni B. D., Sivashanmugam A., “Preparation and electrochemical characterization of lithium cobalt oxide nanoparticles by modified sol-gel method”, Materials Research Bulletin 43 (2008) 2497–2503

Klein L., Sol-gel technology. Noyes, Park Ridge, USA (1988)

Kumar D. S., Mouli K. C., “Studies on  $Mn_{1-x}Zn_xFe_2O_4$  Nanoparticles Synthesized by Co-Precipitation Method”, International Journal of Nanotechnology and Applications 4 (2010) 51-59

Kwon S. W., Park S. B., Seo G., Hwang S. T., “Preparation of lithium aluminate via polymeric precursor routes”, Journal of Nuclear Materials 257 (1998) 172

Laberty-Rebert Ch., Ansart F., Deloget C., Gaudon M., Rousset A., “Powder synthesis of nanocrystalline  $ZrO_2$ -8% $Y_2O_3$  via a polymerization route”, Materials Research Bulletin 36 (2001) 2083

Lai Q. Y., Lu J. Z., Liang X. L., F Yan. Y., Ji X. Y., “Synthesis and electrochemical characteristics of Li-Ni vanadates as positive materials”, International Journal of Inorganic Materials 3 (2001) 381-385

Lai Q. Y., Lu J. Z., Ji X. Y., Yan F. Y., Wei Y. Q., Ding Y., “Synthesis mechanism of  $LiNiVO_4$  by wet chemical method and mixed valence of nickel and vanadium”, Chinese Science Bulletin 47 (2002a) 6

Lai Q. Y., Lu J. Z., Su X. B., X. Y. Ji., “Synthesis and Electrochemical Studies of Spinel  $LiNi_{1-x}Mn_xVO_4$ ”, Journal of Solid State Chemistry 165 (2002b) 312-316

Landschoot N. V. , Kelder E. M., Kooyman P. J., Kwakernaak C., Schoonman J., “Electrochemical performance of  $Al_2O_3$ -coated Fe doped  $LiCoVO_4$ ”, Journal of Power Sources 138 (2004a) 262

Landschoot N. V., Kelder E. M., Schoonman J., “Citric acid-assisted synthesis and characterization of doped  $LiCoVO_4$ ”, Solid State Ionics 166 (2004b) 307

Landschoot N. V., Ph.D Thesis, “Synthesis and characterization of inverse spinels, intercalation materials for Li-ion batteries”, Delft University of Technology (2005)

Landschoot N. Van, Kelder E. M., Schoonman J., “Synthesis and characterization of  $LiCo_{1-x}Fe_xVO_4$  prepared by a citric acid complex method Journal of Solid State Electrochemistry 8 (2003) 28-33

Larcher D., Palacin M. R., Amatucci G. G., Tarascon J. M., “Electrochemically Active  $LiCoO_2$  and  $LiNiO_2$  Made by Cationic Exchange under Hydrothermal Conditions”, Journal of Electrochemical Society, 144 (1997) 408- 417

Li F., Hu K., Li J., Zhang D., Chen G., “Combustion synthesis of  $\gamma$ -lithium aluminate by using various fuels”, Journal of Nuclear Materials 300 (2002) 82-88

Li H. H., Jin J., Wei J.P., Zhou Z., Yan J., “Fast synthesis of core-shell LiCoPO<sub>4</sub>/C nanocomposite via microwave heating and its electrochemical Li intercalation performances”, Electrochemistry Communications, 11 (2009) 95-98

Li X., Wei Y. J., Ehrenberg H., Liu D. L., Zhan S. Y., Wang C. Z., Chen G., “X-ray diffraction and Raman scattering studies of Li+/e--extracted inverse spinel LiNiVO<sub>4</sub>”, Journal of Alloys and Compounds 471 (2009) L26-L28

Li Y., Zhou Z., Gao X. P., Yan J., “A promising sol-gel route based on citric acid to synthesize Li<sub>3</sub>V<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>/carbon composite material for lithium ion batteries”, Electrochimica Acta 52 (2007) 4922-4926

Liang Y. Y., Bao S. J., Li H. L., “A series of spinel phase cathode materials prepared by a simple hydrothermal process for rechargeable lithium batteries”, Journal of Solid State Chemistry 179 (2006) 2133-2140

Linden D., Handbook of Batteries. McGraw- Hill, New York, USA (1994)

Linden D., Reddy T. B., Eds. Handbook of Batteries, 3rd edition, McGraw-Hill: New York (2001)

Liu H. , Wu Y. P. , Rahm E. , Holze R. H., Wu Q., “Cathode materials for lithium ion batteries prepared by sol-gel methods”, Journal of Solid State Electrochemistry 8 (2004) 450-466

Liu J. R., Wang M., Lin X., Yin D. C., Huang W. D., “Citric acid complex method of preparing inverse spinel LiNiVO<sub>4</sub> cathode material for lithium batteries”, Journal Power Sources 108 (2002) 113-116

Liu R. S., Chenga Y. C., Gundakarama R., Jang L. Y., “Crystal and electronic structures of inverse spinel-type LiNiVO<sub>4</sub>”, Materials Research Bulletin 36 (2001) 1479-1486

Liu W., Farrington G. C., Chaput F., Dunn B., “Synthesis and electrochemical studies of spinel phase LiMn<sub>2</sub>O<sub>4</sub> cathode materials prepared by the Pechini process”, Journal of the Electrochemical Society 143 (1996) 879

- Liu Z., Yu A., Lee J. Y., “Synthesis and characterization of  $\text{LiNi}_{1-x-y}\text{Co}_x\text{Mn}_y\text{O}_2$  as the cathode materials of secondary lithium batteries”, Journal of Power Sources (1999) 416-419
- Lu C. H., Lee W. C., Liou S. J., Fey G. T. K, “Hydrothermal synthesis of  $\text{LiNiVO}_4$  cathode material for lithium ion batteries”, Journal of Power Sources 81-82 (1999) 696-699
- Lu C. H., Liou S. J., “Fabrication and microstructure of lithium nickel vanadium oxide prepared by solid-state reaction”, Ceramics International 25 (1999) 431-436
- Lu C. H., Liou S. J., “Hydrothermal preparation of nanometer lithium nickel vanadium oxide powder at low temperature”, Materials Science and Engineering B75 (2000) 38-42
- Lu C. H., Liou S. J., “Preparation of Submicrometre  $\text{LiNiVO}_4$  powder by solution route for Lithium Ion secondary batteries”, Journal of Materials Science Letters 17 (1998) 733-735
- Lu C.H., Chyl N., “Fabrication of fine lead metaniobate powder using hydrothermal processes”, Materials Letters 29 (1996) 101
- Lu C.H., Lo S.Y., “Hydrothermal synthesis of nonlinear optical potassium niobate ceramic powder”, Materials Letters 34 (1998) 172
- Lu C.H., Lo S.Y., “Lead pyroniobate pyrochlore nanoparticles synthesized via hydrothermal processing”, Materials Research Bulletin 32 (1997) 371
- Mai L. Q., Zou Z. G., Chen H. Y., “Research development in cathode materials of lithium ion battery”, Materials Review 14 (2000) 32
- Masquelier C., Tabushi M., Ado K., Kanno R., Kobayashi Y., Maki Y., Nakamura O., Goodenough J., “Chemical and Magnetic Characterization of Spinel Materials in the  $\text{LiMn}_2\text{O}_4-\text{Li}_2\text{Mn}_4\text{O}_9-\text{Li}_4\text{Mn}_5\text{O}_{12}$  System”, Journal of Solid State Chemistry, 123 (1996) 225- 266
- Meligrana G., Gerbaldi C., Tuelb A., Bodoardo S., Penazzi N., “Hydrothermal synthesis of high surface  $\text{LiFePO}_4$  powders as cathode for Li-ion cells”, Journal of Power Sources 160 (2006) 516-522

- Momchilov A. Manev V., Nassalevska A., "Rechargeable lithium battery with spinel-related MnO<sub>2</sub> II. Optimization of the LiMn<sub>2</sub>O<sub>4</sub> synthesis conditions", Journal of Power Sources 41 (1993) 305
- Monoharan S. S., Kumar N. R. S., Patil K. C., "Preparation of fine particle chromites: A combustion approach", Materials Research Bulletin 25 (1990) 731
- Moon J., Li T., Randall C. A., Adair J. H., "Low temperature synthesis of lead titanate by a hydrothermal method", Journal of Materials Research 12 (1997) 189
- Myers H. P., Introductory Solid State Physics, Taylor & Francis, (2002) ISBN 0-7484-0660-3
- Myung S. T., Komaba S., Kumagai N., "Hydrothermal Synthesis and Electrochemical Behavior of Orthorhombic LiMnO<sub>2</sub>", Electrochimica Acta, 47 (2002) 3287-3295  
Nanotechnology 18 (2007) 065603
- Ohzuku T., Kitagawa M., Hirai T., "Electrochemistry of manganese dioxide in lithium nonaqueous cell. II. X-ray diffractional and electrochemical characterization on deep discharge products of electrolytic manganese dioxide", Journal of the Electrochemical Society 137 (1990) 769
- Orsini F., Baudrin E., Denis S., Dupont L., Touboul M., Guyomard D., Piffard Y., Tarascon J. M., "Chimie douce' synthesis and electrochemical properties of amorphous and crystallized LiNiVO<sub>4</sub> vs. Li", Solid State Ionics 107 (1998) 123
- Padhi A. K., Archibald W. B., Nanjundaswamy K. S., "Ambient and High-Pressure Structures of LiMnVO<sub>4</sub> and Its Mn<sup>3+</sup>/Mn<sup>2+</sup> Redox Energy", Journal of Solid State Chemistry, 128 (1997) 267-272
- Paques-Ledent Th. M., Tarte P., "Vibrational studies of olivine-type compounds-II Orthophosphates, -arsenates and -vanadates A<sup>I</sup>B<sup>II</sup>X<sup>V</sup>O<sub>4</sub>", Spectrochimica Acta 30A (1974) 673
- Park H. B., Hong Y. S., Yi J. E., Kweon H. J., Kim S. J., "Preparation and Characterization of LiMn<sub>2</sub>O<sub>4</sub> Powder by Combustion of Poly (ethylene glycol) - Metal Nitrate Precursor", Bulletin of the Korean Chemical Society 18 (1997) 612
- Patil A., Patil V., Shin D.W., Choi J. W., Paik D. S., Yoon S. J., "Issues and challenges facing rechargeable thin film lithium batteries", Materials Research Society Bulletin 43 (2008) 1913-1942

Phuruangrat A., Thongtem , T., Thongtem , S., "Preparation and characterization of nano-crystalline LiCoVO<sub>4</sub> and LiNiVO<sub>4</sub> used as cathodes for lithium ion batteries, Journal of Ceramic Processing Research 8 (2007a) 450- 452

Phuruangrat A., Thongtem T., Thongtem S., "Characterization of nano-crystalline LiNiVO<sub>4</sub> synthesized by hydrothermal process", Materials Letters 61 (2007b) 3805-3808

Powder Diffraction File, (JCPDS) International Centre Diffraction Data, PA 19073-3273, U.S.A. (2001)

Prabaharan S. R. S., Michael M. S., Radhakrishna S., Julien C., "Novel Low temperature synthesis of inverse spinel LiNiVO<sub>4</sub> for Li-Ion batteries", Journal of Materials Chemistry 7 (1997) 1791-1796

Predoana L., Barau A., Zaharescu M., H. Vassilchina, Velinova N., Banov B., Mornchilov A., "Electrochemical properties of the LiCoO<sub>2</sub> powder obtained by sol-gel method", Journal of the European Ceramic Society 27 (2007) 1137-1142

Preudhomme J., Tarte P., "Infrared studies of spinels-IV. Normal spinels with a high-valency tetrahedral cation", Spectrochimica Acta A28 (1972) 69

Purohit R. D., Saha S., Tyagi A. K., "Nanocrystalline thoria powders via glycine-nitrate combustion", Journal of Nuclear Materials 288 (2001) 7-10

Rao, B. M. L., Francis, R. W. & Christopher, H. A., "Lithium-aluminium electrodes", Journal of The Electrochemical Society 124 (1977) 1490-1492

Rashad M. M., Zaki Z. I., El-Shall H., "A novel approach for synthesis of nanocrystalline MgAl<sub>2</sub>O<sub>4</sub> powders by co-precipitation method", Journal of Materials Science 44 (2009) 2992-2998

Reddy M. V., Wannek C., Pecquenard B., Vinatier P., Levasseu A., "Preparation and characterization of LiNiVO<sub>4</sub> powder and non-stoichiometric LiNi<sub>x</sub>V<sub>y</sub>O<sub>z</sub> films", Materials Research Bulletin 43 (2008) 1519-1527

Roy R., "Accelerating the kinetics of low-temperature inorganic syntheses", J. Solid State Chem. 111 (1994) 11

Rubi D., Calleja A., Arbiol J., Capdevila X.G., Segarrad M., Aragonès L. I. , Fontcuberta J., “Structural and magnetic properties of ZnO:TM (TM: Co, Mn) nanopowders”, Journal of Magnetism and Magnetic Materials 316 (2007) e211-e21

Ryu J. H., Yoon J. W, Lim C. S., Oh W. C, Shim K. B., “Microwave-assisted synthesis of CaMoO<sub>4</sub> nano-powders by a citrate complex method and its photoluminescence property”, Journal of Alloys and Compounds 390 (2005) 245-249

Shannon R. D., “Revised Effective Ionic Radii and Systematic Studies of Interatomic Distances in Halides and Chalcogenides” Acta Crystallographica Section A (1976) A32, 751

Shukla A. K. and Kumar T. P., “Materials for Next- Generation Lithium Batteries,” Current Science 94 (2008) 314-331

Sivashanmugam A., Thirunakaran R., Zou M., Yoshio M., Yamaki J., Kumar S. G., “Glycine-assisted sol-gel combustion synthesis and characterization of aluminum-doped LiNiVO<sub>4</sub> for use in lithium-ion batteries”, Journal of The Electrochemical Society 153 (2006) A497-A503

Son J. T., Kim H. G., “New investigation of fluorine-substituted spinel LiMn<sub>2</sub>O<sub>4-x</sub>F<sub>x</sub> by using sol-gel process”, Journal of Power Sources 147 (2005) 220-226

Song M. Y., Lee R., “Synthesis by sol-gel method and electrochemical properties of LiNiO<sub>2</sub> cathode material for lithium secondary battery”, Journal of Power Sources 111 (2002) 97-103

Souza S. C., Souza M. A. F., Lima S. J. G., Cassia-Santos M. R., Fernandes Jr V. J., Soledade L. E. B., Longo E., Souza A. G. , Santos I. M. G., “The Effect of Co, Ni and Mn on the Thermal Processing of Zn<sub>2</sub>TiO<sub>4</sub> Pigments”, Journal of Thermal Analysis and Calorimetry, 79 (2005) 455-459

Subramania A., Angayarkanni N., Karthick S.N., Vasudevan T., “Combustion synthesis of inverse spinel LiNiVO<sub>4</sub> nano-particles using gelatine as the new fuel”, Materials Letters 60 (2006) 3023-3026

Subramania A., Angayarkanni N., Niruba N., Vasudevan T., “A novel polyaspartate precursor method for the synthesis of LiCa<sub>y</sub>Mn<sub>2-y</sub>O<sub>4</sub> nanoparticles for Li-ion batteries”, Sun Y. K., Oh I. H., “Synthesis of LiNiO<sub>2</sub> powders by a sol-gel method”, Journal of Materials Science Letters 16 (1997) 30

Tan L., Luo Z., Liu H., Yu Y., “Synthesis of novel high-voltage cathode material LiCoPO<sub>4</sub> via rheological phase method”, Journal of Alloys and Compounds, 502 (2010) 407-410

Tarascon J. M., Armand M., “Issues and challenges facing rechargeable lithium batteries”, Nature 414 (2001) 359

Thongtem T., Kaowphong S., Thongtem S., “Malic acid complex method for preparation of LiNiVO<sub>4</sub> nano-crystallites”, Journal of Materials Science 42 (2007b) 3923- 3927

Thongtem T., Kaowphong S., Thongtem S., “Preparation of LiNiVO<sub>4</sub> nano-powder using tartaric acid as a complexing agent”, Ceramics International 33 (2007a) 1449-1453

Thongtem T., Phuruangrat A., Thongtem S., “Formation of LiNi<sub>0.5</sub>Co<sub>0.5</sub>VO<sub>4</sub> nano-crystals by solvothermal reaction”, Ceramics International 34 (2008) 421-427

Tsang S. C., Yu C. H., Gao X., Tam K., “Silica-encapsulated nanomagnetic particle as a new recoverable biocatalyst carrier”, Journal of Physical Chemistry B 110 (2006) 16914-16922

Tsaramyrsi M., Kavousanaki D., Raptopoulou C. P., Terzis A., Salifoglou A., “Systematic Synthesis, Structural Characterization, and Reactivity Studies of Vanadium(V)-Citrate Anions [VO<sub>2</sub>(C<sub>6</sub>H<sub>6</sub>O<sub>7</sub>)<sub>2</sub>]<sup>2-</sup>, Isolated from Aqueous Solutions in the Presence of Different Cations”, Inorganica Chimica Acta 320 (2001) 47

Vivekanandhan S., Venkateswarlu M., Satyanarayana N., “Effect of Different Ethylene Glycol precursors on the Pechini Process for the Synthesis of Nano-Crystalline LiNi<sub>0.5</sub>Co<sub>0.5</sub>VO<sub>4</sub> Powders”, Materials Chemistry and Physics 91 (2005) 54-59

Vivekanandhan S., Venkateswarlu M., Satyanarayana N., “Glycerol-assisted gel combustion synthesis of nano-crystalline LiNiVO<sub>4</sub> powders for secondary lithium batteries”, Materials Letters 58 (2004) 1218-1222

Walton R. I., Smith R. I., O’ Hare D., “Following the hydrothermal crystallization of zeolites using time- resolved in situ powder neutron diffraction”, Microporous and Mesoporous Materials 48 (2001) 79-88

Wang F., Yang J., Li Y. N., Wang J., "Highly promoted electrochemical performance of 5 V LiCoPO<sub>4</sub> cathode material by addition of vanadium", Journal of Power Sources, 195 (2010) 6884-6887

Wang K.S., Master thesis, National Central University, Taiwan, ROC, 1995

Wang Y., Cao G., "Developments in Nanostructured Cathode Materials for High-Performance Lithium-Ion Batteries", Advanced Materials 20 (2008) 2251-2269

Watanabe N., Fukuba M., U.S. Patent 3,536,532 (1970)

Whittingham M. S., "Materials challenges facing electrical energy storage", Materials Research Society Bulletin 33 (2008) 411-419

Whittingham M. S., Guo J. D., Chen R., Chirayil T., Janauer G., Zavalij P., "The Hydrothermal Synthesis Of New Oxide Materials", Solid State Ionics 75 (1995) 257-268

Wolfenstine J., Lee U., Poese B., Allen J.L., "Effect of oxygen partial pressure on the discharge capacity of LiCoPO<sub>4</sub>", Journal of Power Sources, 144 (2005) 226

Wu H. M., Tu J. P., Yuan Y. F., Chen X. T., Xiang J. Y., X Zhao. B., Cao G. S., "One-step synthesis LiMn<sub>2</sub>O<sub>4</sub> cathode by a hydrothermal method", Journal of Power Sources 161 (2006) 1260-1263

Xie H., Zhou Z., "Physical and electrochemical properties of mix-doped lithium iron phosphate as cathode material for lithium ion battery", Electrochimica Acta 51 (2006) 2063- 2067

Xu Z. , Xu L. , Lai Q. Y. , Ji X., "A PEG assisted sol-gel synthesis of LiFePO<sub>4</sub> as cathodic material for lithium ion cells," Materials Research Bulletin 42 (2007) 883-891

Xue Y., Wang Y., "Synthesis and photoluminescence improvement of monodispersed Zn<sub>2</sub>SiO<sub>4</sub>:Mn<sup>2+</sup> nanophosphors", Journal of Alloys and Compounds 497 (2010) 290-294

Zhong Y. D., Zhao X. B., Cao G. S., Tu J. P., Zhu T. J., "Characterization of particulate sol-gel synthesis of LiNi<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub> via maleic acid assistance with different solvents", Journal of Alloys and Compounds., 420 (2006) 298-305

Yury Kuzminykh, Dissertation on Crystalline, Rare-Earth-doped Sesquioxide and YAG PLD-Films (2006) University of Hamburg

Zhang T., Jin C. G., Qian T., Lu X. L., Baia J. M., Li X. G., Hydrothermal synthesis of single-crystalline  $\text{La}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$  nanowires at low temperature Journal of Materials Chemistry 14 (2004a) 2787- 2789

Zhang Y., Shin H. C., Dong J., Liu M., “Nanostructured  $\text{LiMn}_2\text{O}_4$  prepared by a glycine-nitrate process for lithium-ion batteries”, Solid State Ionics, 171 (2004b) 25-31

Zou M., Yoshio M., Gopukumar S., Yamaki J., “Synthesis of High-Voltage (4.5 V) Cycling Doped  $\text{LiCoO}_2$  for Use in Lithium Rechargeable Cells”, Chemistry of Materials 15 (2003) 4699