

REFERENCES

- Acka, C. A., Raso, G., NGoran, E. K., Tschannen, A. B., Bogoch, I. I., Séraphin, E., Tanner M., Orbist, B. & Utzinger, J. (2010). Parasitic worms: knowledge, attitudes, and practices in western cote d'ivoire with implications for integrated control. . *PLoS Negl Trop Dis* **4**: e910.
- Ahmad, A.F., Hadip, F., Ngui, R., Lim, Y.A. & Mahmud, R. (2013). Serological and molecular detection of *Strongyloides stercoralis* infection among an Orang Asli community in Malaysia. *Parasitol Res* **112**(8): 2811-2816.
- Ahmed, A., Al-Mekhlafi, H.M, Azam, M.N, Ithoi, I., Al-Adhroey, A.H, Abdulsalam, A. & Surin, J. (2012). Soil-transmitted helminthiasis: A critical but neglected factor influencing school participation of Aboriginal children in rural Malaysia. *Parasitol* **1**: 802-808.
- Ahmed, A., Al-Mekhlafi, H.M. & Surin, J. (2011). Epidemiology of soil-transmitted helminthiases in Malaysia. *Southeast Asian J Trop Med Public Health* **42**: 527-538.
- Ajzen, I. & Albarracin, D. (2007). Predicting and Changing Behavior. In Ajzen, I., Albarracin, D. & Hornik, R. (eds.), *Prediction and Change of Health Behavior: Applying the Reasoned Action Approach*. Hillsdale, N.J.: Erlbaum.
- Akogun, O.B. (1992). The effect of selected health education schemes on knowledge and attitude of the Kanuri towards certain parasitic diseases. *J R Soc Health* **112**: 280-285.
- Albonico, M., Bickle, Q., Haji, H.J., Ramsan, M., Khatib, K.J., Montresor, A., Savioli, L. & Taylor, M. (2002). Evaluation of the efficacy of pyrantel-oxantel for the treatment of soil-transmitted nematode infections. *Trans R Soc Trop Med Hyg* **96**: 685-690.
- Albonico, M., Chwaya, H.M., Montresor, A., Stoltzfus, R.J., Tielsch, J.M., Alawi, K.S. & Savioli, L. (1997). Parasitic infections in Pemba Island schoolchildren. *East Afr Med J* **74**: 294-298.

- Albonico, M., Engels, D., & Savioli, L. (2004). Monitoring drug efficacy and early detection of drug resistance in human soil-transmitted nematodes: a pressing public health agenda for helminth control. *Int J Parasitol* **34**(11), 1205-1210.
- Albonico, M., Rinaldi, L., Sciascia, S., Morgoglione, M.E., Piemonte, M., Maurelli, M.P., Musella, V., Utzinger, J., Ali, S.M., Ame, S.M. & Cringoli, G. (2013). Comparison of three copromicroscopic methods to assess albendazole efficacy against soil-transmitted helminth infections in school-aged children on Pemba Island. *Trans R Soc Trop Med Hyg* **107**: 493-501.
- Albonico, M., Shamlaye, N., Shamlaye, C. & Savioli, L. (1996). Control of intestinal parasitic infections in Seychelles: a comprehensive and sustainable approach. *Bull WHO* **74**: 577–586.
- Albonico, M., Stoltzfus, R.J., Savioli, L., Tielsch, J.M., Chwaya, H.M., Ercole, E. & Cancrini G. (1998). Epidemiological evidence for a differential effect of hookworm species, *Ancylostoma duodenale* or *Necator americanus*, on iron status of children. *Int J Epidemiol* **27**: 530–537.
- Albright, J.W. & Basaric-Keys, J. (2006). Instruction in behavior modification can significantly alter soil-transmitted helminth (STH) re-infection following therapeutic de-worming. *Southeast Asian J Trop Med Public Health* **37**: 48–57.
- Al-Mekhlafi, H.M., Al-Maktari, M.T., Jani, R., Ahmed, A., Anuar, T.S., Moktar, N., Mahdy, M.A., Lim, Y.A., Mahmud, R. & Surin, J. (2013). Burden of *Giardia duodenalis* infection and its adverse effects on growth of schoolchildren in rural Malaysia. *PLoS Negl Trop Dis* **7**: e2516.
- Al-Mekhlafi, H.M., Surin, J., Atiya, A.S., Ariffin, W.A., Mahdy, A. & Abdullah, H. C. (2008b). Pattern and predictors of soil-transmitted helminth re-infection among aboriginal school children in rural peninsular Malaysia. *Acta Trop* **107**: 200-204.
- Al-Mekhlafi, H.M., Surin, J., Sallam, A.A., Abdullah, A.W. & Mahdy, M.A.K. (2010). Giardiasis and poor vitamin A status among Aboriginal school children in rural Malaysia. *Am J Trop Med Hyg* **83**: 523-527.

- Al-Mekhlafi, H.M.S., Azlin, M., NorAini, U., Shaik, A., Sa'ah, A., Fatmah, A. & Moktar, N. (2005a). Malnutrition and soil-transmitted helminthiasis among Orang Asli children in Selangor, Malaysia. *Asia Pacific J Clin Nutr* **14**: 188-194.
- Al-Mekhlafi, H.M.S., Azlin, M., NorAini, U., Shaik, A., Sa'ah, A., Fatmah, M.S. & Norhayati, M. (2006). Prevalence and distribution of soil-transmitted helminthiases among Orang Asli children living in peripheral Selangor, Malaysia. *Southeast Asian J Trop Med Public Health* **37**: 40-47.
- Al-Mekhlafi, M. H., Surin, J., Atiya, A. S., Ariffin, W. A., Mahdy, A. K. M. & Abdullah, H. C. (2008a). Anaemia and iron deficiency anaemia among aboriginal schoolchildren in rural Peninsular Malaysia: an update on a continuing problem. *Trans R Soc Trop Med Hyg* **102**: 1046-1052
- Al-Mekhlafi, M. S. H., Azlin, M., Nor Aini, U., Shaik, A., Sa'ah, A., Fatmah, M. S. & Norhayati, M. (2005b). Giardiasis as a predictor of childhood malnutrition in Orang Asli children in Malaysia. *Trans R Soc Trop Med Hyg* **99**: 686-691.
- Al-Mekhlafi, M., Atiya, A., Lim, Y., Mahdy, A., Ariffin, W., Abdullah, H. C. & Surin, J. (2007). An unceasing problem: soil-transmitted helminthiases in rural Malaysian communities. *Southeast Asian J Trop Med Public Health* **38**: 998-1007.
- Anantaphruti, M. T., Waikagul, J., Maipanich, W., Nuamtanong, S., & Pubampen, S. (2004). Soil-transmitted helminthiases and health behaviors among schoolchildren and community members in a west-central border area of Thailand. *Southeast Asian J Trop Med Public Health* **35**, 260-266.
- Anantaphruti, M.T., Waikagul, J., Maipanich, W., Nuamtanong, S., Watthanakulpanich, D., Pubampen, S. & Kusolsuk, T. (2008). School based health education for the control of soil-transmitted helminthiases in Kanchanaburi province at Thailand. *Ann Trop Med Parasitol* **102**: 521-528.
- Anuar, T.S., Al-Mekhlafi, H.M., Ghani, M.K., Osman, E., Yasin, A.M., Nordin, A., Azreen, S.N., Salleh, F.M., Ghazali, N., Bernadus, M. & Moktar, N. (2012). Giardiasis among different tribes of Orang Asli in Malaysia: Highlighting the

- presence of other family members infected with *Giardia intestinalis* as a main risk factor. *Int J Parasitol* **42**: 871-880.
- Anuar, T.S., Salleh, F.M. & Moktar, N. (2014). Soil-transmitted helminth infections and associated risk factors in three Orang Asli tribes in Peninsular Malaysia. *Sci Rep* **4**: 4101.
- Asaolu, S. & Ofoezie, I. (2003). The role of health education and sanitation in the control of helminth infections. *Acta Trop* **86**: 283-294.
- Aung, M.H., Thein Hlaing, Myat, L.K. & Than, S. (1988). Hand washing intervention to reduce ascariasis in children. *Trans R Soc Trop Med Hyg* **82**: 153.
- Ayi, I., Nonaka, D., Adjovu, J.K., Hanafusa, S., Jimba, M., Bosompem, K.M., Mizoue, T., Takeuchi, T., Boakye, D.A. & Kobayashi, J. (2010). School-based participatory health education for malaria control in Ghana: engaging children as health messengers. *Malar J* **9**: 98.
- Ayode, D., McBride, C.M., de Heer, H.D., Watanabe, E., Gebreyesus, T., Tora, A., Tadele, G. & Davey, G. (2013). A qualitative study exploring barriers related to use of footwear in rural highland Ethiopia: implications for neglected tropical disease control. *PLoS Negl Trop Dis* **7**: e2199.
- Azian, M.Y., Sakhone, L., Hakim, S.L., Yusri, M.Y., Nurulsyamzawaty, Y., Zuhazam, A.H., Rodi, M.I. & Maslawaty, M.N. (2008). Detection of helminth infections in dogs and soil contamination in rural and urban areas. *Southeast Asian J Trop Med Public Health* **39**: 205-212.
- Bangs, M.J., Purnomo, Andersen, E.M. & Anthony, R.L. (1996). Intestinal parasites of humans in a highland community of Irian Jaya, Indonesia. *Ann Trop Med Parasitol* **90**: 49-53.
- Barda, B., Cajal, P., Villagran, E., Cimino, R., Juarez, M., Krolewiecki, A., Rinaldi, L., Cringoli, G., Burioni, R. & Albonico, M. (2014). Mini-FLOTAC, Kato-Katz and

- McMaster: three methods, one goal; highlights from north Argentina. *Parasit Vectors* **7**:271.
- Bartram, J. & Cairncross, S. (2010). Hygiene, sanitation, and water: forgotten foundations of health. *PLoS Med* **7**: e1000367.
- Becker, M.H. (1974). The health belief model and personal health behavior. *Health Edu Monograph* **2**: 324–473.
- Belizario, Y. Jr., de Leon, W.U., Lumampao, Y.F. Anastacio, M.B & Tai, C. (2009). Sentinel surveillance of soil-transmitted helminthiasis in selected local government units in the Philippines. *Asia Pacific J Public Health* **21**: 26-42.
- Belyhun, Y., Medhin, G., Amberbir, A., Erko, B. & Hanlon, C. (2010). Prevalence and risk factors for soil-transmitted helminths infection in mothers and their infants in Butajira, Ethiopia: A population based study. *BMC Public Health* **10**: 21.
- Bendel, R.B. & Afifi, A.A. (1977). Comparison of stopping rules in forward stepwise regression. *J Am Stat Assoc* **72**: 46-53.
- Bethony, J., Brooker, S., Albonico, M., Geiger, S. M., Loukas, A., Diemert, D. & Hotez, P. J. (2006). Soil-transmitted helminth infections: ascariasis, trichuriasis, and hookworm. *Lancet*, **367**: 1521-1532.
- Bethony, J., Brooker, S., Albonico, M., Geiger, S.M., Loukas, A., Geiger, S.M., Loukas, A., Diemert, D. & Hotez, P.J. (2006) Soil-transmitted helminth infections: ascariasis, trichuriasis, and hookworm. *Lancet* **367**: 1521-1532.
- Bethony, J., Chen, J.Z., Lin, S.X., Xiao, S.H., Zhan, B., Li, S.W., Xue, H.C., Xing, F.Y., Humphries, D., Wang, Y., Chen, G., Foster, V., Hawdon, J.M. & Hotez, P.J. (2002). Emerging patterns of hookworm infection: influence of aging on the intensity of Necator infection in Hainan Province, People's Republic of China. *Clin Infect Dis* **35**:1336-1344.

- Bieri, F.A.1., Gray, D.J., Williams, G.M., Raso, G., Li, Y.S., Yuan, L., He, Y., Li, R.S., Guo, F.Y., Li, S.M. McManus, D.P. (2013). Health-education package to prevent worm infections in Chinese schoolchildren. *N Engl J Med* **368**: 1603-1612.
- Bird C., Ame S., Albonico M. & Bickle Q. (2014). Do shoes reduce hookworm infection in school-aged children on Pemba Island, Zanzibar? A pragmatic trial. *Trans R Soc Trop Med Hyg* **108**: 297-304.
- Bisseru, B. & Ahmad, A. A. (1970). Intestinal parasites, eosinophilia, haemoglobin and gamma globulin of Malay, Chinese and Indian schoolchildren. *Med J Malaysia* **25**: 29-33.
- Blanton, R. (2007). Handbook of helminthiasis for public health. *emerg infect Dis* **13**: 674-675.
- Bleakley, H. (2007). Disease and development: evidence from hookworm eradication in the American South. *Quart J Econom* **122**: 73-381.
- Booth, M, Bundy, D.A., Albonico, M., Chwaya, H.M., Alawi, K.S. & Savioli L. (1998). Associations among multiple geohelminth species infections in schoolchildren from Pemba Island. *Parasitol* **116**: 85-93.
- Bradley, M., Chandiwana, S.K., Bundy, D.A. & Medley, G.F. (1992). The epidemiology and population biology of *Necator americanus* infection in a rural community in Zimbabwe. *Trans R Soc Trop Med Hyg* **86**: 73-76.
- Brooker, S. & Michael E. (2000). The potential of geographical information systems and remote sensing in the epidemiology and control of human helminth infections. *Adv Parasitol* **47**: 245 – 287.
- Brooker, S., Beasley, M., Ndinaromtan, M., Madjiouroum, E.M., Baboguel, M., Djenguinabe, E., Hay, S.I. & Bundy, D.A.P. (2002b). A practical application of remote sensing and geographical information systems: targeting a national helminth control programme in Chad. *Bull WHO* **80**: 783 – 789.

- Brooker, S., Bethony, J. & Hotez, P.J. (2004). Human hookworm infection in the 21st century. *Adv Parasitol* **58**: 197–288.
- Brooker, S., Clements, A.C.A. & Bundy, D.A.P. (2006). Global epidemiology, ecology and control of soil-transmitted helminth infections. *Adv parasitol* **62**: 221-261.
- Brooker, S., Hay, S.I., Tchuenté, L.A. & Ratard R. (2002a). Using NOAA-AVHRR data to model helminth distributions for planning disease control in Cameroon, West Africa. *Photogram Eng Remote Sens* **68**: 175-179.
- Brooker, S., Pratap, S., Waikagul, J., Suvanee, S., Kojima, S., Takeuchi, T., Luong, T.V. & Looareesuwan, S. (2003). Mapping soil-transmitted helminth infections and implication for parasite control in Southeast Asia. *Southeast Asian J Trop Med Public Health* **34**: 24-36.
- Bundy, D., Hall, A., Adjei, S., Kihama, C. & Khoi, H. (1997a). Better health, nutrition and education for the school aged child. *Trans R Soc Trop Med Hyg* **91**: 1-2.
- Bundy, D.A.P. (1997b). Health and early child development, in early child development: investing in our children's future. Amsterdam: Elsevier Science. pp. 11–38.
- Bundy, D.A., Kan, S.P. & Rose, R. (1988a). Age-related prevalence, intensity and frequency distribution of gastrointestinal helminth infection in urban slum children from Kuala Lumpur, Malaysia. *Trans R Soc Trop Med Hyg* **82**: 289-294.
- Bundy, D.A.P. (1988b). Population ecology of intestinal helminth infections in human communities. *Philosophical Trans R Soci London Series B*. **321**: 405-20.
- Bundy, D.A.P. & Cooper, E.S. (1989). *Trichuris* and trichuriasis in humans. *Adv Parasitol* **28**: 107-173.
- Cairncross, S., Hunt, C., Boisson, S., Bostoen, K., Curtis, V., Fung, I.C. & Schmidt, W.P. (2010). Water, sanitation and hygiene for the prevention of diarrhoea. *Int J Epidemiol* **39** Suppl 1: i193–i205.

- Campbell, S.J., Savage, G.B., Gray, D.J., Atkinson, J.A.M., Soares Magalhães, R.J., Nery, S.V., McCarthy, J.S., Velleman, Y., Wicken, J.H., Traub, R.J., Williams, J.M., Andrews, R.M. & Clements, A.C.A. (2014). Water, Sanitation, and Hygiene (WASH): A critical component for sustainable soil-transmitted helminth and schistosomiasis control. *PLoS Negl Trop Dis* **8**(4): e2651.
- Carneiro, F.F., Cifuentes, E., Tellez-Rojo, M.M. & Romieu, I. (2002). The risk of *Ascaris lumbricoides* infection in children as an environmental health indicator to guide preventive activities in Caparao and Alto Caparao, Brazil. *Bull WHO* **80**: 40-46
- Chammartin, F., Scholte, R.G., Guimarães, L.H., Tanner, M., Utzinger, J. & Vounatsou, P. (2013a). Soil-transmitted helminth infection in South America: a systematic review and geostatistical meta-analysis. *Lancet Infect Dis* **13**: 507-518.
- Chammartin, F., Scholte, R.G., Malone, J.B., Bavia, M.E., Nieto, P., Utzinger, J. & Vounatsou, P. (2013b). Modelling the geographical distribution of soil transmitted helminth infections in Bolivia. *Parasit Vectors* **25**: 152.
- Chan, M. S. (1997). The global burden of intestinal nematode infections--fifty years on. *Parasitol Today* **13**: 438-443.
- Cheesbrough, M. (2005) District laboratory practice in tropical countries: Part 1, 2nd ed. *Cambridge University Press*, London
- Chen, Y.D. & Xu, L.Q. (2005). The impact of hand cleanliness on diminution of *Ascaris lumbricoides* reinfection in pupils [in Chinese]. *Chin J Parasit Dis Control* **18**: 132-133.
- Christian, P., Khatry, S.K. & West, K.P. Jr. (2004). Antenatal anthelmintic treatment, birthweight, and infant survival in rural Nepal. *Lancet* **364**: 981–983.
- Clift, E. & Freimuth, V. (1995). Health communication: what is it and what can it do for you? *J Health Edu* **26**: 68-74.

- Cooper, E.S. (1995). Epidemiology and transmission of intestinal helminths. In: Farthing MJG, Keusch GT, Wakelin D (eds) Enteric infection 2. Intestinal helminths. Chapman & Hall Medical, pp 201-2012.
- Crompton, D.W.T & Savioli, L. (1993). Intestinal parasitic infections and urbanization. *Bull WHO* **71**: 1 –7.
- Crompton, D.W.T., Nesheim, M.C. & Pawlowski, Z.S. (1989a). Biology of *Ascaris lumbricoides*. In: ascariasis and its prevention and control; eds. London, Taylor & Francis, pp. 9-44.
- Crompton, D.W.T., Nesheim, M.C. & Pawlowski, Z.S. (1989b). Prevalence of ascariasis. In: ascariasis and its prevention and control; eds. London, Taylor & Francis, pp. 45-69.
- Crosby, R. & Noar, S.M. (2011). What is a planning model? An introduction to PRECEDE-PROCEED. *J Public Health Dent* **71**: S7-15.
- Cross, R.M. (2005). Exploring Attitudes: The case for Q methodology. *Health Edu Res* **20**: 206-213.
- Curtale, F., Pezzotti, P., Sharbini, A.L., Maadat, H.A., Ingrosso, P., Saad , Y.S. & Babille, M. (1998). Knowledge, perceptions and behaviour of mothers toward intestinal helminths in upper Egypt: implications for control. *Health Policy Plan* **13**: 423-432.
- de Moraes, N.H.A., Pereira, A.P., Alencar, M.F. L., Souza ,P.R.Jr., Fonseca, J.G., Santos, C.P. & Almeida J.C.A. & Dias, R.C. (2010). Prevalence of intestinal parasites versus knowledge, attitudes and practice of inhabitants of low income communities of Campos dos Goytacazes, Rio de Janeiro State, Brazil. *Parasitol Res* **107**: 295-307.
- de Silva, N., Brooker, S., Hotez, P., Montresor, A., Engels, D. & Savioli, L. (2003). Soil-transmitted helminth infections: updating the global picture. *Trends Parasitol* **19**: 547- 551.

- Department of Statistics Malaysia. (2014). Profile of Orang Asli in Peninsular Malaysia, Kuala Lumpur (<http://www.statistics.gov.my>). Accessed: 23 March 2014.
- Diawara, A., Halpenny, C.M., Churcher, T.S., Mwandawiro, C., Kihara, J., Kaplan, R.M., Streit, T.G., Idaghdour, Y., Scott, M.Y., Basáñez, M.G. & Prichard, R.K. (203). Association between response to albendazole treatment and β -tubulin genotype frequencies in soil-transmitted helminths. *PLoS Negl Trop Dis* **7**(5): e2247.
- Downie, R.S., Fyfe, C. & Tannahill, A. (1990). *Health Promotion Models and Values*. Oxford: Oxford Medical Publications.
- Drake, L., Korchev, Y., Bashford, L., Djamgoz, M., Wakelin, D., Ashall, F. & Bundy, D. (1994). The major secreted product of the whipworm, *Trichuris*, is a pore forming protein. *Proc R Soc London* **257**: 255-261.
- Dreyfuss, M.L., Rebecca, J.S., Jaya, B.S., Elizabeth, K.P., Steven, C.L., Subarna, K.K., Sharada, R.S., Joanne, K., Marco, A., Keith, P. & West, J.R. (2000). Hookworms, malaria and vitamin A deficiency contribute to anaemia and iron deficiency among pregnant women in the plains of *Nepal J Nutr* **55**: 2527-2536.
- Dunn, F.L. (1972). Intestinal parasitism in Malayan aborigines (Orang Asli). *Bull WHO* **46**: 99-113.
- Egger, R. J., Hofhuis, E. H., Bloem, M. W., Chusilp, K., Wedel, M., Intarakhao, C., Saowakontha, S. & Schreurs, W. (1990). Association between intestinal parasitoses and nutritional status in 3-8-year-old children in Northeast Thailand. *Trop Geograph Med* **42**: 312-323.
- Ehrhardt, A., Anh, T.L., Cong, D.T. & Montresor, A. (2006). Evaluation of coverage of deworming interventions in Vietnam. *Southeast Asian J Trop Med Public Health* **37**:1091-1094.
- Ekeh, H. E. & Adeniyi, J.D. (1988). Health education strategies for tropical disease control in school children. *J Trop Med Hyg* **91**: 55-59.

- Ekeh, H.E. & Adeniyi, J.D. (1986). Using teachers as change agents in the control of tropical diseases — an extra-curriculum approach. *Int Quart Comm Health Edu* **6**: 323-333.
- Ekpo, U., Odoemene, S.N., Mafiana, C.F. & Sam-Wobo, S.O. (2008). Helminthiasis and hygiene conditions of schools in Ikenne, Ogun state, Nigeria. *PLoS Negl Trop Dis* **2**: e146.
- El Idrissi, A.L., Lyagoubi, M., Barkia, A., Ayoujil, M. & Mahjour, J. (1999). Prevalence of intestinal parasitic disease in three provinces in Morocco. *East Mediterr Health J* **5**: 86-102
- Emmons, K.M. & Rollnick, S. (2001). Motivational interviewing in health care settings. Opportunities and limitations. *Am J Prev Med* **20**(1): 68-74.
- Esrey, S.A., Potash, J.B., Roberts, L. & Shiff, C. (1991). Effects of improved water supply and sanitation on ascariasis, diarrhoea, dracunculiasis, hookworm infections, schistosomiasis and trachoma. *Bull WHO* **69**: 609-621
- Fallah, M., Mirarab, A., Jamalian, F. & Ghaderi, A. (2002). Evaluation of two years of mass chemotherapy against ascariasis in Hamadan, Iran. *Bull WHO* **80**: 399 – 402.
- Ferreira, M.U., Ferreira, C.S. & Monteiro, C.A. (2000). Secular trends in intestinal parasitic diseases of childhood in the city of Sao Paulo, Brazil. *Rev Saude Publica* **34**: 73-82
- Franks, A., S. H. Kelder, G. A. Dino, K. A. Horn, S. L. Gortmaker, J. L. Wiecha & E. J. Simoes. (2007). School-based programs: lessons learned from CATCH, planet health, and not-on-tobacco. *Prev Chronic Dis* **4**(2): A33.
- Fung, I.H. & Cairncross, S. (2009). Ascariasis and handwashing. *Trans R Soc Trop Med Hyg* **103**: 215–222.
- Gazzinelli, M.F., Gazzinelli, A., Reis, D.C. & Penna, C.M.M. (2005). Educação em saúde: conhecimentos, representações sociais e experiências da doença. *Cad saúde Públ* **21**: 200-206.

- George, J. & OwYang, C.K. (1982). Prevalence of soil transmitted helminths in school children in the Federal Territory of Malaysia. *Med J Malaysia* **37**(1): 35 – 39.
- Gibson, A.K., Raverty, S., Lambourn, D.M., Huggins, J., Magargal, S.L. & Grigg, M.E. (2011). Polyparasitism is associated with increased disease severity in toxoplasma gondii-infected marine sentinel species. *PLoS Negl Trop Dis* **5**: e1142.
- Gilbert, G.G., Sawyer, R. & McNeill, E.B. (2011). Health education: creating strategies for school and community health. Jones & Bartlett Learning.
- Glanz, K., Rimer, B.K. & Lewis, F.M. (2002). Health behavior and health education. theory, research and practice. San Fransisco: Wiley & Sons.
- Glanz, K., Rimer, B.K. & Viswanath, K. (2008). Health behavior and health education: theory, research, and practice. San Francisco: Jossey-Bass.
- Gochman, D.S. (1997). Handbook of health behavior research I: Personal and social determinants. New York: Plenum Press.
- Green, L. & Kreuter, M. (1991). Health promotion planning: an educational and environmental approach. 2nd ed. Mountain View, CA: Mayfield Publishing Company.
- Green, L.W. (1974). Toward cost-benefit evaluations of health education: some concepts, methods, and examples. *Health Edu Monograph* **2** (Suppl. 2): 34-64.
- Green, L.W. (1980). Health Education Planning: a diagnostic approach. Palo Alto, CA: Mayfield Publishing Co.
- Griffiths, W. (1972). Health education definitions, problems, and philosophies. *Health Edu Monograph* **31**: 12-14.
- Grol, R.P.T.M., Bosch, M.C., Hulscher, M.E.J.L., Eccles, M.P. & Wensing, M. (2007). Planning and studying improvement in patient care: The use of theoretical perspectives. *Milbank Quarterly* **85**(1): 93-138.

- Gunawardena, K., Kumarendran, B., Ebenezer, R., Gunasingha, M.S., Pathmeswaran, A. & de silva, N. (2011). Soil-transmitted helminth infections among plantation sector schoolchildren in Sri Lanka: prevalence after ten years of preventive chemotherapy. *PLoS Negl Trop Dis* **5**: e1341.
- Gyorkos, T.W., Maheu-Giroux, M., Blouin, B. & Casapia, M. (2013). Impact of health education on soil-transmitted helminth infections in schoolchildren of the Peruvian Amazon: a cluster-randomized controlled trial. *PLoS Negl Trop Dis* **7**: e2397.
- Haddad, L.J. & Bouis, H.E. (1991). The impact of nutritional status on agricultural productivity: wage evidence from the Philippines. *Oxford Bull Econ Stat* **53**: 45–58.
- Hadidjaja, P., Bonang, E., Suyardi, M.A., Abidin, S.A.N., Ismid, I.S. & Margono, S.S. (1998). The effect of intervention methods on nutritional status and cognitive function of primary school children infected with *Ascaris lumbricoides*. *Am J Trop Med Hyg* **59**: 791–795.
- Hakim, L. S., Gan, C. C., & Malkit, K. (2007). Parasitic infections among Orang Asli (Aborigines) in the Cameron highlands, Malaysia. *Southeast Asian J Trop Med Public Health* **38**: 415-419.
- Hamimah, J., Zahedi, M. & Ainiyah, A.J. (1982). The prevalence of intestinal parasites among children at the General hospital, Kuala Lumpur, Malaysia. *Med J Malaysia* **37**(4): 373 – 377.
- Hanjeet, K., Lai, P. F., OwYang, C. K., & Mathias, R. G. (1991). Soil transmitted helminthiases in squatter populations around Kuala Lumpur by ethnic distribution. *Trop Biomed* **8**: 33-37.
- Haswell-Elkins, M., Elkins, D.B., Manjula, K., Michael, E. & Anderson, R.M. (1988). An investigation of hookworm infection and reinfection following mass anthelmintic treatment in the south Indian fishing community of Vairavankuppam. *Parasitol* **96**: 565-577.

- Haswell-Elkins, M.R., Kennedy, M.W., Maizels, R.M., Elkins, D.B. & Anderson, R.M. (1989). The antibody recognition profiles of humans naturally infected with *Ascaris lumbricoides*. *Parasite Immunol* **11**: 615–627.
- Hawdon, J.M. (2014). Controlling soil-transmitted helminths: time to think inside the box? *J Parasitol* **100**(2): 166-188.
- Henriksen, S.A. & Pohlenz, J.F. (1981). Staining of cryptosporidia by a modified Ziehl-Neelsen technique. *Acta Vet Scand* **22**: 594-596.
- Heukelbach, J., Jackson, A., Ariza, L. & Feldmeier, H. (2008). Prevalence and risk factors of hookworm-related cutaneous larva migrans in a rural community in Brazil. *Ann Trop Med Parasitol* **102**: 53-61.
- Hidayah, N. I., Teoh, S. T., & Hillman, E. (1997). Socio environmental predictors of soil transmitted helminthiases in a rural community in Malaysia. *Southeast Asian J Trop Med Public Health* **28**: 811-818.
- Hochbaum, G.M. (1958). Public participation in medical screening programs: A sociopsychological study. PHS publication 572. Washington, D.C.: U.S. Government Printing Office.
- Holland, C.V., Taren, D.L., Crompton, D.W.T., Nesheim, M.C., Sanjur, D., Barbeau, I., Tucker, K., Tiffany, J. & Rivera, G. (1988). Intestinal helminthiases in relation to the socioeconomic environment of Panamanian children. *Social Sci Med* **26**: 209-213.
- Hollis, S & Campbell, F. (1999). What is meant by intention to treat analysis? Survey of published randomized controlled trials. *BMJ*. **319**: 670-674.
- Holm, S. (1979). A simple sequentially rejective multiple test procedure. *Scand J Stat* **6**: 65-70.
- Hong, S.T., Chai, J.Y., Choi, M.H., Huh, S., Rim, .H.J. & Lee, S.H. (2006). A successful experience of soil-transmitted helminths control in the Republic of Korea. *Korean J Parasitol* **44**: 177-185.

- Horton, J. (2000). Albendazole: a review of anthelmintic efficacy and safety in humans. *Parasitol* **121**: S113-S132.
- Hotez, P. J., Bethony, J., Bottazzi, M. E., Brooker, S., Diemert, D. & Loukas, A. (2006a). New technologies for the control of human hookworm infection. *Trends Parasitol* **22**: 327-331.
- Hotez, P.J. & Kamath, A. (2009). Neglected tropical diseases in sub-saharan Africa: review of their prevalence, distribution, and disease burden. *PLoS Negl Trop Dis* **3**: e412.
- Hotez, P.J. (2002b). China's hookworms. *China Quart* **172**: 1029-1041
- Hotez, P.J. Human hookworm infection. (1995a). In: Enteric Infection 2, Intestinal Helminths (Eds. MJG Farthing, GT Keusch, D Wakelin). Chapman & Hall Medical, pp. 129-150
- Hotez, P.J. Pediatric geohelminth infections. (2000). Trichuriasis, ascariasis, and hookworm infections. *Semin Pediatr Infect Dis* **11**: 236-244.
- Hotez, P.J., Bethony, J., Bottazzi, M.E., Brooker, S. & Buss, P. (2005). Hookworm: The great infection of mankind . *PLoS Med* **2**: e67.
- Hotez, P.J., Brindley, P.J., Bethony, J.M., King, C.H., Pearce, E.J. & Jacobson, J. (2008). Helminth infections: the great neglected tropical diseases. *J Clin Invest* **118**: 1311-1321.
- Hotez, P.J., Brooker, S., Bethony, J.M., Bottazzi, M.E., Loukas, A. & Xiao, S. (2004). Hookworm infection. *N Engl J Med* **351**: 799–807.
- Hotez, P.J., de Silva, N., Brooker, S. & Bethony J. (2003). Soil-transmitted helminth infections: The nature, causes and burden of the condition. Working Paper No. 3, Disease Control Priorities Project. Bethesda, Maryland: Fogarty International Center, National Institutes of Health.

- Hotez, P.J., Feng, Z., Xu, L.Q., Chen, M.G., Xiao, S.H., Liu, S.X., Blair, D., McManus, D.P. & Davis, G.M. (1997). Emerging and reemerging helminthiases and the public health of China. *Emerg Infect Dis* **3**: 303-310.
- Hotez, P.J., Fenwick, A., Savioli, L. & Molyneux, D.H. (2009). Rescuing the bottom billion through control of neglected tropical diseases. *Lancet* **373**: 1570-1575.
- Hotez, P.J., Savioli, L. & Fenwick, A. (2012). Neglected tropical diseases of the Middle East and north africa: review of their prevalence, distribution, and opportunities for control. *PLoS Negl Trop Dis* **6**(2): e1475.
- Hotez, P.J., Bundy, D.A.P., Beagle, K., Brooker, S., Drake, L., de Silva, N., Montresor, A., Engels, D., Jukes, M., Chitsulo, L., Chow, J., Laxminarayan, R., Michaud, C., Bethony, J., Correa-Oliveira, R., Shuhua, X., Fenwick, A. & Savioli, L. (2006). Helminth Infections: Soil-transmitted Helminth Infections and Schistosomiasis. In Disease Control Priorities in Developing Countries. 2nd edition. Edited by Jamison, D.T., Breman, J.G., Measham, A.R., Alleyne, G., Claeson, M., Evans, D.B., Jha, P., Mills, A. & Musgrove, P. Washington (DC): World Bank. pp 467-482.
- Huat, L.B., Mitra, A.K., Jamil, N.I.N., Dam, B.C., Mohamed, H.J.J. & Mud, WAMW. (2012). Prevalence and risk factors of intestinal helminth infection among rural Malay children. *J Glob Infect Dis* **4**: 10.
- Humphries, D.L., Stephenson, L.S., Pearce, E.J., The, P.H., Dan, H.T. & Khanh, L.T. (1997). The use of human faeces for fertilizer is associated with increased intensity of hookworm infection in Vietnamese women. *Trans R Soc Trop Med Hyg* **91**:518-520.
- Hutty, S.R.A. (1990). The impact of inadequate sanitary conditions on health in developing countries. *World Health Stat Quart* **43**:118–126.
- Inês, E.J., Souza, J.N., Santos, R.C., Souza, E.S., Santos, F.L., Silva, M.L., Silva, M.P., Teixeira, M.C. & Soares, N.M. (2011). Efficacy of parasitological methods for the diagnosis of *Strongyloides stercoralis* and hookworm in faecal specimens. *Acta Trop* **120**(3): 206-210.

- Jaafar, N., Omar, K., Ahmad, J., Wan Hussein, W.S. & MANAF, Z.A. (2014). The “Doktor Muda” health promotion programme: A process evaluation. Accessed on 4 June 2014.
[<http://www.seameo.org/vl/library/dlwelcome/projects/jasper/jasper05/jasper05.htm>]
- Jamaiah, I. & Rohela, M. (2005). Prevalence of intestinal parasites among members of the public in Kuala Lumpur, Malaysia. *Southeast Asian J Trop Med Public Health* **36**: 68-71.
- JDC. (2014). Junior Doctor Club. Ministry of Health Malaysia. Accessed on 4 June 2014.
[<http://www.drmuda.gov.my>]
- Jeyakumar, D. (1999). Between myth and reality: why are Orang Asli more prone to illness? Paper presented at the World Conference of Primary Care Physicians, Kuching, Malaysia.
- JHEOA/Gombak Hospital. (2005). Slides presentations by the deputy director of Gombak Hospital during a visit to arrange for projects in Orang Asli communities. Jabatan Hal-Ehwal Orang Asli.
- Jia, T.W., Melville, S., Utzinger, J., King, C.H. & Zhou, X.N. (2012). Soil-transmitted helminth reinfection after drug treatment: A systematic review and meta-analysis. *PLOS Negl Trop Dis* **6**: e1621
- Joob, B. & Wiwanitkit, V. (2012). Loeffler's syndrome, pulmonary ascariasis, in Thailand, rare or under-reported? *J Thorac Dis* **4**: 339.
- Jozefzoon, L.M. & Oostburg, B.F. (1994). Detection of hookworm and hookworm-like larvae in human fecocultures in Suriname. *Am J Trop Med Hyg* **51**: 501- 505.
- Kan, S. P. (1989). Soil-transmitted helminthiases among inhabitants of an oil-palm plantation in West Malaysia. *J Trop Med Hyg* **92**: 263-269.
- Kan, S.P. & Poon, G.K. (1987). Prevalence, distribution and intensity soil-transmitted helminthiases among Malaysian children. *Public Health* **101**: 243 – 251.

- Kan, S.P. (1982). Soil transmitted helminthiases in Selangor, Malaysia. *Med J Malaysia* **37**(2): 180–190.
- Karen, g., Barbara, k. & Viswanath, K. (2008). Health behavior and health education theory, research, and practice. 4th edition published by Jossey-Bass.
- Karim, R., Rahmah, N., Abdullah, A., Mehdi, A. & Abdullah, B. (1995). Parasitic infections in the aboriginal community at Temenggor, Hulu Perak, Malaysia. *Malayan Nat J* **48**: 425-432.
- Kasl, S. V., & Cobb, S. (1966). Health Behavior, Illness Behavior, and Sick Role Behavior. *Arch Environ Health* **12**: 246–266.
- Keiser, J., & Utzinger, J. (2008). Efficacy of current drugs against soil-transmitted helminth infections. *JAMA* **299**(16): 1937.
- Khairul, A., Ramachandran, C.P., & Paran, T.P. (1978). Parasitic diseases among fishermen living on Penang Island. *Med J Malaysia* **32**: 321-327.
- Khuroo, M.S. (1996). Ascariasis. *Gastroenterol Clin North Am* **25**: 553-577.
- Khuroo, M.S., Zargar, S.A. & Mahajan, R. (1990). Hepatobiliary and pancreatic ascariasis in India. *Lancet* **335**: 1503-1506.
- Kloos, H. (1995). Human behavior, health education and schistosomiasis control: A review. *Soc Sci Med* **40**: 1497-1511.
- Knopp, S., Glinz, D., Rinaldi, L., Mohammed, K.A., N'Goran, E.K., Stothard, J.R., Marti, H., Cringoli, G., Rollinson, D. & Utzinger J. (2009). FLOTAC: a promising technique for detecting helminth eggs in human faeces. *Trans R Soc Trop Med Hyg* **103**:1190-1194.
- Knopp, S., Mgeni, A.F., Khamis, I.S., Steinmann, P., Stothard, J.R., Rollinson, D., Marti, H. & Utzinger, J. (2008). Diagnosis of soil-transmitted helminths in the era of preventive chemotherapy: effect of multiple stool sampling and use of different diagnostic techniques. *PLoS Negl Trop Dis* **2**(11):e331.

- Knopp, S., Mohammed, K.A., Speich, B., Hattendorf, J., Khamis, I.S., Khamis, A.N., Stothard, J.R., Rollinson, D., Marti, H. & Utzinger, J. (2010). Albendazole and mebendazole administered alone or in combination with ivermectin against *Trichuris trichiura*: a randomized controlled trial. *Clin Infect Dis* **51**: 1420-1428.
- Kobayashi, A., Hara, T. & Kajima, J. (2006). Historical aspects for the control of soil-transmitted helminthiases. *Parasitol Int* **55**: S289-S291.
- Kvalsvig, J.D., Cooppan, R.M. & Connolly, K.J. (1991). The effects of parasite infections in cognitive processes in children. *Ann Trop Med Parasit* **85**:531-568.
- Lansdown, R., Ledward, A., Hall, A., Issae, W., Yona, E., Matulu, J., Mweta, M., Kihamia, C., Nyandindi, U. & Bundy, D. (2002). Schistosomiasis, helminth infection and health education in Tanzania: achieving behaviour change in primary schools. *Health Edu Res* **17**: 425-433.
- Le Hesran, J.Y., Akiana, J., Ndiaye el, H.M., Dia, M., Senghor, P. & Konate, L. (2004). Severe malaria attack is associated with high prevalence of *Ascaris lumbricoides* infection among children in rural Senegal. *Trans R Soc Trop Med Hyg* **98**: 397–399.
- Li, C. F. (1990). Hookworm infection and protein-energy malnutrition: transverse evidence from two Malaysian ecological groups. *Trop Geogr Med* **42**: 8-12.
- Lim, Y.A.L., Romano, N., Colin, N., Chow, S.C. & Smith, H.V. (2009). Intestinal parasitic infections amongst Orang Asli (indigenous) in Malaysia: has socioeconomic development alleviated the problem? *Trop Biomed* **26**: 110–122.
- Lo, E.K., Varughese, J., Ghouse, A. & Noor, M. (1979). Helminthiases in Peninsular Malaysia - prevalence and density of infestation of hookworm, *Ascaris* and *Trichuris* in rural school children. *Med J Malaysia* **34**: 95 – 99.
- Long-Shan, X., Bao-Jun, P., Jin-Xiang, L., Li-Ping, C. & Sen-Hai, Y. (2000). Creating health-promoting schools in rural China: a project started from deworming. *Health Promot Int* **15**: 197–206.

- Luoba, A.I., Wenzel, G.P., Estambale, B., Ouma, J.H., Alusala, D., Ayah, R., Mwaniki, D., Magnussen, P. & Friis, H. (2005). Earth-eating and re-infection with intestinal helminths among pregnant and lactating women in western Kenya. *Trop Med Int Health* **10**: 220-227.
- Lwanga, S.K. & Lemeshow, S. (1991). Sample size determination in health studies: A practical manual. Geneva: World Health Organization.
- Maben, J.M. & Macleod-Clark, M. (1995). Health promotion: a concept analysis. *J Adv Nursing* **22**: 1158–1165.
- MacDonald, T.T., Spencer, J., Murch, S.H., Choy, M.S., Venugopal, S., Bundy, D.A.P. & Cooper, E.S. (1994). Mucosal macrophages and cytokine production in the colon of children with *Trichuris trichiura* dstentery. *Trans R Soc Trop Med Hyg* **88**:265.
- Mackintosh, N. (1996). Managing health promotion: an issue for nurses. Jones & Bartlett Learning, LLC.
- Mahdy, A.M., Surin, J., Lim, Y.A.L. & Al-Mekhlafi, M.H. (2007). Current situation of *Giardia* and *Cryptosporidium* among Orang Asli (aboriginal) communities in Pahang, Malaysia. *Southeast Asian J Trop Med Public Health* **38**: 27-31.
- Mahdy, M.A., Lim, Y.A., Ngui, R., Siti Fatimah, M.R., Choy, S.H., Yap, N.J., Al-Mekhlafi, H.M., Ibrahim, J. & Surin, J. (2012). Prevalence and zoonotic potential of canine hookworms in Malaysia. *Parasit Vectors* **7**: 88.
- Mahmood, A., Khairul Anuar, A., Sidik, K., Ismail, S., Suzainur, K. & Mohamad, N. (2002). Comparison of prevalence of intestinal parasitic infections in schoolchildren in Kuala Lumpur. *JUMMEC* **7**: 118-121.
- Makidono, J. (1956). Observations on *Ascaris* during fluoroscopy. *Am J Trop Med Hyg* **5**: 699-672.
- Mara, D., Lane, J., Scott, B. & Trouba, D. (2010). Sanitation and health. *PLoS Med* **7**(11): e1000363.

- Margery, J. & Niang, A. (2011). Adult *Ascaris* worm passing from the mouth. *Am J Trop Med Hyg* **85**: 395.
- Margono, S.S. (2001). Review on the control of soil-transmitted helminthiases in Indonesia: the role of parasitologists. In collected papers on the control of soil-transmitted helminthiases. Ed. Hayashi, S. pp. 169-172.
- Mascarini-Serra, L. (2011). Prevention of soil-transmitted helminth infection. *J Glob Infect Dis* **3**: 175-182.
- Mascie-Taylor, C.G., Karim, R., Karim, E., Akhtar, S., Ahmed, T. & Montanari, R.M. (2003). The cost-effectiveness of health education in improving knowledge and awareness about intestinal parasites in rural Bangladesh. *Econ Hum Biol* **1**(3): 321-330.
- Matthys, B., Bobieva, M., Karimova, G., Mengliboeva, Z. & Jean-Richard, V. (2011). Prevalence and risk factors of helminths and intestinal protozoa infections among children from primary schools in western Tajikistan. *Parasit Vectors* **4**: 195.
- McBride, C.M. & Rimer, B.K. (1999). Using the telephone to improve health behavior and health service delivery. *Patient Educ Couns* **37**(1):3-18.
- McKee, N., Manoncourt, E., Yoon, C., & Carnegie, R. (2008). Involving people, evolving behaviour: The UNICEF experience. In J. Servaes (Ed.), *Communication for development and social change*. (pp. 254-277). New Delhi: SAGE Publications India Pvt Ltd.
- McLeroy, K.R., Steckler, A. & Bibeau, D. (1988). The social ecology of health promotion interventions. *Health Edu Quarter* **15**(4): 351-377.
- Midzi, N., Mtapuri-Zinyowera, S., Mapingure, M.P., Paul, N.H., Sangweme, D., Hlerema, G., Mutsaka, M.J., Tongogara, F., Makware, G., Chadukura, V., Brouwer, K.C., Mutapi, F., Kumar, N. & Mduluza, T. (2011). Knowledge attitudes and practices of grade three primary schoolchildren in relation to schistosomiasis, soil transmitted helminthiasis and malaria in Zimbabwe. *BMC Infect Dis* **11**: 169.

- Miguel, E., & Kremer, M. (2004). worms: identifying impacts on education and health in the presence of treatment externalities. *Econometrica* **72**:159-217.
- Minamoto, K., Mascie-Taylor, C.G., Karim, E., Moji, K., & Rahman, M. (2012). short-and long-term impact of health education in improving water supply, sanitation and knowledge about intestinal helminths in rural bangladesh. *Public Health* **126**:437-440.
- Mizgajska, H.(1993). The distribution and survival of eggs of *Ascaris suum* in six different natural soil profiles. *Acta Parasitologica* **38**: 170 – 174.
- MOH. (2008). Annual report. Ministry of Health. Accessed on 15 May 2014.
<http://www.moh.gov.my/images/gallery/publications/mh/Malaysia%20Health%202008-2.pdf>
- Mohammed Mahdy, A.K., Lim, Y.A.L., Surin, J., Wan, K.L. & Al-Mekhlafi, M.S. (2008). Risk factors for endemic giardiasis-highlighting the association with contaminated water and food. *Trans R Soc Trop Med Hyg* **102**: 465-470.
- Mohammed Mahdy, A.K., Surin, J., Wan, K.L., Mohd-Adnan, A., Al-Mekhlafi, M.S. & Lim, Y.A. (2009). *Giardia intestinalis* genotypes: Risk factors and correlation with clinical symptoms. *Acta Trop* **112**:67-70.
- Montresor, A. (2007). Arithmetic or geometric means of eggs per gram are not appropriate indicators to estimate the impact of control measures in helminth infections. *Trans R Soc Trop Med Hyg* **101**: 773–776.
- Montresor, A., Cong, D.T., Sinuon, M., Tsuyuoka, R., Chanthavisouk, C., Strandgaard, H., Velayudhan, R., Capuano, C.M., Le Anh, T. & Tee Dató AS. (2008). Large-scale preventive chemotherapy for the control of helminth infection in Western Pacific countries: six years later. *PLoS Negl Trop Dis* **2**: e278.
- Moore, C.E., Hor, P.C., Soeng, S., Sun, S., Lee, S.J., Parry, C.M., Day, N.P. & Stoesser, N. (2012). Changing patterns of gastrointestinal parasite infections in Cambodian children: 2006-2011. *J Trop Pediatr* **58**:509-512.

- MRRD. (2005). The development of the Orang Asli community in peninsular Malaysia: The way forward. A paper presented at the international conference on the indigenous people, The Legend Hotel Kuala Lumpur, 4-5 July, 2005.
- MRRD. (2010). Annual Report 2010. Ministry of Rural and Regional Development. Kuala Lumpur: Improving Rural Basic Infrastructure.
- Muturi, N. (2005). Communication for HIV/AIDS prevention in Kenya: socio-cultural considerations. *J Health Commun* **10**: 77-98.
- Mwanga, J.R., Jensen, B.B., Magnussen, P. & Aagaard-Hansen, J. (2008). School Children as health change agents in Magu, Tanzania: a feasibility study. *Health Promot Int* **23**(1): 16-23.
- Naish, S., McCarthy, J. & Williams, G.M. (2004). Prevalence, intensity and risk factors for soil-transmitted helminth infections in a South Indian fishing village. *Acta Trop* **91**: 177-187.
- Nallam, N. R., Paul, I. & Gnanamani, G. (1998). Anaemia and hypoalbuminimia as an adjunct to soil-transmitted helminthiasis among slum school children in Visakhapatnam, South India. *Asia Pac J Clin Nutr* **7**: 164-169.
- Nasr, N.A., Al-Mekhlafi, H.M., Ahmed, A., Roslan, M.A. & Bulgiba, A. (2013a). Towards an effective control program of soil-transmitted helminth infections among Orang Asli in rural Malaysia. Part 1: Prevalence and associated key factors. *Parasit Vectors* **6**: 27.
- Nasr, N.A., Al-Mekhlafi, H.M., Ahmed, A., Roslan, M.A. & Bulgiba, A. (2013b). Towards an effective control programme of soil-transmitted helminth infections among Orang Asli in rural Malaysia. Part 2: Knowledge, attitude, and practices. *Parasit Vectors* **6**: 28.
- National Task Force on the Preparation and Practice of Health Educators. (1985). A framework for the development of competency-based curricula for entry-level

- health educators. New York: The National Commission for Health Education Credentialing, Inc.
- Neva, F. A. & Brown, H. W. (1994). Basic clinical parasitology: Appleton & Lange Norwalk.
- Neva, F. A. & Brown, H. W. (1996). Basic Clinical Parasitology, 6th ed. Norwalk, CT: Appleton & Lange.
- Ngui, R., Ching, L.S., Kai, T.T., Roslan, M.A. & Lim, Y.A. (2012). Molecular identification of human hookworm infections in economically disadvantaged communities in Peninsular Malaysia. *Am J Trop Med Hyg* **86**: 837-842.
- Ngui, R., Ishak, S., Chuen, C.S., Mahmud, R., Lim, Y.A.L. (2011). Prevalence and risk factors of intestinal parasitism in rural and remote West Malaysia. *PLoS Negl Trop Dis* **5**: e974.
- Ngui, R., Lim, Y.A.L., Chong, K.L., Sek Chuen, C. & Jaffar, S. (2012). Association between anaemia, iron deficiency anaemia, neglected parasitic infections and socioeconomic factors in rural children of west Malaysia. *PLoS Negl Trop Dis* **6**: e1550.
- Nokes, C. & Bundy, D.A.P. (1994). Does helminth infection affect mental processing and educational achievement? *Parasitol Today* **10**: 14-18.
- Nor Aini, U., Al-Mekhlafi, H. M., Azlin, M., Shaik, A., Sa'iah, A., Fatmah, M. S. & Moktar, N. (2007). Serum Iron Status in Orang Asli children living in endemic areas of soil-transmitted helminthes. *Asia Pacific J Clin Nutr* **16**: 724-730.
- Norhayati, M., Oothuman, P., Azizi, O. & Fatmah, M.S. (1997b). Efficacy of single dose albendazole on the prevalence and intensity of infection of soil- transmitted helminths in Orang Asli children in Malaysia. *Southeast Asian J Trop Med Public Health* **28**: 563-569.

- Norhayati, M., Zainudin, B., Mohammod, C.G., Oothuman, P., Azizi, O. & Fatmah, M.S. (1997a). The prevalence of *Trichuris*, *Ascaris* and hookworm infection in Orang Asli children. *Southeast Asian J Trop Med Public Health* **28**: 161-168.
- Nutbeam, D. & Harris, E. (2004). Theory in a Nutshell: A Practical Guide to Health Promotion Theories. Sydney, NSW: McGraw-Hill.
- Odongo-Aginya, E. I., Narcis, K., Ludwig, S., Wabinga, H., Fenwick, A. & Montresor, A. (2007). Substitution of malachite green with nigrosin-eosin yellow stain in the kato-katz method: microscopical appearance of the helminth eggs. *Afr health sciences* **7**: 33-36.
- Olsen, A., Nawiri, J. & Friis, H. (2000). The impact of iron supplementation on reinfection with intestinal helminths and *Schistosoma mansoni* in western Kenya. *Trans R Soc Trop Med Hyg* **94**: 493-499.
- Olsen, A., Thiong'o, FW., Ouma, JH., Mwaniki, D., Magnussen, P., Fleischer, M., Friis, H. & Geissler, PW. (2003b). Effects of multimicronutrient supplementation on helminth reinfection: a randomized, controlled trial in Kenyan schoolchildren. *Trans R Soc Trop Med Hyg* **97**: 109-114.
- Parker, E.A., Bladwin, G.T., Israel, B. & Salinas, M.A. (2004). Application of health promotion theories and models for environmental health. *Health Educ Behav* **31**: 491-504.
- Pender, N.J., Murdaugh, C.L. & Parsons, M.A. (2002). Health promotion in nursing practice. 4th ed. Upper Saddle River, NJ: Prentice Hall.
- Phiri, K., Whitty, C.J., Graham, S.M. & Ssembatya-Lule, G. (2000). Urban/rural differences in prevalence and risk factors for intestinal helminth infection in southern Mali. *Ann Trop Med Parasitol* **94**:381-387.
- Prakash, D., Chandra, R. & Bhatnagar, J.K. (1980). Epidemiological study on ascariasis in children. *Indian J Parasitol* **4**:59-60.

- Pridmore, P. & Bendelow, G. (1995). Images of health: exploring beliefs of children using the ‘draw-and-write’ technique. *Health Edu J* **54**: 473-488.
- Pullan, R.L., Kabatereine, N.B., Quinnell, R.J. & Brooker, S. (2010). Spatial and genetic epidemiology of hookworm in a rural community in Uganda. *PLoS Negl Trop Dis* **4**: e713.
- Pullan, R.L., Smith, J.L., Jasrasaria, R. & Brooker, S.J. (2014). Global numbers of infection and disease burden of soil transmitted helminth infections in 2010. *Parasit Vectors* **7**:37.
- Quihui, L., Valencia, M.E., Crompton, D.W., Phillips, S., Hagan, P., Morales, G. & Diaz-Camacho, S.P. (2006). Role of the employment status and education of mothers in the prevalence of intestinal parasitic infections in Mexican rural schoolchildren. *BMC Public Health* **6**: 225.
- Quinnell, R.J., Griffin, J., Nowell, M.A., Raiko, A. & Pritchard, D.I. (2001). Predisposition to hookworm infection in Papua New Guinea. *Trans R Soc Trop Med Hyg* **95**: 139-142.
- Rabinowitz, V.C. & Valian, V. (2000). Sex, sex differences, and social behavior. *Ann N Y Acad Sci* **907**: 196-207.
- Rahmah, N., Ariff, R., Abdullah, B., Shariman, M., Nazli, M. & Rizal, M. (1997). Parasitic infections among aborigine children at post Brooke, Kelantan, Malaysia. *Med J Malaysia* **52**: 412-415.
- Rai, S.K., Uga, S.U., Ono, K., Rai, G. & Matsumura, T. (2000). Contamination of soil with helminth parasite eggs in Nepal. *Southeast Asian J Trop Med Public Health*. **31**: 388-393.
- Raj, SM, Sein, KT., Khairul Anuar, A. & Mustaffa, BE. (1997). Effect of intestinal helminthiasis on school attendance by early primary schoolchildren. *Trans R Soc Trop Med Hyg* **91**: 131-132.

- Raja'a, Y.A. & Mubarak, J.S. (2006) Intestinal parasitosis and nutritional status in schoolchildren of Sahar district, Yemen. *Eastern Mediterranean Health J* **12**: S189-194.
- Rajeswari, B., Sinniah, B. & Hussein, H. (1994). Socioeconomic factor associate with intestinal parasites among children living in Gombak, Malaysia. *Asia Pacific J Health* **7**: 21-25.
- Raso, G., Vounatsou, P., Gosoniu, L., Tanner, M., N'Goran, E. K., & Utzinger, J. (2006). Risk factors and spatial patterns of hookworm infection among schoolchildren in a rural area of western Côte d'Ivoire. *Int J Parasitol* **36**(2), 201-210.
- Ratard, R. C., Kouemeni, L. E., Bessala, M. M. E., Ndamkou, C. N., Sama, M. T. & Cline, B. L. (1991). Ascariasis and trichuriasis in Cameroon. *Trans R Soc Trop Med Hyg* **85**: 84-88.
- Rockhill, B., Newman, B. & Weinberg, C. (1998). Use and misuse of population attributable fractions. *Am J Public Health* **88**(1): 15-19.
- Rodriguez-Perez, M.A., Perez-Vega, J.A., Cen-Aguilar, J.F. & Rodriguez-Canul, R. (2011). Lessons from a study in a rural community from southern Mexico: risk factors associated to transmission and reinfection of gastrointestinal parasites after albendazole treatment. *Res Rep Trop Med* **2**: 147-153.
- Russell, P.F. (1928). Nematodes in man in the straits settlements: A preliminary report. *Medical J Malaysia* **3**: 113–123.
- Saathoff, E., Olsen, A., Kvalsvig, J.K. and Appleton, C.C. (2004). Patterns of geohelminth infection, impact of albendazole treatment and re-infection after treatment in schoolchildren from rural KwaZulu-Natal/South-Africa. *BMC Infect Dis* **4**: 27.
- Sagin, D.D., Mohamed, M., Ismail, G., Jok, J.J., Lim, L.H. & Pui, J.N. (2002). Intestinal parasitic infection among five interior communities at upper Rajang River, Sarawak, Malaysia. *Southeast Asian J Trop Med Public Health* **33**: 18-22.

- Saldiva, S.R., Silveira, A.S. & Philippi, S.T. (1999). *Ascaris-Trichuris* association and malnutrition in Brazilian children. *Paediatr Pernatal Epidemiol* **13**: 89-98.
- Sanchez, A.L., Gabrie, J.A., Usuanlele, M-T., Rueda, M.M. & Canales, M. (2013) .Soil-transmitted helminth infections and nutritional status in school-age children from rural communities in Honduras. *PLoS Negl Trop Dis* **7**: e2378
- Savioli, L., Stansfield, S., Bundy, D. A. P., Mitchell, A., Bhatia, R., Engels, D. & Shein, A. M. (2002). Schistosomiasis and soil-transmitted helminth infections: forging control efforts. *Trans R Soc Trop Med Hyg* **96**: 577-579.
- Savioli, L.A.M., Engels, D. & Montresor, A. (2004). Progress in the prevention and control of schistosomiasis and soil-transmitted helminthiasis. *Parasitol Inter* **53**: 103-113.
- Saylor, C. (2004). The circle of health: a health definition model. *J Holist Nurs* **22**(2): 97-115.
- Scanlan, P.D. & Stensvold, C.R. (2013). *Blastocystis*: getting to grips with our guileful guest. *Trends Parasitol* **29**(11): 523-529.
- Schad, G.A. & Anderson, R.M. (1985). Predisposition to hookworm infection. *Science* **228**:1537-1540.
- Schmidlin, T., Hürlimann, E., Silué, K.D., Yapi, R.B., Houngbedji, C., Kouadio, B.A., Acka-Douabélé, C.A., Kouassi, D., Ouattara, M., Zouzou, F., Bonfoh, B., N'Goran, E.K., Utzinger, J. & Raso G. (2013). Effects of hygiene and defecation behavior on helminths and intestinal protozoa infections in Taabo, Côte d'Ivoire. *PLoS One* **8**: e65722.
- Shahrul Anuar, T., Al-Mekhlafi, H.M., Abdul Ghani, M.K., Osman, E., Mohd Yasin, A. Fatmah, M.S. & Moktar, N. (2012). Prevalence and risk factors associated with *Entamoeba histolytica/dispar/moshkovskii* infection among three Orang Asli ethnic groups in Malaysia. *PLoS One* **7**(10): e48165.

- Simovska, V. (2004). Student participation: a demographic education perspective-experience from the health-promoting schools in Macedonia. *Health Edu Res* **19**: 198-207.
- Sinniah, B. (1984). Prevalence, treatment and reinfection of intestinal helminths among schoolchildren in Kuala Lumpur, Malaysia. *Public Health* **98**(1): 38-42.
- Sinniah, B., Manmohan, S. & Poon, G. K. (1978). Prevalence of parasitic infection in Malaysian oil palm estate workers. *Southeast Asian J Trop Med Public Health* **9**: 272-276.
- Sinniah, B., Manmohan, S. & Poon, G.K. (1978). Prevalence of parasitic infection in Malaysian oil palm estate workers. *Southeast Asian J Trop Med Public Health* **98**: 152 – 156.
- Sinniah, B., Sabaridah, I., Soe, M.M., Sabitha, P., Awang, I.P., Ong, G.P. & Hassan, A.K. (2012). Determining the prevalence of intestinal parasites in three Orang Asli (Aborigines) communities in Perak, Malaysia. *Trop Biomed* **29**(2):200-206.
- Snel, M., Ganguly, S., & Shordt, K. (2002). School sanitation and hygiene education India: resource book and handbook for teachers. (Technical paper series; no. 39). Delft, The Netherlands, IRC International Water and Sanitation Centre.
- Sorensen, E., Ismail, M., Amarasinghe, D.K., Hettiarachchi, I. & Dassenaieke, T.S. (1994). The effect of the availability of latrines on soil-transmitted nematode infections on the plantation sector in Sri Lanka. *Am J Trop Med Hyg* **51**:36-39.
- Soukhathammavong, P. A., Sayasone, S., Phongluxa, K., Xayaseng, V., Utzinger, J., Vounatsou, P., Hatz, C., Akkhavong, K., Keiser, J. & Odermatt, P. (2012). Low efficacy of single-dose albendazole and mebendazole against hookworm and effect on concomitant helminth infection in lao PDR. *PLoS Negl Trop Dis* **6**: e1417.
- Sow, S., de Vlas, S.J., Polman, K. & Gryseels, B. (2004). Hygiene practices and contamination risks of surface waters by schistosome eggs: the case of an infested village in Northern Senegal. *Bull Soc Pathol Exot* **7**: 12–14.

- Steinmann. P.I., Usualieva, J., Imanalieva, C., Minbaeva, G., Stefiuk, K., Jeandron, A. & Utzinger, J. (2010). Rapid appraisal of human intestinal helminth infections among schoolchildren in Osh oblast, Kyrgyzstan. *Acta Trop* **116**: 178-184.
- Stephenson, L.S., Holland, C.V. & Cooper ES. (2000). The public health of *Trichuris trichiura*. *Parasitol* **121**: S73-S95.
- Stephenson, L.S., Latham, M.C. & Adams, E.J. (1993). Weight gain of Kenyan school children infected with hookworm, *Trichuris trichiura* and *Ascaris lumbricoides* is improving following once- or twice-yearly treatment with albendazole. *J Nutr* **123**: 656-665.
- Stephenson, LS. (1987). Impact of helminth infections on human nutrition: schistosomes and soil transmitted helminths. London: Taylor & Francis.
- Strunz, E.C., Addiss, D.G., Stocks, M.E., Ogden, S., Utzinger, J. & Freeman, M.C. (2014). Water, sanitation, hygiene, and soil-transmitted helminth infection: a systematic review and meta-analysis. *PLoS Med* **11**(3): e1001620.
- Stuckler, D., King, L. & McKee, M. (2011). WHO model List of essential medicines, 17th list, Geneva. *Bull WHO* **24**: 2616-2622.
- Sulaiman, S., Sohadi, A. R., Yunus, H. & Iberahim, R. (1988). The role of some cyclorrhaphan flies as carriers of human helminths in Malaysia. *Med Vet Entomol* **2**(1): 1-6.
- Sullivan, M. (2003). The new subjective medicine: Talking the patient's point of view on health care and health. *Social Sci Med* **56**(7): 1595-1604.
- Supali, T., Djuardi, Y., Bradley, M., Noordin, R., Rückert, P. & Fischer, P.U. (2013). Impact of six rounds of mass drug administration on brugian filariasis and soil-transmitted helminth infections in eastern Indonesia. *PLoS Negl Trop Dis* **7**: e2586.
- Synovitz, L.B. (1999). Using puppetry in a coordinated school health program. *J Sch Health* **69**(4): 145-147.

- Take the poo to the loo. UNICEF India's Nationwide Campaign. Accessed on 15 May 2014. <https://www.poo2loo.com/>
- Tan, K.S., Mirza, H., Teo, J.D., Wu, B. & Macary, P.A. (2010). Current views on the clinical relevance of *Blastocystis* spp. *Curr Infect Dis Rep* **12**: 28-35.
- Taren, D.L., Nesheim, M.C., Crompton, D.W., Holland, C.V., Barbeau, I., Rivera, G., Sanjur, D., Tiffany, J. & Tucker, K. (1987). Contributions of ascariasis to poor nutritional status of children from chiriqui province, Republic of Panama. *Parasitol* **95**: 603-613.
- Thein-Hlaing, Saw, T. & Lwin, M. (1987). Reinfection of people with *Ascaris lumbricoides* following single, 6-month and 12-month interval mass chemotherapy in Okpo village, rural Burma. *Trans R Soc Trop Med Hyg* **81**, 140–146
- Thompson, R.C., Reynoldson, J.A., Garrow, S.C., McCarthy, J.S. & Behnke, J.M. (2001). Towards the eradication of hookworm in an isolated Australian community. *Lancet* **357**: 770-771.
- Thyssen, P.J., Moretti, T.C., Ueta, M.T. & Ribeiro, O.B. (2004). The role of insects (Blattodea, Diptera, and Hymenoptera) as possible mechanical vectors of helminths in the domiciliary and peridomiciliary environment. *Cad Saude Publica* **20**(4): 1096-1102.
- Tilford, S & Tones, K. (2001). Health education. Edition. 3rd ed. Cheltenham, UK : Nelson Thornes.
- Tomono, N., Anantaphruti, M. T., Jongsuksuntigul, P., Thongthien, P., Leerapan, P., Silapharatsamee, Y. & Looareesuwan, S. (2003). Risk factors of helminthiases among schoolchildren in southern Thailand. *Southeast Asian J Trop Med Public Health* **34**(2), 264--268.
- Tones, K. & Tilford, S. (2001). Health promotion: effectiveness, efficiency and equity, 3rd ed. Nelson Thornes, London.

- Tones, K., Tilford, S. & Robinson, Y. (1990). Health education effectiveness and efficiency. London, UK: Chapman & Hall.
- Truscott, J.E., Hollingsworth, T.D., Brooker, S.J. & Anderson, R.M. (2014). Can chemotherapy alone eliminate the transmission of soil transmitted helminths? *Parasit Vectors* **7**: 266.
- Tucker, K.L. & Buranapin, S. (2001). Nutrition and aging in developing countries. *J Nutrition* **131**: 2417-2423.
- Udonsi, J.K., Nwosu, A.B. & Anya, A.O. (1980). Necator americanus: population structure, distribution, and fluctuations in population densities of infective larvae in contaminated farmlands. *Z Parasitenkd* **63**(3): 251-259.
- UNICEF. (2002). School sanitation and hygiene education- India (Technical paper series; no.39).
- Vercruyse, J., Albonico, M., Behnke, J.M., Kotze, A.C., Prichard, R.K., McCarthy, J.S., Montresor, A. & Levecke, B. (2011). Is anthelmintic resistance a concern for the control of human soil-transmitted helminths? *Int J Parasitol Drugs Drug Resist* **1**(1):14-27.
- Villamizar, E., Mendez, M., Bonilla, E., Varon, H. & de Onatra S. (1996). *Ascaris lumbricoides* infestation as a cause of intestinal obstruction in children: experience with 87 cases. *J Pediatr Surg* **31**: 201-204.
- Waikagul, J., Krudsood, S., Radomyos, P., Radomyos, B., Chalemrut, K., Jonsuksuntigul, P., Kojima, S., Looareesuwan, S. & Thaineau, W. (2002). A cross-sectional study of intestinal parasitic infection among schoolchildren in Nan Province, Northern Thailand. *Southeast Asian J Trop Med Public Health* **33**: 218-223.
- Wani, S.A., Ahmad, F., Zargar, S.A., Amin, A., Dar, Z.A. & Dar, P.A. (2010). Intestinal helminthiasis in children of gurez valley of Jammu and Kashmir state, India. *J Glob Infect Dis* **2**: 91.

- Warren, K.S., D.A.P. Bundy, R.M. Anderson, A.R. Davis, D.A. Henderson, D.T. Jamison, N. Prescott, & A. Senft. (1993). Helminth infections. in disease control priorities in developing countries. Edited by D.T. Jamison, Mosley, W.H., Measham, A.R. and Bobadilla, J.L.: Oxford University Press.
- Warunee, N., Choomanee, L., Sataporn, P., Rapeeporn, Y., Nuttapong, W., Sompong, S., Thongdee, S., Bang-On, S. & Rachada, K. (2007). Intestinal parasitic infections among school children in Thailand. *Trop Biomed* **24**(2): 83-88.
- Webb, D.B. (1988). Specialized foster care as an alternative therapeutic out-of-home placement model. *J Clin Child Psychol* **17**(1):34-43.
- Weinstein, N.D. & Sandman, P.M. (1992). A Model of the precaution adoption process: evidence from home radon testing. *Health Psychol* **11**: 170–180.
- Whitehead, D. (2004). Health promotion and health education: advancing the concepts. *J Adv Nurs* **47**(3): 311-320.
- Whitehead, D. (2008). Health promotion: An international Delphi study examining health promotion and health education in nursing practice, education and policy. *J Clin Nurs* **17**, 891–900.
- WHO. (1981). Intestinal protozoan and helminth infections: Report of a WHO Scientific Group. WHO Tech Rep Ser 666. Geneva: World Health Organization.
- WHO. (1987). Prevention and control of intestinal parasitic infections. Report of the WHO scientific group. WHO Technical Report Series: 749. Geneva: World Health Organization.
- WHO. (1996). Strengthening interventions to reduce helminth infections: an entry point for the development health-promoting schools. Geneva: World Health Organization.
- WHO. (1997). Promoting health through schools. Report of a WHO Expert Committee on Comprehensive School Health Education and Promotion. WHO Technical Report Series 870, Geneva: World Health Organization.

- WHO. (1998). Training Manual on Diagnosis of Intestinal Parasites. Geneva: World Health Organization.
- WHO. (1999). Monitoring helminth control programmes. Guidelines for monitoring the impact of control programmes aimed at reducing morbidity caused by soil-transmitted helminths and schistosomes, with particular reference to school-age children. Geneva: World Health Organization.
- WHO. (2001). Report of world health assembly, A54/10. Control of schistosomiasis and soil-transmitted helminth infections. Geneva: World Health Organization.
- WHO. (2002). Prevention and control of intestinal parasitic infections: prevention and control of schistosomiasis and soil-transmitted helminthiasis. Technical Report Series No. 912. Geneva: World Health Organization.
- WHO. (2004). Training manual on diagnosis of intestinal parasites. Based on the WHO bench aids for the diagnosis of intestinal parasites. Geneva: World Health Organization.
- WHO. (2005). Deworming for health and development. Report of the third global meeting of the partners for parasite control. Geneva: World Health Organization.
- WHO. (2006). Preventive chemotherapy in human helminthiasis. Coordinated use of anthelminthic drugs in control interventions: a manual for health professionals and programme managers. Geneva: World Health Organization.
- WHO. (2010). Health report of the Regional office for the Western Pacific Region. Geneva: World Health Organization.
- WHO. (2011). Helminth control in school-age children (2nd ed.). Geneva: World Health Organization.
- WHO. (2012). Accelerating work to overcome the global impact of neglected tropical diseases. London: World Health Organization.

- WHO. (2014). Health education. Geneva: World Health Organization. Accessed on 12 May 2014. http://www.who.int/topics/health_education/en/
- WHO. (2014). Health promotion. Geneva: World Health Organization. Accessed on 13 May 2014. <http://www.who.int/healthpromotion/en/>
- Williams-Blangero, S., Blangero, J. & Bradley, M. (1997). Quantitative genetic analysis of susceptibility to hookworm infection in a population from rural Zimbabwe. *Human Biol* **69**: 201-208.
- Williams-Blangero, S., McGarvey, S.T., Subedi, J., Wiest, PM., Upadhyay, R.P., Rai, D.R., Jha, B., Olds, G.R., Guangling, W. & Blangero, J. (2002). Genetic component to susceptibility to *Trichuris trichiura*: evidence from two Asian populations. *Genet Epidemiol* **22**: 254-264.
- Wolmarans, C.T. & De Kock, K.N. (2009). The influence of health education on the prevalence, intensity and morbidity of *Schistosoma haematobium* infections in children over a two-year period in the Limpopo Province, South Africa. *South Afr J Epidemiol Infect* **24**(1): 13-17.
- Wright, C.C. & Sim, J. (2003). Intention-to-treat approach to data from randomized controlled trials: a sensitivity analysis. *J Clin Epidemiol* **56**: 833-842.
- Wu, G. (2005). Medical parasitology in China: A historical perspective. *Chin Med J* **118**: 759–761.
- Xu, L.S., Pan, B.J., Lin, J.X., Chen, L.P., Yu, S.H. & Jones, J. (2000). Creating health-promoting schools in rural China: a project started from deworming. *Health Promot Int* **15**(3): 197-206.
- Xu, LO., Yu, SH., Jiang, ZX., Yang, JL., Lai, CQ. & Zhang, XJ. (1995). Soil-transmitted helminthiases: nationwide survey in China. *Bull WHO* **73**: 507–513.
- Xue, H.C., Wang, Y., Xiao, S.H., Liu, S., Wang, Y., Shen, G.J., Wu, W.T., Zhan, B., Drake, L., Feng, Z. & Hotez, P.J. (2000). Epidemiology of human ancylostomiasis among rural villagers in Nanlin County (Zhongzhou Village), Anhui Province, China: II.

- Seroepidemiological studies of the age relationships of serum antibody levels and infection status. *South east Asian J Trop Med Publ Health* **31**: 736-741.
- Yap, P., Du, Z.W., Chen, R., Zhang, L.P., Wu, F.W., Wang, J., Wang, X.Z., Zhou, H., Zhou, X.N., Utzinger, J. & Steinmann, P. (2012). Soil-transmitted helminth infections and physical fitness in school-aged Bulang children in southwest China: results from a cross-sectional survey. *Parasit Vectors* **5**: 50.
- Yong, W., Guangjin, S., Weitu, W., Shuhua, X., Hotez, P.J., Qiyang, L., Haichou, X., Xiaomei, Y., Xiaoming, L., Bin, Z., Hawdon, J.M., Li, C., Hong, J., Chunmei, H. & Zheng, F. (1999). Epidemiology of human ancylostomiasis in Nanlin County (Zhongzhou Village), Anhui Province, China. I. Prevalence, intensity and hookworm species identification. *Southeast Asian J Trop Med Public Health* **30**: 692-697.
- Yusof, Z.Y.M. & Jaafar, N. (2013). Health promoting schools and children's oral health related quality of life. *Health Qual Life Outcomes* **11**: 205.
- Zahedi, M., Sabapathy, N.N., Oothuman, P. & AbuBakar, N. (1980). Intestinal nematode infections and efficacy study of oxantel-pyrantel pamoate among plantation workers. *Med J Malaysia* **35**: 31-37.
- Zeehaida, M., Zakaria, N.Z., Noordin, R., Maimunah, A. & Madiyah B. (2011). Strongyloides stercoralis in common vegetables and herbs in Kota Bharu, Kelantan, Malaysia. *Trop Biomed* **28**: 188–193.
- Ziegelbauer, K., Speich, B., Mäusezahl, D., Bos, R., Keiser, J. & Utzinger, J. (2012). Effect of sanitation on soil-transmitted helminth infection: systematic review and meta-analysis. *PLoS Med* **9**: e1001162.
- Zulkifli, A., Anuar, A. K., Atiya, A. & Yano, A. (2000). The prevalence of malnutrition and geo-helminth infections among primary schoolchildren in rural Kelantan. *Southeast Asian J Trop Med Public Health* **31**: 339-345.

LIST OF PUBLICATIONS AND PRESENTATIONS

A. Publications during candidature, directly arising from this thesis

1. **Al-Delaimy AK**, Al-Mekhlafi HM, Nasr NA, Sady H, Atroosh WM, Nashiry M, Anuar TS, Moktar N, Lim YAL, Mahmud R. Epidemiology of intestinal polyparasitism among Orang Asli schoolchildren in rural Malaysia. *PLOS Neglected Tropical Diseases* 2014; 8(8): e3074.
2. **Al-Delaimy AK**, Al-Mekhlafi HM, Nasr NA, Sady H, Atroosh WM, Lim YAL, Mahmud R. **Developing and evaluating health education learning package (HELP) to control soil-transmitted helminth infections among Orang Asli children in Malaysia.** *Parasites and Vectors* 2014; 7:416.
3. **Al-Delaimy AK**, Al-Mekhlafi HM, Nasr NA, Sady H, Atroosh WM, Lim YAL, Mahmud R. **A rapid and high reinfection of soil-transmitted helminth infections among Orang Asli children in rural Malaysia.** *Parasites and Vectors* 2014; **UNDER REVIEW**.
4. **Al-Delaimy AK**, Al-Mekhlafi HM, Nasr NA, Lim YA, Mahmud R. Epidemiology of soil-transmitted helminths infections among aboriginal schoolchildren in rural Malaysia. **(Abstract).** *American Journal of Tropical Medicine and Hygiene* 2013; 98(5 Suppl): 755.

B. Publication during candidature, but not directly arising from this thesis

5. Al-Mekhlafi HM, Al-Zabedi EM, Al-Maktari MT, Atroosh WM, **Al-Delaimy AK**, Moktar N, Salam AA, Abdullah WA, Jani R, Surin J. Effects of vitamin A supplementation on iron status indices and iron deficiency anaemia: A randomized controlled trial. *Nutrients* 2014; 6: 190-206.
6. Al-Mekhlafi HM, Sady H, Mahdy MA, Nasr NA, **Al-Delaimy AK**, Surin J. An unceasing problem: prevalence and risk factors of schistosomiasis among children in Yemen **(Abstract).** *American Journal of Tropical Medicine and Hygiene* 2013; 98(5 Suppl): 897.

C. Conference presentations made during the candidature period (presenter)

1. **Al-Mekhlafi HM, Al-Delaimy AK**, Lim YAL, Mahmud R. Pattern of soil-transmitted helminth re-infections among Orang Asli schoolchildren in Malaysia. The British Society for Parasitology Spring Meeting 2014, Cambridge, UK, 6-9 April 2014.
2. **Ahmed K. Al-Delaimy**, Al-Mekhlafi HM, Lim YAL, Mahmud R. The impact of health education in controlling soil-transmitted helminthiasis. 1st International Conference on Tropical Medicine and Infectious Diseases, Royal College of Medicine, Perak, 4-7 Dec 2012.
3. **Ahmed K. Al-Delaimy**, Ahmed A, Al-Mekhlafi HM, Lim YAL, Mahmud R. Soil-transmitted helminth infections among schoolchildren in Orang Asli and Malay communities in rural Malaysia., JITMM 2012 Mahidol University, Bangkok, Thailand, 12-14 Dec 2012.

Epidemiology of Intestinal Polyparasitism among Orang Asli School Children in Rural Malaysia

Ahmed K. Al-Delaimy^{1,2}, Hesham M. Al-Mekhlafi^{1,3*}, Nabil A. Nasr¹, Hany Sady¹, Wahib M. Atroosh¹, Mohammed Nashiry⁴, Tengku S. Anuar⁵, Norhayati Moktar⁶, Yvonne A. L. Lim¹, Rohela Mahmud¹

1 Department of Parasitology, Faculty of Medicine, University of Malaya, Kuala Lumpur, Malaysia, **2** Department of Community Medicine, Faculty of Medicine, University of Al-Anbar, Al-Anbar, Iraq, **3** Department of Parasitology, Faculty of Medicine and Health Sciences, Sana'a University, Sana'a, Yemen, **4** Institute of Medical Molecular Biotechnology, Faculty of Medicine, University Teknologi MARA, Jalan Hospital, Sungai Buloh, Selangor, Malaysia, **5** Department of Medical Laboratory Technology, Faculty of Health Sciences, Universiti Teknologi MARA, Selangor, Malaysia, **6** Department of Parasitology and Medical Entomology, Faculty of Medicine, Universiti Kebangsaan Malaysia, Jalan Raja Muda Abdul Aziz, Kuala Lumpur, Malaysia

Abstract

Background: This cross-sectional study aimed to investigate the current prevalence and risk factors associated with intestinal polyparasitism (the concurrent infection with multiple intestinal parasite species) among Orang Asli school children in the Lipis district of Pahang state, Malaysia.

Methods/Principal findings: Fecal samples were collected from 498 school children (50.6% boys and 49.4% girls), and examined by using direct smear, formalin-ether sedimentation, trichrome stain, modified Ziehl Neelsen stain, Kato-Katz, and Harada Mori techniques. Demographic, socioeconomic, environmental, and personal hygiene information were collected by using a pre-tested questionnaire. Overall, 98.4% of the children were found to be infected by at least one parasite species. Of these, 71.4% had polyparasitism. The overall prevalence of *Trichuris trichiura*, *Ascaris lumbricoides*, hookworm, *Giardia duodenalis*, *Entamoeba* spp., and *Cryptosporidium* spp. infections were 95.6%, 47.8%, 28.3%, 28.3%, 14.1% and 5.2%, respectively. Univariate and multivariate analyses showed that using an unsafe water supply as a source for drinking water, presence of other family members infected with intestinal parasitic infections (IPI), not washing vegetables before consumption, absence of a toilet in the house, not wearing shoes when outside, not cutting nails periodically, and not washing hands before eating were significant risk factors associated with intestinal polyparasitism among these children.

Conclusions/Significance: Intestinal polyparasitism is highly prevalent among children in the peninsular Malaysian Aboriginal communities. Hence, effective and sustainable control measures, including school-based periodic chemotherapy, providing adequate health education focused on good personal hygiene practices and proper sanitation, as well as safe drinking water supply should be implemented to reduce the prevalence and consequences of these infections in this population.

Citation: Al-Delaimy AK, Al-Mekhlafi HM, Nasr NA, Sady H, Atroosh WM, et al. (2014) Epidemiology of Intestinal Polyparasitism among Orang Asli School Children in Rural Malaysia. PLoS Negl Trop Dis 8(8): e3074. doi:10.1371/journal.pntd.0003074

Editor: Aysegul Taylan Ozkan, Hittit University, Turkey

Received January 24, 2014; **Accepted** June 24, 2014; **Published** August 21, 2014

Copyright: © 2014 Al-Delaimy et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: The work presented in this paper was funded by the University of Malaya High Impact Research Grant UM-MOHE UM.C/625/1/HIR/MOHE/MED/18 from the Ministry of Higher Education, Malaysia, the University of Malaya Research Grant (RG439/12HTM) and PJM-KTP Community Project grant (FL001-13SB). The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing Interests: The authors have declared that no competing interests exist.

* Email: halmekhlafi@yahoo.com

Introduction

Intestinal parasitic infections (IPI) are still public health problems in many communities, particularly among children in rural areas of developing countries. It is estimated that more than 2 billion people worldwide are infected with IPI and more than half of the world's population are at risk of infection [1,2]. These infections are caused by helminth parasites such as soil-transmitted helminths (*Ascaris lumbricoides*, *Trichuris trichiura*, *Strongyloides stercoralis*, and hookworm), *Taenia* spp. and *Hymenolepis nana* or by protozoa such as *Entamoeba histolytica*, *Giardia duodenalis*, and *Cryptosporidium* spp.

IPI are associated with high morbidity particularly among young children and women of childbearing age, and have been termed as 'the cancers of developing nations' by Egger et al.

[3]. IPI can occur in silence as chronic infections and infected individuals are either asymptomatic or suffering from mild diseases. However, acute and severe IPI, especially with pathogenic *Entamoeba* and *Giardia*, may cause fatal diarrhea especially among children and both are commonly associated with travellers' diarrhea [4,5]. Moreover, *Entamoeba* can cause invasive intestinal infection or disseminate to the liver (and rarely to the lung and the brain) causing amebic liver abscess with about 100,000 deaths annually, making amebiasis the second leading cause of death from protozoal diseases, after malaria [6,7]. On the other hand, opportunistic IPI such as *Cryptosporidium*, *Isospora belli*, Microsporidia, and *Strongyloides* infections are commonly reported among immunocompromised individuals with significant morbidity and mortality [8,9].

RESEARCH**Open Access**

Developing and evaluating health education learning package (HELP) to control soil-transmitted helminth infections among Orang Asli children in Malaysia

Ahmed K Al-Delaimy^{1,2}, Hesham M Al-Mekhlafi^{1,3*}, Yvonne AL Lim¹, Nabil A Nasr¹, Hany Sady¹, Wahib M Atroosh¹ and Rohela Mahmud¹

Abstract

Background: This study was carried out to develop a health education learning package (HELP) about soil-transmitted helminth (STH) infections, and to evaluate what impact such a package could have in terms of reducing the incidence and intensity of STH infections among Orang Asli schoolchildren in Pahang, Malaysia.

Methods: To identify the key risk factors of STH in Orang Asli communities, we applied an extensive mixed methods approach which involved an intensive literature review, as well as community-based discussions with children, their parents, teachers and health personnel, whilst also placing the children under direct observation. To evaluate the package, 317 children from two schools in Lipis, Pahang were screened for STH infections, treated by a 3-day course of albendazole and then followed up over the next 6 months. The knowledge of teachers, parents and children towards STH infections were assessed at baseline and after 3 months.

Results: The developed package consists of a half day workshop for teachers, a teacher's guide book to STH infections, posters, a comic book, a music video, a puppet show, drawing activities and an aid kit. The package was well-received with effective contributions being made by teachers, children and their parents. The incidence rates of hookworm infection at different assessment points were significantly lower among children in the intervention school compared to those in the control school. Similarly, the intensity of trichuriasis, ascariasis and hookworm infections were found to be significantly lower among children in the HELP group compared to those in the control group ($P < 0.05$). Moreover, the package significantly improved the knowledge, attitude and practices (KAP) of Orang Asli people and the knowledge of teachers towards STH infections.

Conclusion: A school-based health education learning package (HELP) was developed which displayed a significant impact in terms of reducing the intensity of all three main STH infections, as well as in reducing the prevalence of hookworm infections. Moreover, the knowledge levels of both teachers and the Orang Asli population regarding STH was significantly improved, a fact which greatly helped in attracting community participation and thus raising the general level of awareness regarding these forms of infections.

Keywords: Soil-transmitted helminth, Health education learning package, Neglected tropical diseases, Reinfection, Orang Asli, Children, Malaysia

* Correspondence: halmekhlafi@yahoo.com

¹Department of Parasitology, Faculty of Medicine, University of Malaya, 50603 Kuala Lumpur, Malaysia

³Department of Parasitology, Faculty of Medicine and Health Sciences, Sana'a University, Sana'a, Yemen

Full list of author information is available at the end of the article