## LIST OF TABLES

Tables	Captions	Pages
Table 2.1.	Properties of some polymers	13
Table 2.2.	Properties of some common solvents	13
Table 2.3.	Lattice energy of some salts based on Kapustinskii equation	14
Table 2.4.	Physical Properties of some plasticizers	16
Table 2.5.	Conductivities of some ammonium-based PEs	18
Table 2.6.	Conductivities and applications of PCL-based PEs	23
Table 3.1.	Weight fraction of the PCL-NH <sub>4</sub> SCN samples	30
Table 3.2.	Weight fraction of the PCL-NH <sub>4</sub> SCN-EC samples	31
Table 3.3.	The required sample size of different type of measurement	33
Table 4.1.	DSC results of PCL-NH <sub>4</sub> SCN complexes added with 0 to 32 wt.% NH <sub>4</sub> SCN	50
Table 4.2.	DSC results of pure PCL and PCL-NH <sub>4</sub> SCN-EC complexes added with 0 to 50 wt.% EC	55
Table 6.1.	Assignments of IR spectra for pure PCL film	88
Table 6.2.	Assignments of IR spectra for NH <sub>4</sub> SCN and THF	90
Table 6.3.	Assignments of FTIR spectra for pure EC	102
Table 6.4.	IR spectra with corresponding wavenumber changes for EC-NH <sub>4</sub> SCN electrolyte added with 10 wt.% and 30 wt.% NH <sub>4</sub> SCN	107
Table 7.1.	The demarcation frequency for PCL-NH <sub>4</sub> SCN films added with 0 to 32 wt.% NH <sub>4</sub> SCN, taken from the loss tangent peak	142
Table 7.2.	The VTF fitted parameters from temperature dependence of conductivity for PCL-NH <sub>4</sub> SCN films added with 0 to 32 wt.% NH <sub>4</sub> SCN	149
Table 7.3.	The VTF fitted parameters from temperature dependence of conductivity for PCL-NH <sub>4</sub> SCN-EC films added with 0 to 50 wt.% EC	172