

ACKNOWLEDGEMENT

It is my pleasure to acknowledge my supervisors, Assoc. Prof. Dr. Norbani Abdullah, and Prof. Dr. Zainudin Arifin, both from the Department of Chemistry, Faculty of Science, University of Malaya, for their continuous encouragement and support throughout my candidature.

Many thanks to all helpful staffs in the Chemistry Department, University of Sheffield, England, especially the G8 room members: Dr. Anthony Meijer, Jason Loader and Ben Irving, for their warm hospitality and kindness in coaching me theoretical chemistry, and Prof. Lee Brammer and Harry Adams for giving me the precious opportunity to learn X-ray crystallography.

My deepest gratitude to the beloved mom, dad, brother and sister, for always being there whenever needed, and to all my friends who have contributed in one way or another to this work.

I wish to thank my dear son and husband, Anas and Azril Reyes, for being in my life so wonderfully, and for the love and comfort that have made all my difficult times less painful.

The credits are also goes to the Malaysia Ministry of Higher Education and University of Malaya for the research grants UM.C/625/1/HIR/MOHE/05 and FP008/2011A, respectively.

Last but not least, I would like to dedicate this work to Prof. Bohari M. Yamin, from the School of Chemical Sciences, Universiti Kebangsaan Malaysia, a very passionate person whom I have known for many years.