

TABLE OF CONTENTS

	Page
ABSTRACT	iii
ABSTRAK	iv
ACKNOWLEDGEMENT	v
TABLE OF CONTENTS	vi
LIST OF FIGURES	ix
LIST OF TABLES	xi
LIST OF ABBREVIATIONS AND SYMBOLS	xii
LIST OF APPENDICES	xiv
CHAPTER 1	
GENERAL INTRODUCTION	
1.1 Polymer recycling	1
1.2 Recycling methods	1
1.3 Poly(ethylene terephthalate)	2
1.4 Chemical Recycling of PET	4
1.5 Production of PU foam from recycled PET	5
1.6 Scope of work	6
REFERENCES	8
CHAPTER 2	
GLYCOLYSIS OF POLYETHYLENE TEREPHTHALATE (PET)	
2.1 INTRODUCTION	11
2.2 EXPERIMENTAL	12
2.2.1 Materials and reagents	12
2.2.2 Glycolysis conversion of recycled PET flakes	12
	vi

2.2.3	Polyester polyol from recycled PET flakes	14
2.2.4	Procedure and Characterisation	16
	2.2.4.1 Determination of Hydroxyl Value (OHv)	
	2.2.4.2 Determination of molecular weight	
	2.2.4.3 Determination of moisture content	
	2.2.4.4 Determination of acid value	
	2.2.4.5 FTIR and ¹ H NMR spectroscopy	
	2.2.4.6 Thermogravimetric analysis (TGA)	
2.3	RESULTS AND DISCUSSION	19
2.3.1	Glycolysis of PET flakes	19
	2.3.1.1 Influence of equivalent weight ratio	
	2.3.1.2 Influence of glycolysis temperature	
	2.3.1.3 Influence of glycolysis time	
2.3.2	Characteristics of glycolysed PET	
2.4	CONCLUSION	34
2.5	REFERENCES	35

CHAPTER 3

MODIFICATION OF POLYESTER POLYOL FROM PET FLAKES TO PRODUCE PU FOAM

3.1	INTRODUCTION	38
3.2	EXPERIMENTAL	38
	3.2.1 Materials	38
	3.2.2 Preparation of polyol mixture	39
	3.2.3 Formation of PU foams from polyol mixture	40
	3.2.3.1 Free rise foaming	
	3.2.3.2 Determination and variation of isocyanate index	

3.2.3.3	Variation of percentage of glycolysed PET in polyol mixture	
3.2.4	Characterisation	43
3.2.4.1	Polyol mixture viscosity	
3.2.4.2	Cell structure of the PU foam	
3.2.4.3	FTIR of PU foam	
3.2.4.4	Determination of foam density	
3.2.4.5	Compression strength of foam	
3.3	RESULTS AND DISCUSSION	47
3.3.1	Polyol mixture of glycolysed PET	47
3.3.1.1	Viscosity	
3.3.1.2	Effect of hydroxyl value	
3.3.2	Formation of PU foam	50
3.3.2.1	Effect of materials used	
3.3.2.2	FTIR of PU foam	
3.3.2.3	Cell structure of the PU foam	
3.3.2.4	Density and compression strength	
3.3.2.5	Effect of isocyanate index	
3.3.2.6	Variation in percentages of glycolysed PET	
3.4	CONCLUSION	67
3.5	REFERENCES	68
CHAPTER 4		
4.1	CONCLUSION SUMMARY	69
4.2	SUGGESTION FOR FUTURE WORKS	70
4.3	REFERENCES	71
	APPENDIX	72

