

REFERENCES

- Akiba, M. & Hashim, A.S. (1997). Vulcanisation and crosslinking in elastomers. *Progress in Polymer Science*, 22(3), 475-521.
- Alex, R., De, P.P., & De, S.K. (1989). Self-vulcanizable rubber blend system based on epoxidized natural rubber and carboxylated nitrile rubber. *Journal of Polymer Science Part C: Polymer Letters*, 27(10), 361-367.
- Alex, R. & De. P.P. (1990a). Characterization of self-vulcanisable blends of epoxidized natural rubber and carboxylated nitrile rubber by Monsanto rheometry, differential scanning calorimetry, thermogravimetry, infrared spectrophotometry and swelling. *Kautschuk und Gummi, Kunststoffe*, 43, 1002-1005.
- Alex, R., De, P.P. & De, S.K. (1990b). Epoxidized natural rubber-carboxylated nitrile rubber blend: a self-vulcanizable miscible blend system. *Polymer Communications*, 31(3), 118-120.
- Alex, R. & De, P.P. (1991a). Self-vulcanisable rubber-rubber blends based on epoxidised natural rubber and polychloroprene. *Kautschuk und Gummi, Kunststoffe*, 44(4), 333-335.
- Alex, R., De, P.P. & De, S.K. (1991b). Self-vulcanizable ternary rubber blend based on epoxidized natural rubber, carboxylated nitrile rubber and polychloroprene rubber: 1. Effect of blend ratio, moulding time and fillers on miscibility. *Polymer*, 32(13), 2345-2350.
- Ang, D.T.C. & Gan, S.N. (2012). Novel approach to convert non-self drying palm stearin alkyds into environmental friendly UV curable resins. *Progress in Organic Coatings*, 73(4), 409-414.

- Antony, P., De, S.K. & Duin, M.V. (2001). Self-crosslinking rubber/rubber and rubber/thermoplastic blends: a review. *Rubber Chemistry and Technology*; 74(3), 376-408.
- Ataei, S., Yahya, R. & Gan, S.N. (2011). Fast physical drying, high water and salt resistant coatings from non-drying vegetable oil. *Progress in Organic Coatings*, 72(4), 703-708.
- Ataei, S., Yahya, R. & Gan, S.N. (2012). Study of thermal decomposition kinetics of palm oleic acid-based alkyds and effect of oil length on thermal stability. *Journal of Polymers and the Environment*, 20(2), 507-513.
- Blaine, R.L. & Kissinger, H.E. (2012). Homer Kissinger and the Kissinger equation. *Thermochimica Acta*, 540, 1-6.
- Bloomfield, G.F. & Farmer, E.H. (1934). The oxidation of rubber with aqueous hydrogen peroxide-acetic acid mixtures. *Journal of the Society of Chemical Industry*, 53, 121T.
- Braun, D., Cherdron, H., Rehahn, M., Ritter, H. & Voit, B. (2000). *Polymer synthesis: Theory and practice: Fundamentals, methods, experiments*. Heidelberg: Springer-Verlag.
- Brown, S.B. (2002). Reactive compatibilization of polymer blends. In L.A. Utracki (Ed.), *Polymer Blends Handbook* (pp. 339-343). Netherlands: Kluwer Academic Publisher.
- Brydson, J.A. (1994). *Speciality rubbers* (Vol. 7). Shropshire: Rapra Technology Ltd.
- Burfield, D., Lim, K.L. & Law, K.S. (1984a). Epoxidation of natural rubber lattices. *Journal of Applied Polymer Science*, 29(5), 1661.

- Burfield, D.R., Lim, K.L., Law, K.S. & Ng, S. (1984b). Analysis of epoxidized natural rubber. A comparative study of d.s.c., n.m.r., elemental analysis and direct titration methods. *Polymer*, 25(7), 995-998.
- Chowdhury, R. (2007). Electrom-beam-induced crosslinking of natural rubber/acrylonitrile-butadiene rubber latex blends in the presence of ethoxylated pentaerythritol tetraacrylate used as a crosslinking promoter. *Journal of Applied Polymer Science*, 103(2), 1206-1214.
- Coran, A.Y. (2005). Vulcanization. In J.E. Mark, B. Erman & F. R. Eirich (Eds.), *Science and technology of rubber* (pp. 321-361). London: Elsevier Academic Press.
- Datta, S. (2005). Elastomer blends. In J.E. Mark, B. Erman & F.R. Eirich (Eds.), *The science and technology of rubber* (pp. 550). Burlington: Elsevier Academic Press.
- Davey, J.E. & Loadman, M.J.R. (1984). A chemical demonstration of the randomness of epoxidation of natural rubber. *British Polymer Journal*, 16(3), 134-138.
- De, S.K. & Antony, P. (2001). Thermoplastic Elastomers. In J.R. White & S.K. De (Eds.), *Rubber Technologist's Handbook* (pp. 87-91). Shrosphire: Rapra Technology Ltd.
- Deligny, P. & Tuck, N. (2000). Alkyd resins. In P.K.T. Oldring (Ed.), *Resins for surface coatings Vol. II: Alkyds & polyester* (pp.45). London: John Wiley & Sons Inc.
- Doty, P. & Zable, H.S. (1946). Determination of polymer-liquid interaction by swelling measurements. *Journal of Polymer Science*, 1(2), 90-101.

- Dowdy, D.R. (1987). Meaningful activation energies for system-I. The application of the Ozawa-Flynn-Wall method to multiple reactions. *Journal of Thermal Analysis*, 32(1), 137-147.
- Elliot, W.T. (1993). Chapter 5: Alkyd resins. In Oil and Colour Chemists' Association Australia (Ed.), *Surface coatings (Vol. 1): Raw materials and their usage* (pp. 77-79). London: Chapman and Hall.
- Erceg, M., Kovacic, T. & Klaric, I. (2005). Dynamic thermogravimetric degradation of poly(3-hydroxybutyrate)/aliphatic-aromatic copolyester blends. *Polymer Degradation and Stability*, 90, 86-94.
- Flory, P.J. & Rehner, J.J. (1943). Statistical mechanics of cross-linked polymer networks. II. Swelling. *Journal of Chemical Physics*, 11(11), 521-526.
- Gan, S.N. & Burfield, D.R. (1989). DSC studies of the reaction between epoxidized natural rubber and benzoic acid. *Polymer*, 30(10), 1903-1908.
- Gelling, I.R. (1985). Modification of natural rubber latex with peracetic acid. *Rubber Chemistry and Technology*, 58(1), 86-96.
- Gelling, I.R. & Morrison, N.J. (1985). Sulfur vulcanisation and oxidative aging of epoxidized natural rubber. *Rubber Chemistry and Technology*, 58(2), 243-257.
- Gelling, I.R. (1991). Epoxidised natural rubber. *Journal of Natural Rubber Research*, 6(3), 184-205.
- George, S.C. & Thomas, S. (2011). Manufacturing of multiphase polymeric system. In A. Boudenne, L. Ibos, Y. Candau & S. Thomas (Eds.), *Handbook of multiphase polymer systems* (pp. 123-132). West Sussex: John Wiley and Sons Ltd.

- Ghaim, J.B. & Volz, E.D. (2001). Skin cleansing bars. In A.O. Barel, P. Marc & H.I. Maibach (Eds.), *Handbook of cosmetic science and technology* (pp. 485-487). New York: Marcel Dekker Inc.
- Ghosh, P., Sen, A.K. & Ray, P. (1992). Crosslinking in blends of nitrile rubbers and poly(vinyl chloride). *Polymer*, 33(4), 744-754.
- Ghosh, P. (2008). *Polymer science and technology: Plastics, rubbers, blends and composites*. New Delhi: Tata McGraw Hill.
- Goldsmith, H.A. (1948). Alpha and beta-hydroxyls of glycerol in preparation of alkyd resins. *Industrial & Engineering Chemistry*, 40, 1205-1211.
- Guner, F.S., Yagci, Y. & Erciyes, A.T. (2006). Polymers from triglyceride oils. *Progress in Polymer Science*, 31(7), 633-670.
- Hashim, A.S. & Kohjiya, S. (1994). Curing of epoxidized natural rubber with p-phenylenediamine. *Journal of Polymer Science: Part A: Polymer Chemistry*, 32(6), 1149-1157.
- Ho, C.C., Khew, M.C. & Liew, Y.F. (2001). Surface morphology of asymmetric latex film prepared from blends of natural rubber and poly(methyl methacrylate) latexes. *Surface and Interface Analysis*, 32(1), 133-143.
- Issam, A.M. & Cheun, C.Y. (2009). A study of the effect of palm oil on the properties of a new alkyd resin. *Malaysian Polymer Journal*, 4(1), 42-49.
- Johnson, T. & Thomas, S. (2000). Effect of epoxidation on transport behaviour and mechanical properties of natural rubber. *Polymer*, 41(20), 7511-7522.

- Khong, Y.K. & Gan, S.N. (2013). Blends of phthalic anhydride-modified palm stearin alkyds with high carboxylic acid contents with epoxidized natural rubber. *Journal of Applied Polymer Science*, 130(1), 153-160.
- Khong, Y.K., Ang, D.T.C. & Gan, S.N. (2014). Ultraviolet-induced free radical reactions in ENR50/alkyd blend leading to significant increase in cross-linking. (Accepted for publication in *Journal of Elastomers & Plastics*).
- Kienzle, S.Y. (1988). Polymer blends and alloys: Expanding opportunities for plastics. In M.A. Kohudic (Ed.), *Advances in polymer blends and alloys technology Vol 1* (pp. 1-11). Pennsylvania: Technomic Publishing Company, Inc.
- Kissinger, H.E. (1957). Reaction kinetics in differential thermal analysis. *Analytical Chemistry*, 29, 1702-1706.
- Koleske, J.V. (2002). *Radiation Curing of Coatings*. Bridgeport, New Jersey: ASTM International.
- Kongsager, R. & Reenberg, A. (2012). *Contemporary land use transitions: The global oil palm expansion, GLP Report No. 4*. Copenhagen: GLP-IPO.
- Kridli, G. T. (2006). Material properties and characterization. In A.K. Kamrani & E.A. Nasr (Eds.), *Rapid prototyping: Theory and practice* (pp. 19). New York: Springer Science+ Business Media, Inc.
- Kroschwitz, J.I. & Hoboken, N.J. (2003). *Encyclopedia of polymer science and technology (Vol. 1)*. New York: John Wiley & Sons Inc.
- Lee, J.Y., Shim, M.J. & Kim, S.W. (2001). Thermal decomposition kinetics of an epoxy resin with rubber-modified curing agent. *Journal of Applied Polymer Science*, 81(2), 479-485.

- Lee, S.Y., Gan, S.N., Hassan, A., Terakawa, K., Hattori, T., Ichikawa, N. & Choong, D.H. (2011). Reactions between epoxidized natural rubber and palm oil-based alkyds at ambient temperature. *Journal of Applied Polymer Science*, 120(3), 1503-1509.
- Levchik, G.F., Si, K., Levchik, S.V., Camino, G. & Wilkie, C.A. (1999). The correlation between cross-linking and thermal stability: Cross-linked polystyrenes and polymethacrylates. *Polymer Degradation and Stability*, 65, 395-403.
- Lin, S.W. (2011). Palm oil. In F.D. Gunstone (Ed.), *Vegetable oils in food technology: Composition, properties and uses* (pp. 25-32). West Sussex: John Wiley & Sons Ltd.
- Loo, C.T. (1985). Vulcanization of epoxidized natural rubber with dibasic acids. *Proceedings of International Rubber Conference Vol. II* (pp. 368). Kuala Lumpur, Malaysia: Rubber Research Institute of Malaysia.
- Mahomed, A., Hukins, D.W.L. & Kukureka, S.N. (2010). Swelling of medical grade silicones in liquids and calculation of their cross-link densities. *Medical Engineering & Physics*, 32(4), 298-303.
- Mallick, A., Tripathy, D.K. & De, S.K. (1993). Effect of reinforcing carbon black filler on thermally induced crosslinking of polyacrylic acid-epoxidized natural rubber blend. *Journal of Applied Polymer Science*, 50(9), 1627-1634.
- Manea, M. (2008). *High solid binders*. Hannover, Germany: Vincentz Network GmbH & Co. KG.

- Manoj, N.R., De, P.P. & De, S.K. (1993). Thermally induced crosslinking in the immiscible blend of zinc sulfonated ethylene-propylene-diene monomer rubber and epoxidised natural rubber. *Polymer*, 34(10), 2128-2134.
- Manoj, N.R., De, P.P., De, S.K. & Peiffer, D.G. (1994). Self-crosslinkable blend of zinc-sulfonated EPDM and epoxidized natural rubber. *Journal of Applied Polymer Science*, 53(3), 361-370.
- Menczel, J.D., Judovits, L., Prime, R.B., Bair, H.E., Reading, M. & Swier, S. (2009). Differential Scanning Calorimetry. In J.D. Menczel & R.B. Prime (Eds.), *Thermal analysis of polymers: Fundamental and applications* (pp. 100). New Jersey: John Wiley & Sons.
- Mohanty, S., Nando, G.B., Vijayan, K. & Neelakanthan, N.R. (1996). Mechanical and dynamic mechanical properties of miscible blends of epoxidised natural rubber and poly(ethylene-co-acrylic acid). *Polymer*, 37(24), 5387-5394.
- Mohanty, S & Nando, G.B. (1997). Characterisation of ionomers formed in situ from miscible blends of poly(ethylene-co-acrylic acid) (PEA) and epoxidized natural rubber (ENR). *Polymer*, 38(6), 1395-1402.
- Mousa, A., Ishiaku, U.S. & Mohd, I.Z.A. (1998). Oil-resistance studies of dynamically vulcanized poly(vinyl chloride)/ epoxidized natural rubber thermoplastic elastomer. *Journal of Applied Polymer Science*, 69(7), 1357-1366.
- Muccio, E.A. (1991). *Plastic part technology*. Materials Parks: ASM International.
- Mukhopadhyay, S., Chaki, T.K. & De, S.K. (1990a). Self-vulcanizable rubber blend based on epoxidized natural rubber and hypalon. *Journal of Polymer Science part C: Polymer Letters*, 28(1), 25-30.

- Mukhopadhyay, S. & De, S.K. (1990b). Self-vulcanizable rubber blend system based on epoxidized natural rubber and chlorosulphonated polyethylene. *Journal of Material Science*, 25(9), 4027-4031.
- Mukhopadhyay, S., De, P.P. & De, S.K. (1991a). A self-vulcanizable and miscible blend system based on hypalon and carboxylated nitrile rubber. *Journal of Applied Polymer Science*, 43(2), 347-355.
- Mukhopadhyay, S. & De, S.K. (1991b). Self-vulcanizable rubber blend based on neoprene and carboxylated nitrile rubber: Effect of blend ratio on miscibility and physical properties. *Journal of Applied Polymer Science*, 43(12), 2283-2293.
- Mukhopadhyay, S. & De, S.K. (1992). Self-vulcanizable rubber blend system based on neoprene and carboxylated nitrile rubber. *Journal of Applied Polymer Science*, 45(1), 181-185.
- Muller, B. & Poth, U. (2006). *Coatings formulation*. Hannover: Vincentz Network GmbH & Co. KG.
- Nakason, C., Tobprakhon, A. & Kaesaman, A. (2005). Thermoplastic vulcanizates based on poly(methyl methacrylate)/epoxidized natural rubber blends: Mechanical, thermal and morphological properties. *Journal of Applied Polymer Science*, 98(3), 1251-1261.
- Nakason, C., Wannavilai, P. & Kaesaman, A. (2006). Effect of vulcanization system on properties of thermoplastic vulcanizates based on epoxidized natural rubber/polypropylene blends. *Polymer Testing*, 25(1), 34-41.
- Ng, S.C. & Gan, L.J. (1981). Reactions of natural rubber latex with performic acid. *European Polymer Journal*, 17(10), 1073-1077.

- Ng, S.C. & Chee, K.K. (1997). Solubility parameters of copolymers as determined by turbidimetry. *European Polymer Journal*, 33(5), 749-752.
- Niranjan, K. (2009). *Fundamentals of polymers: raw materials to finish products*. New Delhi: PHI Learning Private Limited.
- Nordstrom, J.D. (2003). Polymers for coatings for plastics. In R.A. Ryntz & P.V. Yaneff (Eds.), *Coatings of polymer and plastics* (pp. 140). New York: Marcel Dekker Inc.
- Odetoeye, T.E., Ogunniyi, D.S. & Olatunji G.A. (2010). Preparation and evaluation of *Jatropha curcas* Linneaus seed oil alkyd resins. *Industrial Crops and Products*, 32, 225-230.
- Oommen, Z. & Thomas, S. (1997). Compatibility studies of natural rubber/ poly(methyl methacrylate) blends by viscometry and phase separation techniques. *Journal of Materials Science*, 32(22), 6085-6094.
- Parkes, A. (1846). *English Patent 11,147*
- Patton, T. C. (1962). *Alkyd Resin Technology: Formulating Techniques and Allied Calculations*. New York: Interscience Publisher.
- Paul, S. (1986). *Surface coatings: science and technology*. New York: John Wiley & Sons.
- Peacock, A.J. & Calhoun, A. (2006). *Polymer chemistry: properties and applications*. Ohio: Hanser Gardner Publications.
- Pire, M., Norvez, S., Iliopoulos, I., Rossignol, B.L. & Leibler, L. (2010). Epoxidized natural rubber/dicarboxylic acid self-vulcanized blends. *Polymer*, 51, 5903-5909.

- Pire, M., Norvez, S., Iliopoulos, I., Rossignol, B.L. & Leibler, L. (2011). Imidazole-promoted acceleration of crosslinking in epoxidized natural rubber/dicarboxylic acid blends. *Polymer*, 52, 5243-5249.
- Poh, B.T., Chen, M.F. & Ding, B.S. (1996). Cure characteristics of unaccelerated sulfur vulcanization of epoxidised natural rubber. *Journal of Applied Polymer Science*, 60(10), 1569-1574.
- Popescu, C. (1996). Integral method to analyze the kinetics of heterogeneous reactions under non-isothermal conditions a variant on the Ozawa-Flynn-Wall method. *Thermochimica Acta*, 285, 309-323.
- Prolongo, M.G., Salom, C. & Masegosa, R.M. (2002). Glass transitions and interactions in polymer blends containing poly(4-hydroxystyrene) brominated. *Polymer*, 43, 93-102.
- Ramesh, P. & De, S.K. (1990). Self-crosslinkable plastic-rubber blend system based on poly(vinyl chloride) and carboxylated nitrile rubber. *Polymer Communications*, 31(12), 466-469.
- Ramesh, P. & De, S.K. (1991). Self-cross-linkable plastic-rubber blend system based on poly(vinyl chloride) and epoxidized natural rubber. *Journal of Materials Science*, 26(11), 2846-2850.
- Ramesh, P. & De, S.K. (1992). Interfacial crosslinking in an immiscible plastic/rubber blend based on polyacrylic acid and polychloroprene. *Polymer*, 33(17), 3627-3634.
- Ramesh, P. & De, S.K. (1993a). Evidence of thermally induced chemical reactions in miscible blends of poly(vinyl chloride) and epoxidized natural rubber. *Polymer*, 34(23), 4893-4897.

- Ramesh, P. & De, S.K. (1993b). Carboxylated nitrile rubber as a reactive compatibilizer for immiscible blends of poly(vinyl chloride) and epoxidized natural rubber. *Journal of Applied Polymer Science*, 50(8), 1369-1377.
- Ratnam, C.T. & Zaman, K. (1999). Modification of PVC/ENR blend by electron beam irradiation: Effect of crosslinking agents. *Nuclear Instruments and Methods in Physic Research B*, 152, 335-342.
- Reddy, V.A., Sampathkumaran, P.S. & Gedam, P.H. (1986). Effect of oil length of alkyd on the physico-chemical properties of its coatings. *Progress in Organic Coatings*, 14(1), 87-97.
- Ricklin, S. (May 1983). Solvent-cast films. *Plastics Engineering*, 39, 29-33.
- Robeson, L.M. (2007) *Polymer blends: A comprehensive review*. Ohio: Hanser Gardner Publications Inc.
- Roychoudhury, A., De, P.P., Bhowmick, A.K. & De, S.K. (1992). Self-crosslinkable ternary blend of chlorosulphonated polyethylene, epoxidized natural rubber and carboxylated nitrile rubber. *Polymer*, 33(22), 4737-4740.
- Sen, A.K. & Mukherjee, G.S. (1993). Studies on the thermodynamic compatibility of blends of poly(vinyl chloride) and nitrile rubber. *Polymer*, 34(11), 2386-2391.
- Sestak, J. (1984). Thermophysical properties of solids, their measurements and theoretical analysis. Amsterdam: Elsevier.
- Shaw, M. T. (1985). Preparation of blends. In D.J. Walsh, J.S. Higgins & A. Maconnachie (Eds.), *Polymer blends and mixtures* (pp.62-63). Dordrecht: Martinus Nijhoff Publication.

- Sin, M.C., Tan, I.K.P., Annuar, M.S.M. & Gan, S.N. (2012). Thermal behaviour and thermodegradation kinetics of poly(vinyl chloride) plasticized with polymeric and oligomeric medium-chain-length poly(3-hydroxyalkanoates). *Polymer Degradation and Stability*, 97, 2118-2127.
- Sivalingham, G., De, P., Karthik, R. & Madras, G. (2004). Thermal degradation kinetics of vinyl polyperoxide copolymers. *Polymer Degradation and Stability*, 84(1), 173-179.
- Standeven, H. (2007). "Cover the earth": A history of the manufacture of household gloss paints in Britain and United States from 1920s to 1950s. In T.D. Learner (Ed.), *Modern paints uncovered: proceedings from the modern paints uncovered symposium* (pp.75-82). Los Angeles: Getty Conservation Institute.
- Stoye, D. (1996) Alkyd resins. In D. Stoye & W. Freitag (Eds.), *Resins for coatings: chemistry, properties and applications* (pp. 60-80). Munchen, Germany: Carl Hanser Verlag.
- Suh, K.W. & Clarke D.H. (1967). Cohesive energy densities of polymers from turbidimetric titrations. *Journal of Polymer Science Part A-1: Polymer Chemistry*, 5(7), 1671-1681.
- Taylor, C. J. A. & Marks, S. (1972). *Paint Technology Manuals: Convertible Coatings*. London: Chapman and Hall.
- Teo, K.T. & Gan, S.N. (1997a). *Novel water-reducible alkyd prepared from palm stearin*. Paper presented at the 7th Asia-Pacific Conference, Waterborne Coatings, Inks and Adhesives, 26-27 May, Kuala Lumpur.
- Teo, K.T. & Gan, S.N. (1997b). Novel water-reducible alkyd prepared from palm stearin. *Paint & Ink International*, October, 26-30.

- Teo, K.T. & Gan, S.N. (1999). Effects of composition variations and curing conditions on the gloss of water reducible clear coatings prepared from palm stearin alkyds. *Surface Coatings International, JOCCA*, 82(1), 31-36.
- Thitithammawong, A., Nakason, C., Sahakaro, K. & Noordermeer, J.W.M. (2007). Thermoplastic vulcanizates based on epoxidized natural rubber/polypropylene blends: Selection of optimal peroxide type and concentration in relation to mixing conditions. *European Polymer Journal*, 43(9), 4008-4018.
- Utracki, L.A. (2002). Introduction to polymer blends. In L.A. Utracki (Ed.), *Polymer Blends Handbook* (pp. 1-96). Netherlands: Kluwer Academic Publisher.
- Utracki, L.A. & Shi, G.Z.H. (2002) Compounding polymer blends. In L.A. Utracki (Ed.), *Polymer Blends Handbook* (pp. 577). Netherlands: Kluwer Academic Publisher.
- Wang, C.C., Lin, G., Pae, J.W., Jones, F.N., Ye, H.J. & Shen, W.D. (2000). Novel synthesis of carboxy-functional soybean acrylic-alkyd resins for water-reducible coatings. *Journal of Coatings Technology*, 72(904), 55-61.
- Wicks, Z.W., Jones, F.N., Pappas, S.P. & Wicks, D.A. (2007). *Organic coatings: science and technology*. New Jersey: John Wiley & Sons Inc.
- Yao, Q. & Wilkie, C.A. (2000). How does cross-linking affect the thermal stability of polyisoprene? *Polymer Degradation and Stability*, 69, 287-296.
- Zeng, W., Du, Y., Xue, Y. & Frisch, H.L. (2007). Solubility parameters. In J.E. Mark (Ed.), *Physical properties of polymer handbook* (2nd ed.) (pp. 289-304). New York, NY: Springer.