

LIST OF FIGURE

Figure 1.1	The structure of the cluster $[M_3O(O_2CR)_6L_3]^+$	2
Figure 1.2	Types of active centres	8
Figure 1.3	Branch structures of PE	19
Figure 2.1	Crystal of CI[1] complex	28
Figure 2.2	The electronic spectrum of complexes; (a) complex CI[1] (b) complex CI[2] (c) complex CI[3] (d) complex CI[4] (e) complex CI[5]	37
Figure 2.3	IR spectra of complexes: (a) Complex CI[1] , (b) Complex CI[2] , (c) Complex CI[3] , (d) Complex CI[4] , (e) Complex CI[5]	42
Figure 2.4	TGA thermogram of complexes: (a) Complex CI[1] , (b) Complex CI[2] , (c) Complex CI[3] , (d) Complex CI[4] , (e) Complex CI[5]	46
Figure 2.5	Thermal ellipsoid plot of (a) complex CI[1] (b) complex CI[4]	49
Figure 3.1	Dry box	62
Figure 3.2	Scheme of gasline	63
Figure 3.3	Polyethylene obtained from the polymerization using CI[1] and Al/Cr molar ratio of 26.2 at 30°C	70
Figure 3.4	Plot of drop in preassure versus time for the polymerization of ethylene using CI[1] and Al/Cr molar ratio of 26.2 at 30°C	73
Figure 3.5	Plot of accumulative yield versus time for the polymerization of ethylene using CI[1] and Al/Cr molar ratio of 26.2 at 30°C	73
Figure 3.6	Kinetic curve for the polymerization of ethylene using CI[1] , Al/Cr molar ratio 26.2 at 30°C	74
Figure 3.7	Kinetic curve for the polymerization of ethylene using CI[1] at 30°C with different Al/Cr molar ratios	76
Figure 3.8	Plot of maximum initial activity versus Al/Cr molar ratio for the polymerization of ethylene	77
Figure 3.9	Kinetic curve for the polymerization of ethylene using different catalysts at 30°C at the optimum Al/Cr molar ratio	79
Figure 3.10	Plot of the maximum initial activity of the complexes in the polymerization of ethylene at 30°C	80
Figure 3.11	Plot of accumulative yield versus time for every complexes in the	81

	polymerization of ethylene at 30°C	
Figure 3.12	Yield of the PE	81
Figure 3.13	Accumulative yield for the polymerization of ethylene at different temperatures using: (a) Catalyst CI[1] (b) Catalyst CI[5]	84
Figure 3.14	Plot of $\ln P$ versus time using CI[1]	86
Figure 3.15	IR spectra of PE- CI[1]	88
Figure 3.16	Thermogram of PE- CI[1]	91
Figure 3.17	DSC scan of PE- CI[1] (Cr/Al = 26.2)	92
Figure 4.1	Plot of pressure versus time for the polymerization of ethylene-SMRCV(1.0%)	106
Figure 4.2	Kinetic curve for the polymerization of ethylene-SMRCV	107
Figure 4.3	Plot $\ln P$ versus time for the polymerization of ethylene-SMRCV(1.0%)	109
Figure 4.4	Plot of maximum initial activity versus percentage of SMRCV in toluene for the polymerization of ethylene-SMRVC	110
Figure 4.5	Plot pressure drop versus time for the polymerization of ethylene-SMRCV	110
Figure 4.6	IR spectra for SMRCV (natural rubber), PE- CI[1] , PE-SMRCV(0.3%), PE-SMRCV(0.5%), PE-SMRCV(0.7%) and PE-SMRCV(1.0%)	113
Figure 4.7	Thermogram of SMRCV, PE- CI[1] , PE-SMRCV(0.3%), PE-SMRCV(0.5%), PE-SMRCV(0.7%) and PE-SMRCV(1.0%)	115
Figure 4.8	XRD of PE- CI[1] , PE-SMRCV(0.3%), PE-SMRCV(0.5%), PE-SMRCV(0.7%) and PE-SMRCV(1.0%)	118
Figure A.1	Kinetic curve for the polymerization of ethylene using CI[2] at 30°C with different Al/Cr molar ratios	135
Figure A.2	Kinetic curve for the polymerization of ethylene using CI[3] at 30°C with different Al/Cr molar ratios	135
Figure A.3	Kinetic curve for polymerization of ethylene using CI[5] at 30°C with different Al/Cr molar ratios	136
Figure A.4	DSC thermogram of PE- CI[1] (Al/Cr=11.2)	136
Figure A.5	DSC thermogram of PE- CI[1] (Al/Cr=30.0)	137

Figure A.6	DSC thermogram of PE-CI[1] (Al/Cr=33.7)	137
Figure A.7	DSC thermogram of PE-CI[2]	138
Figure A.8	DSC thermogram of PE-CI[3]	138
Figure A.9	DSC thermogram of PE-CI[5]	139