

TABLE OF CONTENTS

ABSTRACT	ii
ABSTRAK	iv
ACKNOWLEDGMENT	vi
DEDICATION	vii
TABLE OF CONTENTS	viii
LIST OF TABLES	xvi
LIST OF FIGURES	xviii
LIST ABBREVIATIONS	xxix
LIST OF NOTATIONS	xxxiii

CHAPTERS

1 REVIEW AND INTRODUCTION

1.1	History and Evolution of OCDMA Technology	1
1.2	Overview on Multiple Access Techniques	3
1.2.1	Time Division Multiple Access (TDMA)	4
1.2.2	Frequency Division Multiple Access (FDMA)	4
1.2.3	Wavelength Division Multiple Access (WDMA)	5
1.2.4	Code Division Multiple Access (CDMA)	7
1.3	Problem Statements	9
1.3.1	OCDMA Impairments and Challenges	10
1.3.2	Conventional Solutions	11
1.3.3	Deficiencies of Existing Work	13
1.4	Motivations and Objectives of the Work	16
1.5	Contributions	20
1.6	Scope of Work and Comparative Study	23
1.7	Thesis Organization	26
1.8	Summary	30

2 OPTICAL CODE DIVISION MULTIPLE ACCESS TECHNIQUE

2.1	Characteristics, Properties and Merits of OCDMA	32
2.2	Spread-Spectrum Techniques	34
2.2.1	Direct Sequences Spread-Spectrum	35
2.2.2	Frequency Hopping Spread-Spectrum	35
2.3	OCDMA Architecture and Equipment	36
2.3.1	Transmitter Model	41
2.3.2	Receiver Model	42
2.4	OCDMA Encoder and Decoder	43
2.4.1	Fiber Delay Lines	43
2.4.2	Arrayed Waveguide Grating and Planar Light-wave Circuit	44
2.4.3	Super-structured Fiber Bragg Grating	45

2.5	OCDMA Encoding and Decoding Techniques	45
2.5.1	Coherent Coding	46
2.5.1.1	Temporal Phase Coding	46
2.5.1.2	Spectral Phase Coding	47
2.5.2	Incoherent Coding	47
2.5.2.1	Temporal Spreading Coding	48
2.5.2.2	Spectral Intensity Coding	48
2.6	OCDMA Codes	49
2.6.1	Prime Codes	49
2.6.2	Maximal Length Sequences	50
2.6.3	Walsh-Hadamard Codes	50
2.7	OCDMA Detection Techniques	51
2.7.1	Coherent Detection	52
2.7.2	Direct Detection	52
2.8	Codes Correlations Properties	53
2.8.1	Cross Correlation	53
2.8.2	Auto Correlation	54
2.9	Multi-User Interference Reduction Techniques	55
2.9.1	Time Gating	56
2.9.2	Thresholding	56
2.10	OCDMA Network and Topology	57
2.10.1	Access Network	57
2.10.2	Metropolitan Area Network	58
2.11	Packet Switched Network	59
2.11.1	Random Process	60
2.11.2	Traffic Arrival	61
2.12	Summary	62

3 SYSTEM DEVELOPMENT, CONFIGURATIONS AND DESIGN CONSIDERATIONS

3.1	Tree Diagram of Work	64
3.1.1	Standard OCDMA System	66
3.1.2	Intensity Modulation Direct Detection System	66
3.1.3	External Modulation (NRZ-MZM System)	70
3.1.4	Differential Phase Shift Keying (NRZ-DPSK System)	70
3.1.5	Differential Quadrature Phase Shift Keying (NRZ-DQPSK System)	75
3.2	System Development and Descriptions	78
3.2.1	Transmitter Architecture	78
3.2.2	MUI Reduction	84
3.2.3	Encoder and Decoder	85
3.2.4	Receiver Architecture	91

3.3	Design Configurations and Considerations	92
3.3.1	Design Parameters	93
3.3.1.1	Simulation Parameters	93
3.3.1.1.1	MAN Transmission Distance	94
3.3.1.1.2	Transmission Bit Rate	94
3.3.1.1.3	Number of Active Users	95
3.3.1.2	System Parameters	95
3.3.1.2.1	Laser Source	96
3.3.1.2.2	Gain Controlled Amplifier	97
3.3.1.3	Code Set Parameters	97
3.3.1.3.1	Code Weight	98
3.3.1.3.2	Chip Length	99
3.3.1.3.3	Chip Spacing	101
3.3.2	Performance Parameters	103
3.3.2.1	Bit Error Rate	104
3.3.2.2	Received Power	104
3.3.2.3	Eye Diagram	105
3.3.2.4	Dispersion Value	106
3.3.2.5	Noise Power Density	107
3.3.2.6	Signal-to-Noise Ratio	108
3.3.3	Noise Sources and Interferences Considerations	108
3.3.3.1	Inter Symbol Interference	109
3.3.3.2	Phase Noise and Beat Noise	110
3.3.3.3	Shot Noise	110
3.3.3.4	Thermal Noise	111
3.3.3.5	Multi-User Interference	112
3.4	Encoding Scheme and Code Set Parameters	112
3.4.1	Seven Chips Model	113
3.4.1.1	Unipolar Encoding	114
3.4.1.2	Bipolar Phase Encoding	114
3.4.2	Twenty Five Chips Model	114
3.4.2.1	Bipolar Phase Shift	116
3.4.2.2	Multilevel Phase Shift	116
3.4.3	Twenty Chips Model	117
3.4.4	Eighteen Chips Model	118
3.4.5	Fifteen Chips Model	118
3.4.6	Sixteen Chips Model	120
3.4.7	Thirty One Chips Model	121
3.4.8	Sixty Three Chips Model	122
3.5	Summary	126

4 ASSESSMENT IN INTENSITY MODULATED DIRECT DETECTION SYSTEM

4.1	Evaluation of Encoding/Decoding in Four Channels System	128
4.1.1	Twenty Five Chips Model	130
	- Encoded/decoded Signal and Optical Spectrum	130
	- System Performance over Received Power and Input Power	134
4.1.2	Twenty Chips Model	135
	- Encoded/Decoded Signal and Optical Spectrum	135
	- System Performance over Received Power and Input Power	138
4.1.3	Eighteen Chips Model	138
	- Encoded/Decoded Signal	138
	- System Performance over Received Power and Input Power	140
4.1.4	Fifteen Chips Model	140
	- Encoded/Decoded Signal and Optical Spectrum	140
	- System Performance over Received Power and Input Power	142
4.1.5	Sixteen Chips Model	143
	- Encoded/Decoded Signal and Optical Spectrum	143
	- System Performance over Received Power and Input Power	145
4.1.6	Thirty One Chips Model	146
	- Encoded and Decoded Signal	146
4.2	Optimization in Two Channels Sixteen Chips System	147
	- Optimal MUI Reduction	149
	- Optimal BER based on User 1 (Tradeoff BER based on User 2)	152
	- Optimal BER based on User 2 (Tradeoff BER based on User 1)	153
4.3	Optimization in Two Channels Seven Chips System	153
	- Optimal MUI Reduction	154
	- Optimal BER based on User 1 (Tradeoff BER based on User 2)	161
	- Optimal BER based on User 2 (Tradeoff BER based on User 1)	161
4.4	Back-to-Back System Evaluation	162
	- Two Channels System	163
	- Four Channels System	163
4.5	Effect of Design Parameters to System Performance	165
4.5.1	Code Set Parameters	165
	- Code Weight	165
	- Chips Length	166

4.5.2	System Parameters	167
	- Gain Controlled Amplifier	167
	- Laser Power	169
	- Pulse Type	170
4.5.3	Simulation Parameters	171
	- MAN Transmission Distance	172
	- Twenty Five Chips Model	172
	- Twenty Chips Model	174
	- Eighteen Chips Model	175
	- Fifteen Chips Model	176
	- Sixteen Chips Model	177
	- Transmission Bit Rate	178
4.6	Enhancement of System Performance	181
	- Optimal MUI Reduction	181
	- Optimal OC Model	183
4.7	Comparison on the Encoding Schemes	184
	- Unipolar and Bipolar Encoding	184
	- OC ₂₅ and OC ₂₀ Models	185
	- OC ₂₅ and OC ₁₈ Models	187
	- OC ₂₅ and OC ₁₅ Models	188
	- OC ₂₅ and OC ₁₆ Models	189
4.8	Summary	190
4.9	Contribution	191
4.10	Enhancement	192
4.11	Comparative Study	193
4.12	Conclusion	197

5 APPLICATION ON OCDMA METROPOLITAN AREA NETWORK

5.1	Four Channels, NRZ-MZM System	200
	- BER over MAN Transmission Distance and Measured SNR	200
	- Demonstration on BER Improvement	201
	- Dispersion Compensating Fiber	202
	- Encoding/Decoding Scheme	202
5.2	Four Channels, DPSK System	203
	- BER over MAN Transmission Distance and Measured SNR	204
	- Demonstration on BER Improvement	205
	- Differential Approach	205
	- Dispersion Compensating Fiber	206
	- Encoding/Decoding Scheme	207
	- Analysis and Improvement of Eye Diagram	208
	- Effect of Modulation Technique	208
	- Effect of Transmission Distance	209

5.3	Four Channels, DQPSK System	210
	- BER over MAN Transmission Distance and Measured SNR	211
	- Demonstration on BER Improvement	212
	- Differential Approach	212
	- Dispersion Compensating Fiber	213
	- Encoding/Decoding Scheme	213
	- Multilevel Phase shift	214
5.4	Evaluation of Performance on Different Encoding Schemes	215
5.5	Performance Enhancement and Evaluation	216
	- Single Channel Before Transmission	217
	- Multi-Wavelength System	218
5.6	Investigation on Physical Layer Parameters	219
5.6.1	Noise Power Density	220
	- Bit Error Rate and SNR	221
	- Analysis of Eye Diagram	222
5.6.2	Chromatic Dispersion	223
	- Bit Error Rate	224
	- Analysis of Eye Diagram	225
	- Effect of Modulation Technique and Distance via Multilevel Phase Shift	225
	- Effect of Modulation Technique and Bit Rate via Multilevel Phase Shift	228
	- Effect of Modulation Technique and Bit Rate without Optimization	230
5.7	Code Mismatch and Inconsistency of User Performance	232
	- BER over MAN Transmission Distance and Measured SNR	232
	- Analysis of Eye Diagram	233
	- Effect of Distance for OC ₃₁ Model	234
	- Effect of Distance for OC ₁₅ Model	235
5.8	Summary	236
5.9	Contribution	237
5.10	Enhancement	238
5.11	Comparative Study	238
5.12	Conclusion	240

6 EVALUATION OF SUSTAINABILITY AND FEASIBILITY IN MULTIPLE USERS METROPOLITAN AREA NETWORK

6.1	Implementation in Four Users System	243
6.1.1	NRZ-MZM System under Aggregated Traffic	243
6.1.2	NRZ-DPSK System under Aggregated Traffic	244
6.1.3	NRZ-DQPSK System	245
	- Measured SNR and Aggregated Traffic	245
	- Analysis of Eye Diagram	247
	- Effect of Transmission Rate without MUI Reduction	248
	- Effect of Transmission Distance without MUI Reduction	248
6.2	Implementation in Eight Users System	250
6.2.1	NRZ-MZM System	251
	- Demonstration on BER Improvement	251
	- Analysis of Eye Diagram	252
	- Measurement of Sample-Time	253
6.2.2	NRZ-DPSK System	254
	- Measured SNR and Aggregated Traffic	254
	- Demonstration on BER Improvement	255
	- Dispersion Compensating Fiber	256
	- Encoding/decoding Scheme	256
	- Analysis of Eye Diagram	258
	- Effect of Transmission Rate without MUI Reduction	258
6.2.3	NRZ-DQPSK System	260
	- Measured SNR and Aggregated Traffic	260
	- Analysis of Eye Diagram	262
	- Effect of Transmission Distance without Optimization	262
	- Effect of MUI Reduction and OC Model at Different Bit Rate	263
6.3	Implementation in Twelve Users System	267
6.3.1	NRZ-DPSK System	268
	- BER at Measured SNR	268
	- Analysis of Eye Diagram	269
	- Effect of Transmission Distance	270
	- Effect of Transmission Distance without MUI Reduction	270
6.3.2	NRZ-DQPSK System	271
	- BER at Measured SNR	272
	- Analysis of Eye Diagram	272
	- Effect of OC Model and MUI Reduction	273
	- Effect of OC Model	274
6.4	Summary	275
6.5	Contributions	276
6.6	Enhancements	276
6.7	Comparative Study	277
6.8	Conclusion	282

7	CONCLUSION	
7.1	Introduction	283
	7.1.1 Contributions	285
	7.1.2 Enhancements and Comparative Study	287
7.2	Recommendations for Future Work	289
7.3	Summary	297
	BIBLIOGRAPHY	300
	BIODATA	316
	PUBLICATION	317
	APPENDIX	318