LIST OF FIGURES		
Figure 1.1	Phylogenetic tree containing the sequences of 118 papillomavirus	9
	types	
Figure 1.2	Schematic presentation of the HPV genome	14
Figure 1.3	HPV life cycle in the epidermis	16
Figure 1.4	A schematic depiction of the prototypic HPV16 E7 protein	23
Figure 1.5	The phases of the mammalian cell cycle and the cyclic activation of	27
	cyclin- dependent kinases	
Figure 1.6	A schematic comparison of hLin-9 homologues from different speci	es 41
Figure 2.1	pMSCVpuro retroviral vector restriction map.	57
Figure 2.2	Vectors used for cloning	58
Figure 3.1	DREAM complexes constituents	86
Figure 3.2	Identification of DREAM complexes in T98G, C33A, SiHa and	88
	Caski cell lines	
Figure 3.3	Depletion of E7 in SiHa and Caski cells	91
Figure 3.4	Immunoblot of DREAM complexes in Caski E7-depleted cells	93
Figure 3.5	G1 arrest induced by E7 depletion in Caski cells is Lin54-dependent	97
Figure 3.6	G1 arrest induced by E7 depletion in Caski cells is p130-dependent	99

XV

Figure 3.7	Ectopic expression of various HPV E7 types in T98G cells	101
Figure 3.8	Immunoblot of DREAM complexes in T98G cells expressing various	104
	HPVE7 types	
Figure 3.9	Schematic summary of the constructed p130mutants based on the	108
	p130wt	
Figure 3.10	The p130mE7 mutant is unable to bind 16E7	110
Figure 3.11	Expression of various p130 mutants in C33a and CaSki cell lines	112
Figure 3.12	Identification of DREAM complex formation in CaSki cells	115
	transfected with p130 wt and the mutants p130mE7, p130PM22	
	and p130PM22/mE7	
Figure 3.13	Flow cytometry (FACS) analysis in CaSki cells expressing various	116
	types of p130 mutants	
Figure 3.14	Ectopic expression of HPV16E7 with various types of	120
	p130 mutants in T98G cell lines	
Figure 3.15	Flow cytometry (FACS) analysis of T98G expressing	122
	HPV 16E7 and various types of p130 mutants	

Figure 3.16	Expression of HPV48E7 with various types of p130 mutants in T98G	125
	cell lines.	
Figure 3.17	Flow cytometry (FACS) analysis of T98G expressing HPV 48E7	128
	together with various type of p130 mutants.	
Figure 3.18	Depletion of Lin-54 in T98G, SiHa and Caski cells	130
Figure 3.19	Effects on cycle progression by depleting Lin-54 in T98G, SiHa	132
	and Caski cells	
Figure 3.20	Analysis of G2/M genes suppression in Lin-54-depleted cells	133
Figure 3.21	Depletion of Lin-9 in CaSki cells	135
Figure 3.22	Depletion of B-myb in CaSki cells	136
Figure 4.1	In vivo phosphorylation sites in p130	150
Figure 4.2	Diagram of repressive p130/DREAM and activating	155
	B-myb/DREAM complex localised during cell cycle progression	