

CONTENTS

		Page
Abstract		i
Abstrak		v
Acknowledgments		x
Contents		xiii
List of figures		xx
List of tables		xxiii
List of symbols and abbreviations		xxvi
<hr/>		
Chapter 1	General Introduction	1
1.1	Objectives of the study	
	1.1.1 General objective	9
	1.1.2 Specific objectives	10
1.2	Research hypotheses	11
1.3	Significance of the study	15
Chapter 2	Literature Review	
2.1	Soil-transmitted helminth (STH)	17
	2.1.1 The parasite	19
	2.1.1.1 <i>Ascaris lumbricoides</i>	20
	2.1.1.2 <i>Trichuris trichiura</i>	21
	2.1.1.3 Hookworms (<i>Necator americanus</i> and <i>Ancylostoma duodenale</i>)	22
	2.1.2 Clinical manifestation of STH infections	23
	2.1.2.1 Early larvae migration	23
	2.1.2.2 Intestinal parasitism by adult worm	24
	2.1.3 Risk factors of STH infections	27
	2.1.3.1 Soil and climate	27
	2.1.3.2 Poverty, sanitation and urbanization	29
	2.1.3.3 Behavior and occupation	29
	2.1.3.4 Age and household clustering	30
	2.1.3.5 Genetics	30

	2.1.4 Global control strategies of STH infections	31
	2.1.5 Vaccination - The long-term prospects for new control tools	33
2.2	High Resolution Melting (HRM) Analysis	35
	2.2.1 Fundamental of DNA melting analysis	37
	2.2.2 HRM application	
	2.2.2.1 Genotyping	38
	2.2.2.2 Mutation scanning	39
	2.2.2.3 Sequence matching	40
	2.2.2.4 HRM application in parasitic studies	40
2.3	Geographic Information System (GIS)	41
	2.3.1 GIS functional capabilities	42
	2.3.2 GIS and spatial analysis	44
	2.2.3 GIS application in epidemiology and public health	45
Chapter 3 Epidemiology of Human Soil-Transmitted Helminthiasis among Five Subgroups of Orang Asli Living in Remote and Semi-Remote Areas in Peninsular Malaysia		
3.1	Introduction	51
	3.1.1 Objectives of the study	53
	3.1.2 Research hypotheses	54
	3.1.3 Significance of the study	55
3.2	Materials and Methods	
	3.2.1 Ethical approval	55
	3.2.2 Study population	56
	3.2.3 Study areas	57
	3.2.4 Sample size estimation	61
	3.2.5 Data collection	
	3.2.5.1 Consent and structured questionnaire	62
	3.2.5.2 Fecal sample collection and parasitological analysis	63
	3.2.6 Statistical analysis	64
3.3	Results	

	3.3.1	Survey population characteristics	
	3.3.1.1	Demographic characteristics	65
	3.3.1.2	Socioeconomic, environmental sanitation and personal hygiene characteristics	66
	3.3.2	Prevalence of STH infections stratified by participant characteristics	68
	3.3.3	Polyparasitism of STH infections	71
	3.3.4	Risk factors of STH infections based on subgroup	72
3.4		Discussion	89
3.5		Conclusions	101
Chapter 4		Intestinal Helminths of Dogs and Cats Inhabiting the Orang Asli Communities	
4.1		Introduction	105
	4.1.1	Objectives of the study	107
	4.1.2	Research hypotheses	108
	4.1.3	Significance of the study	108
4.2		Materials and Methods	
	4.2.1	Study population	109
	4.2.2	Fecal sample collection	110
	4.2.3	Parasitological procedure	110
	4.2.4	Data analysis	110
4.3		Results	111
4.4		Discussion	116
4.5		Conclusions	120
Chapter 5		Development of a New Alternative Diagnostic Tool using Real-Time PCR Coupled with High Resolution Melting (HRM) Analysis Targeting the Second Internal Transcribed Spacer (ITS-2) of Nuclear Ribosomal DNA	
5.1		Introduction	123
	5.1.1	Objectives of the study	127
	5.1.2	Research hypotheses	128

	5.1.3	Significance of the study	129
5.2		Materials and Methods	
	5.2.1	Background	130
	5.2.2	Control, specificity and sensitivity test	130
	5.2.3	Genomic DNA extraction	131
	5.2.4	Real-time PCR-HRM primer designing	131
	5.2.5	Preliminary optimization of the primer using conventional PCR	132
	5.2.6	Real-time PCR-HRM assay	133
	5.2.7	Conventional semi-nested PCR	
	5.2.7.1	DNA amplification	134
	5.2.7.2	Identification of hookworm species	136
	5.2.8	Screening of human fecal samples using real-time PCR-HRM assay	137
	5.2.9	Comparison between real-time PCR-HRM assay, conventional semi-nested PCR and microscopy	137
5.3		Results	
	5.3.1	Specificity and sensitivity of the primer, PCR condition and amplicon	138
	5.3.2	Sample categorization based on HRM curve profile	139
	5.3.3	Identification of hookworm species in human fecal samples using real-time PCR-HRM assay	140
	5.3.4	Identification of hookworm species in human fecal samples using conventional semi-nested PCR	141
	5.3.5	Comparison between real-time PCR-HRM assay, conventional semi-nested PCR and microscopy	141
5.4		Discussion	152
5.5		Conclusions	159
Chapter 6		Genetic Characterization of Zoonotic <i>Ancylostoma Ceylanicum</i> from Humans, Dogs and Cats in Rural communities in Peninsular Malaysia targeting the Second Internal Transcribed Spacer (ITS-2) Ribosomal RNA and Partial Mitochondrial Cytochrome Oxidase C Subunit I (<i>cox I</i>) Genes	

6.1	Introduction	162
	6.1.1 Objectives of the study	165
	6.1.2 Research hypotheses	166
	6.1.3 Significance of the study	166
6.2	Materials and Methods	
	6.2.1 Background	167
	6.2.2 DNA amplification of hookworm species in dogs and cats fecal samples targeting the ITS-2 gene using conventional PCR	167
	6.2.3 DNA amplification of <i>Ancylostoma ceylanicum</i> targeting cytochrome oxidase c subunit 1 (<i>cox 1</i>) gene using conventional PCR	168
	6.2.4 PCR product analysis	169
	6.2.5 Phylogenetic analysis of <i>cox 1</i> gene	169
6.3	Results	
	6.3.1 Identification of hookworm species in dogs and cats targeting the ITS-2 gene	170
	6.3.2 Genetic characterization of the partial mitochondrial cytochrome oxidase c subunit I (<i>cox 1</i>) gene of the <i>Ancylostoma ceylanicum</i> from humans, dogs and cats	
	6.3.2.1 Phylogenetic analysis of <i>cox 1</i> gene	171
	6.3.2.2 Intraspecies and interspecies genetic diversity of the <i>A. ceylanicum</i>	172
6.4	Discussion	184
6.5	Conclusions	190
Chapter 7	Development of a Geospatial Database of Soil-Transmitted Helminthiasis using the Geographic Information System (GIS) and Remote Sensing (RS) Derived Environmental Data	
7.1	Introduction	193
	7.1.1 Objectives of the study	196
	7.1.2 Research hypotheses	197
	7.1.3 Significance of the study	197

7.2	Materials and Methods	
	7.2.1 Data searches	198
	7.2.2 Geo-positioning procedures	199
	7.2.3 Selection and entry	202
	7.2.4 Estimating cumulative (combined) prevalence of any STH	202
	7.2.5 Geographic Information System (GIS) and Remote Sensing (RS) database	204
	7.2.6 Statistical analysis, mapping and modeled STH distribution	205
7.3	Results	
	7.3.1 Survey data and distribution of STH infections	207
	7.3.2 Statistical and spatial analysis	209
	7.3.3 Modeled helminth distributions	211
	7.3.4 Estimated total number of infected at risk and requiring treatment	212
7.4	Discussion	240
7.5	Conclusions	249
Chapter 8	General Discussion	254
Chapter 9	General Conclusions and Recommendations	
	9.1 General conclusions	261
	9.2 Recommendations	264
	References	270
	Appendices	
	Appendix Ai Structured Questionnaire Form (English language)	300
	Appendix Aii <i>Borang Kaji Selidik</i> (Bahasa Malaysia language)	303
	Appendix B Formalin Ether Concentration Technique	306
	Appendix C Genomic DNA Extraction	307
	Appendix D Multiple sequence alignment of the second partial internal transcribed spacer (ITS-2) ribosomal RNA gene	310

Appendix E	Real Time PCR and High Resolution Melting (HRM) Thermocycling Condition	311
Appendix F	PCR Product Analysis	312
Appendix G	PCR Product Purification	313
Appendix H	GenBank Accession Numbers	314
Appendix I	Summary of the Remote Sensing (RS) Data and Sources	319
Appendix J	Maps of the Land Surface Temperature (LST), Normalized Difference Vegetation Index (NDVI) and Digital Elevation Model (DEM) of Peninsular Malaysia	320
Appendix K	Turning Logistic Regression Model into Predicted Probability Risk Map	321
Appendix L	Summary descriptive of the database on the prevalence of the STH infections in Malaysia	323
Appendix M	Maps of the actual geo-positioned location distribution of STH species	326
Appendix N	Model Prediction Accuracy and <i>Moran's I</i> Test	327
Appendix O	Summary estimates of predicted prevalence, number being infected and number warranting mass treatment using 50% and 20% threshold at district level	328
 List of Publications, Abstracts and Awards		 333
