

LIST OF FIGURES

Figure	Title	Page
1.1	<i>Ganoderma australe</i> from Bishop Trail, Fraser Hill, Malaysia.	5
2.1	Theoretical chromatogram of high resolution fractionation (UV absorbance).	18
2.2	General flow scheme for proteomic analysis started from protein mixture to identification of protein.	22
3.1	Flow chart of whole experimental methods involved in the study.	42
3.2	Well diffusion method for antifungal and antibacterial test of PM from <i>Ganoderma</i> strains against pathogenic fungus and bacteria	45
4.1	Input summary for protein identification in ProFound.	51
4.2	Antibacterial activities of PM of <i>Ganoderma</i> strains against human pathogenic bacteria compared to dermaseptin (60 µg) and cecropin (60 µg).	61
4.3	Chromatogram of fractions eluted from S-100 column.	63
4.4	Antibacterial activities of protein fractions from Sephacryl S-100 labeled as S1 to S8 against few pathogenic bacteria compared to dermaseptin (60 µg) and cecropin (60 µg).	66
4.5	Chromatogram of fractions eluted from Superdex 75 HR column.	67
4.6	Determination of molecular mass by Tricine-SDS PAGE.	69
4.7	Antibacterial activity of purified protein against <i>E. coli</i> O157:H7 by broth micro dilution method.	74
4.8	Antibacterial activity of purified protein against <i>S. typhi</i> by broth micro dilution method.	74
4.9	Inhibitory effect of purified protein on activity of HIV-1 reverse transcriptase.	76