

LIST OF TABLES

Table	Title	Page
2.1	Compounds showing antimicrobial activities from mushrooms.	30
4.1	Antibacterial activity of PM (50µg/well) of <i>Ganoderma</i> strains evaluated by well diffusion method after 12 hours of incubation on MH agar medium at 37 ± 2°C.	60
4.2	Antibacterial activity of protein fractions from Sephacryl S 100 (1mg/well) evaluated by well diffusion method after 12 hours of incubation on MH medium at 37 ± 2°C.	64
4.3	Antibacterial activity of protein fraction, SP2 from Superdex 75 HR 10/30 (1mg/well) evaluated by well diffusion method after 12 hours of incubation on MH medium at 37 ± 2°C.	68
4.4	Purification of bioactive protein from <i>G. australe</i> KUM60813 by using gel filtration on Sephacryl S 100 and Superdex 75 HR.	69
4.5	Identification of purified protein from <i>Ganoderma australe</i> strain KUM60813 using ProFound	70
4.6	Peptide sequence of antifungal protein from <i>Aspergillus giganteus</i> (CAA37523.1)	71
4.7	Antibacterial activity of purified protein at different concentration evaluated by broth microdilution method after 18 hours of incubation in MHB medium at 37 ± 2°C.	73
4.8	Anti HIV activity of purified protein from Superdex 75 HR 10/30 evaluated with the reverse transcriptase calorimetric assay.	75
4.9	Hemolytic activity of purified protein compared to Melittin from honeybee.	77