

LITERATURE CITED

- Abdullah S (2005). Effects of sugars and silver thiosulphate on the longevity of pollinated *Dendrobium* Heang Beauty flowers. BSc dissertation, University of Malaya, Kuala Lumpur
- Adams DO and Yang SF (1979). Ethylene biosynthesis: Identification of ACC as an intermediate in the conversion of methionine to ethylene. *Proc. Natl. Acad. Sci. USA*. 76: 170-174
- Aharoni M and Halevy AH (1977). The effect of light intensity and the history of the plants on flowering in *Phalaenopsis*. *Ann Rpt* 58–59
- Aida R, Yoshida T, Ichimura K, Goto R, Shibata M (1998). Extension of flower longevity in transgenic torenia plants incorporating ACC oxidase gene. *Plant Sci*. 138:91–101
- Aizen MA (1993). Self-pollination shortens flower lifespan in *Portulaca umbraticola* HBK (Portulacaceae). *Int J Plant Science* 154: 412-15
- Akamine EK (1963). Ethylene production in fading vanda orchid blossoms. *Science* 140:1217–1218
- Al-Humaid AI (2004). Silver thiosulfate prolongs vase life and improves quality of cut gladiolus and rose flowers. *J Food Agri Environ* 2: 296-300
- Ali S, Khan FU, Siddiquw MAA, Khan FA and Wani SA (2009). Effect of pulsing treatments on Petal Turgidity, Membrane Integrity and Flower Quality of cut Daffodil. *Ind J Plant Phys* 14(3):262-266
- Amira G, Ifat M, Tal A, Hana B, Shmuel G, Amir R (2005). Soluble methionine enhances accumulation of a 15 kDa zein, a methionine-rich storage protein, in transgenic alfalfa but not in transgenic tobacco plants *J Exp Bot* 56 (419):2443-245
- Anderson OD (1991). Characterization of members of a pseudogene subfamily of the wheat -gliadin storage protein genes. *Plant Mol Biol* 16 : 335-337
- Aoki K, Yano K, Suzuki A, Kawamura S, Sakurai N and Suda K (2010). Large-scale analysis of full-length cDNAs from the tomato (*Solanum lycopersicum*) cultivar Micro-Tom, a reference system for the Solanaceae genomics. *BMC Genomics* 11
- Aravind L and Ponting CP (1997). The GAF domain: an evolutionary link between diverse photo transducing proteins. *Trends Biochem Sci* 22: 458-459
- Arditti J (1992). *Fundamentals of Orchid Biology*. John Wiley and Sons, New York
- Arditti J (1979). Aspects of the physiology of orchids. *Adv. Bot Res* 7: 421-655
- Arditti, J. (1976). *Orch. Rev.* 84, 261-268

- Arditti J and Flick BH (1974). Post pollination phenomena in orchid flowers.V. Participation by the rostellum and gynostemium tip. *Am J Bot* 61:643-651
- Arditti J (1971). Orchid and the discovery of auxin. *Am Orch Soc Bull* 40 (3): 210-214.
- Arditti J (1969). Post pollination phenomena in orchid flowers. *Aust Orchid Rev* 34:155-158.
- Areas JAG and Lajolo FM (1980). Specific enzymic determination of starch, glucose, fructose, and sucrose in preclimacteric and climacteric bananas. *An Farm Quim Suo Paul* 20: 307-318
- Arora A, Watanabe S, Ma B, Takada K and Ezura H (2006). A novel ethylene receptor homolog gene isolated from ethylene-insensitive flowers of gladiolus (*Gladiolus grandiflora* hort.) *Biochem Biophys Res Commun* 351 (3): 739-744
- Asen S, Stewart RN and Norris KH (1972). Co-pigmentation of anthocyanins in plant tissue and its effect on color. *Phytochem* 11(3):1139-1144
- Ashman TL and Schoen DJ (1994). How long should flowers live? *Nature* 371: 788-791
- Asif MH and Solomos T (2004). Temporal and spatial expression of ethylene receptor gene family in *Malus domestica* Granny Smith. Direct Submission (08-NOV-2004.
- Assil MH and Roein Z (2012). Beneficial effects of carbohydrate solutions on cut *Alstromeria*. *South West J* (11): 85-98.
- Attri LK and Nayyar H (2011). Pollination Leads to Oxidative Stress: An Analysis in the Floral Organs of *Coelogyne Cristata* Lindl. (Orchidaceae). *Indian J Fun App Life Sci* 1(2): 68-74
- Avadhani PN, Nair H, Arditti J and Hew CS (1994) *Orchid Biology: Reviews and Perspectives VI*. (Ed J. Arditti). Wiley, New York
- Avadhani PN, Goh CJ and Ong PY (1971). Pod development and seed germination of *Vanda* Miss Joaquim. 58th Indian Sci Cong, Bangalore, pp 8-10
- Bai S, Willard B, Chapin LJ, Kinter MT, Francis DM, Stead AD and Jones ML (2010). Proteomic analysis of pollination-induced corolla senescence in petunia. *J Exp Bot* 61(4): 1089-1109
- Baird LM, Reid MS and Webster BD (1984). Anatomical and Physiological Effects of Silver Thiosulfate on Ethylene-Induced Abscission in *Coleus*. *J Plant Growth Regul* 3:217-225
- Bassett CL, Artlip TS and Callahan AM (2002). Characterization of the peach homologue of the ethylene receptor, PpETR1, reveals some unusual features regarding transcript processing. *Planta* 215 (4): 679-688

- Beers EP and Freeman TB (1997). Proteinase activity during tracheary element differentiation in *Zinnia* mesophyll cultures. *Plant Physiol* 113(3):873-880
- Bergmeyer HU and Bernt E(1974). Bergmeyer HU (Ed), Methods of enzymatic analysis, vol3, 2nd ed. Verlag Chemie, Weinheim, Academic Press Inc, New York, London, 1176-1179
- Beyer EM, Morgan PW and Yang SF (1984). Ethylene, in: Advanced Plant Physiology. MB Wilkins, ed., Pitman Publ., London, pp 111-126
- Bhandal IS and Malik SP (1979). Effect of gibberellic acid, (2-Chloroethyl) phosphonic acid, actinomycin-D and cycloheximide on the activity and leaching of home Hydrolases in pollen suspension cultures of *Crotalaria juncea*. *Physiologia Plantarum* 45: 297–300
- Bialeski RL, Elgar J, Heyes J and Woolf A. (2000). Flower opening in Asiatic lily is a rapid process controlled by dark–light cycling. *Annals of Botany* 86:1169–1174
- Bialeski RL (1995). Onset of phloem export from senescent petals of daylilies. *Plant Physiol* 103:557-565
- Bialeski RL and Reid MS (1992). Physiological changes accompanying senescence in ephemeral daylily flowers. *Plant Physiol* 98:1042-1049
- Biswal B and Biswal UC (1999). Senescence is a highly regulated process that requires the utilization of energy in the form of respirable substrates
- Bleecker AB and Schaller GE (1996). The mechanism of ethylene perception. *Plant Physiol* 111:653-660
- Bleecker AB, Estelle MA, Somerville C and Kende H (1988). Insensitivity to conferred by a dominant mutation in *Arabidopsis*. *Science* 241 (4869): 1086-1089
- Bonghi C, Rasori A, Tonutti P and Ramina A (2001). Ethylene receptors in peach. Direct Submission (03-JUL-2001)
- Borochoy A, Spielgelstein H and Philosoph-Hada S (1997). Ethylene and flower petal senescence: interrelationship with membrane lipid catabolism. *Physiol Plant* 100:606–612
- Borochoy A and Woodson WR (1989). Physiology and biochemistry of flower petal senescence. *Hort Rev* 11: 15-43
- Botella JR, Arteca JM, Schlagnhauser CD, Arteca RN and Philips AT (1992) Identification and characterization of a full length cDNA encoding for an auxin-induced 1-aminocyclopropane-1-carboxylate synthase from etiolated mung bean hypocotyls segments and expression of its mRNA in response to indole-3-acetic acid. *Plant Mol Biol* 20: 425-436
- Bouzayen M and Pech JC (1997). From weeds springs eternal flowers. *Nat. Biotechnol.* 15(5): 418

- Bovy AG, Angenent GC, Don HJM and Altvorst AC (1999). Heterologous expression of the *Arabidopsis etr1-1 allele* inhibits the senescence of carnation flowers. *Mol Breed* 5:301-308
- Bradford MM (1976). A rapid and sensitive method for quantification of microgram quantities of proteins of protein utilizing the principle of protein-dye binding. *Anal Biochem* 72: 248-254
- Bramlage WJ, Greene DW, McLaughlin JM (1980). Effects of thoxylvinylglycine on internal ethylene concentrations and storage of apples. *J American Soc Hort Science* 105 (6):847-851
- Bregoli A M, Scaramagli S, Costa G, Sabatini E, Ziosi V, Biondi S and Torrigiani P (2002). Peach (*Prunus persica*) fruit ripening: aminoethoxyvinylglycine (AVG) and exogenous polyamines affect ethylene emission and flesh firmness. *Physiologia Plantarum* (114): 472-481
- Brouquisse R, Gaudillere JP and Raymond P (1998). Induction of a carbon starvation-related proteolysis in whole maize plants submitted to light/dark cycles and to extended darkness. *Plant Physiol* 117: 1281-1291
- Brown SM and Crouch ML (1990). Characterization of a gene family abundantly expressed in *Oenothera organensis* pollen that shows sequence similarity to polygalacturonase. *Plant Cell* 2: 263–274
- Brummell DA (2006). Cell wall disassembly in ripening fruit. *Functional Plant Biol* 33:103 – 119
- Brummell DA and Harpster MH (2001). Cell wall metabolism in fruit softening and quality and its manipulation in transgenic plants. *Plant Mol Biol* 47: 311–340, 2001
- Brummell DA, Harpster MH and Dunsmuir P (1999). Differential expression of expansin gene family members during growth and ripening of tomato fruit. *Plant Molecular Biology* 39: 161–169
- Buchanan WV and Morris K (2000). Senescence and cell death in Brassica napus and Arabidopsis. 163–174. In: J. A. Bryant, S. G. Hughes, & J. M. Garland (eds). Programmed Cell Death in Animals and Plants. Bios Scientific Publishers Ltd, Oxford
- Bui AQ and O'Neill SD (1998). Three 1-aminocyclopropane-1-carboxylate synthase genes regulated by primary and secondary pollination signals in orchid flowers. *Plant Physiol* 116:419-428
- Burg SP and Burg EA (1967). Molecular requirements for the biological activity of ethylene. *Plant Physiol* (42):144-52
- Burg SP and Diikman MJ (1967). Ethylene and auxin participation in pollen induced fading of *Vanda* orchid blossoms. *Plant Physiol* 102 (supp):99

Callahan AM, Morgens PH and Cohen RA (1993). Isolation and initial characterization of cDNAs for mRNAs regulated during peach fruit development. *J Am Soc Hortic Sci* 118: 531-537

Callis J (1995). Regulation of protein degradation. *Plant Cell* 7:845–857

Carpita NC and McCann MC (2000) The cell wall. In ‘Biochemistry and molecular biology of plants’. (Eds BB Buchanan, W Gruissem, RL Jones) pp. 52 – 108. Rockville: American Society of Plant Physiologist

Carpita NC and Gibeaut DM (1993). Structural models of primary cell walls in flowering plants: consistency of molecular structure with the physical properties of the walls during growth. *Plant J* 3: 1-30

Cassab GI (1998). Plant cell wall proteins. *Annu Rev Plant Physiol* 49:281–309.

Castro E, Sigrist CJA, Gattiker A, Bulliard V, Langendijk-Genevaux PS, Gasteiger E, Bairoch A and Hulo N (2006). ScanProsite: detection of PROSITE signature matches and ProRule-associated functional and structural residues in proteins. *Nucleic Acids Res* 34 (Web Server issue): W362–365

Celikel FG and Van Doorn WG (1995). Solute leakage, lipid peroxidation, and protein degradation during the senescence of Iris tepals. *Physiologia Planta* 94: 515–521.

Celvenger DJ, Barret JE, Klee JH and Clark DG (2004). Factors affecting seed production in transgenic ethylene –insensitive petunias. *J Am Soc Hortic Sci* 129:401-406

Chadwick AV, Nyman LP and Arditti J (1986). Sites of ethylene evolution in orchid flowers. *Lindleyana* 1:164-168

Chadwick AV, Hogan NM and Arditti J (1980). Post pollination phenomena in orchid flowers. IX. Induction and inhibition of ethylene evolution, anthocyanin synthesis, and perianth senescence. *Botanical Gazette* 41:422-427

Chai IJ, Lee BH, Wang WK, Liang CC and Lin CY (1998). Molecular cloning of the *Phalaenopsis* sp. 'KCbutterfly' ethylene response sensor cDNA. Direct Submission (14-DEC-1998)

Chamani E, Kalighi A, Joyce DC, Irving DE, Zamani ZA, Mostofi Y and Kafi M. (2005). Ethylene and anti-ethylene treatment effects on cut “First Red” rose. *J App Hortic* 7(1):3-7

Chandler S and Tanaka Y (2007). Genetic modification in floriculture. *Crit Rev Plant Sci* 26:169–197

Chandran S, Zuliana R, Yip YK, Nair H, Nasrulhaq BA and Tiew YN (2007). Effects of sugars and aminooxyacetic acid on the longevity of pollinated *Oncidium* Gower ramsey flowers. *Malaysian J Sci* 26(2):57-63

- Chandran S, Toh CL, Zuliana R, Yip YK, Nair H and Boyce AN (2006). Effects of sugars and aminooxyacetic acid on the longevity of pollinated *Dendrobium* (Heang Beauty) flowers. *J App Hort* 8(2): 117-120
- Chandran S, Zuliana R, Yip YK, Nair H, Nasrulhaq BA and Teo SY (2005). Effects of sugars and aminooxyacetic acid on the longevity of pollinated *Oncidium* Gower ramsey flowers. *Bulg J Agr Sci* 11:459-465
- Chandran S (2004). Identification, characterization and expression of 31kDa protein and chitinase in bananas. PhD Thesis, University of Malaya, Kuala Lumpur.
- Chang C and Stadler R (2001). Ethylene hormone receptor action in Arabidopsis. *BioEssays* 23:619–627
- Chang C, Kwok SF, Bleecker AB, Meyerowitz EM (1993). *Arabidopsis* ethylene response gene ETR1: Similarity of product to two-component regulators. *Science* 262: 539–544
- Chang CW (2003). Molecular cloning and characterization of orchid *Phalaenopsis* equestris ethylene response sensor (PeERS) gene. Direct Submission (13-MAY-2003)
- Chapin L and Jones ML (2009). Ethylene regulates phosphorus remobilization and expression of a phosphate transporter (*PhPT1*) during petunia corolla senescence. *J Exp Bot* 60(7): 2179-2190
- Chapin L and Jones ML (2007). Nutrient remobilization during pollination-induced corolla senescence in Petunia. *Acta Hort* 55:181-190
- Chen QG and Bleecker AB (1995). Analysis of ethylene signal-transduction kinetics associated with seedling-growth responses and chitinase induction in wild-type and mutant *Arabidopsis*. *Plant Physiol* 108:597–607
- Chen YF, Gao Z, Kerris RJ III, Wang W, Binder BM, et al. (2010). Ethylene Receptors Function as Components of High-Molecular-Mass Protein Complexes in *Arabidopsis*. *PLoS ONE* 5(1):e8640
- Chenna R, Sugawara H, Koike T, Lopez R, Gibson TJ, Higgins DG and Thompson JD (2003). Multiple sequence alignment with the Clustal series of programs. *Nucleic Acids Res* 31(13):3497-3500.
- Chin LH, Mohd Ali Z and Lazan H (1999). Cell wall modifications, degrading enzymes and softening of carambola fruits during ripening. *J Exp Bot* 50: 767 –777
- Chin TL and Hew CS (1975) Biochemical changes accompanying the senescence of *Arundina* flower. In: *Biology in society*, pp. 18-26. Academy of Science, Singapore

- Chung MC, Chou SJ, Kuang LY, Chang YY and Yang SF (2002). Subcellular localization of 1-aminocyclopropane-1-carboxylic acid oxidase in apple fruit. *Plant Cell Physiol* 43 (5): 549-554
- Clark DG, Gubrium EK, Barret JE, Nell TE and Klee HJ (1999). Root formation in ethylene insensitive plants. *Plant Physiol* 121:53-59
- Cobb D, Schneiter N, Guo S, Humiston GA, Harrison B and Bolar J (2002) Flower specific expression of an ethylene receptor (etr1-1) confers ethylene insensitivity in transgenic petunia. In: The Abstract of XVI International Horticultural Congress (p. 68), Toronto, Canada
- Coker T, Mayak S and Thompson JE (1985). Effect of water stress on ethylene production and on membrane microviscosity in carnation flowers. *Scientia Hortic* 27: 317–324
- Cook EL and Staden J (1982). Senescence of cut carnation flowers: Ovary development and CO₂ fixation. *Plant Growth Regul* 1(4):221-232
- Coorts GD (1973). Internal metabolic changes in cut flowers. *HortScience* 8:195-198
- Cosgrove DJ (1999). Enzymes and other agents that enhance cell wall extensibility. *Ann Rev Plant Physiol and Plant Mol Biol* 50: 391 – 417
- Coupe S, Sinclair B, Watson L, Heyes J and Eason J (2003). Identification of dehydration-responsive cysteine protease during post harvest senescence of broccoli florets. *J Exp Bot* 54:145-156
- Darras A, Loannidou A and Pompodakis N (2010). Evaluation and improvement of post-harvest performance of cut *Viburnum tinus* inflorescence. *Sci Hortic* 124: 376-380
- Davidson OW, Lindemann EGP and Gunckel JE (1970). Meristem culture of *Cattleya*. *Am Orchid Soc Bull* 39: 100-127
- Davidson OW (1949). Effects of ethylene on orchid flowers. *Proc Amer Soc Hort Sci* 53:440-446
- Davies KM, Seelye JF, Irving DE, Borst WM, Hurst PL and King GA (1996). Sugar regulation of harvest-related genes in asparagus. *Plant Physiol* 111:877-883
- Day DA and Tuite MF (1998). Post-transcriptional gene regulatory mechanisms in eukaryotes: an overview. *J Endocrinol* 157:361–371
- de Vetten NC, Huber DJ and Gross KC (1991). Endoglycanase-catalysed degradation of hemicelluloses during development of carnation (*Dianthus caryophyllus* L.) petals. *Plant Physiol* 95: 853–860
- de Vetten N and Huber DJ (1990). Cell wall changes during the expansion and senescence of carnation petals. *Plant Physiol* 78:447-454

- Della Penna D, Lincoln JE, Fischer RL and Bennett AB (1989). Transcriptional analysis of polygalacturonase and other ripening-associated genes in Rutgers, rin, no6 and NR tomato fruits. *Plant Physiol* (90):1372-1377
- Della Penna D, Kates DS and Bennett AB (1987). Polygalacturonase gene expression in Rutgers, rin, nor, and Nr tomato fruits. *Plant Physiol* 85, 502-507
- Delorme VGR, McCabe PF, Kim DJ and Leaver CJ. (2000). A matrix metalloproteinase gene is expressed at the boundary of senescence and programmed cell death in cucumber. *Plant Physiol* 123:917-927
- Deng Y, Wu Y and Li Y (2005). Changes in firmness, cell wall composition and cell wall hydrolases of grapes stored in high oxygen atmospheres. *Food Res Inter* 38: 769 – 776
- Dervinis C, Clark DG, Barrett JE and Nell TA (2000). Effect of pollination and exogenous ethylene on accumulation of ETR1 homolog transcripts during flower petal abscission of geranium (*Pelargonium x hortorum* L.H. Bailey). *Plant Mol Biol* 42:847-856
- Destefano-Beltran L, Jan Gielen W, Richard L, Montagu M and van Der Straeten D (1995). Characterization of three members of the ACC synthase gene family in *Solanum tuberosum*. *Mol Gen Genet* 246:496-508
- Dijkman MJ and Burg SP (1970). Auxin-induced spoiling in *Vanda* blossoms. *Amer Soc Bull* 29:799-804
- Dilley DR and Carpenter WJ (1975). The role of chemical adjuvants and ethylene synthesis on cut flower longevity. *Acta Hort* 41: 117-132
- Do YY, Chen YC and Huang PL (1999). The electronic plant gene register. *Plant Physiol* 119 (4): 1567-1568
- Do YY, Chen YC and Huang PL (1999). Molecular analysis of a cDNA encoding ethylene receptor that expresses in *Phalaenopsis* petals. *Plant Physiol* 119 (4): 1567
- Dodson CH (1967). Relationship between pollinators and orchid flowers. *Atlas do Simposio Sobre a Biota Amazonica* 5:1-72
- Domingo C, Roberts K, Stacey NJ, Connerton I, Ruíz-Terán F and McCann MC (1998). A pectate lyase from *Zinnia elegans* is auxin inducible. *The Plant J* 13: 17-28
- Dong WK, Kim TS, Jeong YK and Lee JK (1992). Adsorption kinetics and behaviors of cellulose components on microcrystalline cellulose. *J Ferm Bioengin* 73(6): 461-466
- Dressler RL (1990). *The Orchids: Natural History and Classification*. Harvard Press, Cambridge, MA
- Drory A, Beja-Tal S, Borochoy A, Gindin E and Mayak S (1995). Transient water stress in cu carnation flowers: effects of cycloheximide. *Sci Hort* 3:167-175

- Dubald M, Barakate A, Mandaron P and Mache R (1993). The ubiquitous presence of exopolysaccharidase in maize suggests a fundamental cellular function for this enzyme. *Plant J* 4: 781–791
- Dubois M, Gilles KA, Hamilton JK, Rebers PA, Smith F (1956). Colourimetric method for determination of sugars and related substances. *Anal Chem* 28: 350-356
- Duncan DB (1955). Multiple range and multiple F-tests. *Biometrics* 11:1-42
- Eason JR, Ryan DJ, Pinkney TT and O'Donoghue EM (2002). Programmed cell death during flower senescence: isolation and characterization of cysteine proteinases from *Sandersonia aurantiaca*. *Funct Plant Biol* 29: 1055-1064
- Eason JR, de Vre LA, Somerfield SD, and Heyes JA (1997). Physiological changes associated with *Sandersonia aurantiaca* flower senescence in response to sugar. *Postharvest Biol Tech* 12: 43–50
- Einset W and Kopperud (1995). Antisense ethylene genes for *Begonia* flowers, *Acta Hort* 405 :190–196
- El-Sharkawy I, Jones B, Gentzbittel L, Lelievre JM., Pech JC and Latche A (2004). Differential regulation of ACC synthase genes in cold-dependent and independent ripening in pear fruit. *Plant Cell Environ* 27 (10): 1197-1210
- Emongor VE (2004). Effects of gibberellic acid on postharvest quality and vase life of *Gerbera* cut flowers. *J Agronomy* 3 (3): 191-195
- Endo M and Ikusima I (1992). Changes in concentrations of sugars and organic acids in the long-lasting flower clusters of *Phalaenopsis*. *Plant Cell Physiol* 33 (1): 7-12
- Felix G, Grosskopf DG, Regenass M, Basse CW and Boller T (1991). Elicitor-induced ethylene biosynthesis in tomato cells: Characterization and use as a bioassay for elicitor action. *Plant Physiol* 97(1): 19-25
- Ferguson CHR and Simon EW (1973). Membrane lipids in senescing green tissues. *J Exp Bot* 79: 307-316
- Fernandez Otero C, Rasori A, Bonghi C, Matilla Carro AJ and Ramina A (2002). Developing seeds of damson plum (*Prunus insititia*) climacteric fruit participates in the last step of the ethylene biosynthesis. Unpublished. (Direct submission 11-March-2002)
- Ferreira DI, Van Der Merwe JJ and De Swardt GH (1984). Starch metabolism in flowers of senescing gladiolus inflorescences. *Acta Hort* (177):203-210
- Ferreira PA and Vianna BP (2010). Pollination biology of *Paliavana tenuiflora* (Gesneriaceae: Sinningea) in Northeastern Brazil. *Braz J Plants* 24(4):972-977
- Fischer RL and Bennett AB (1991). Role of cell wall hydrolases in fruit ripening. *Ann Rev Plant Physiol Plant Mol Biol* 42: 675 – 703

- Fobel M, Lynch DV and Thompson JE (1987). Membrane deterioration in senescing carnation flowers coordinated effects of phospholipid degradation and the action of membranous lipoxygenase. *Plant Physiol* 85: 204-11
- Fukuchi-Mizutani, M, Ishiguro K, Nakayama T, Utsunomiya Y, Tanaka Y, Kusumi T and Ueda T (2000). Molecular and functional characterization of a rose lipoxygenase cDNA related to flower senescence. *Plant Sci* 160: 129-137
- Gallie DR (2010). Expression of the *Arabidopsis etr1-e* mutant ethylene receptor in tomato. *Plant Physiol* 152(4):1928-1939
- Gallie DR and Young TE (2004). The ethylene biosynthetic and perception machinery is differentially expressed during endosperm and embryo development in maize. *Mol Gen Genomics* 271: 267–281
- Gane R (1935). The formation of ethylene by plant tissues and its significance in the ripening of fruits. *J Polol Hort Sci* 13:351-358
- Gane R (1934). Production of ethylene by some ripening fruits. *Nature* 134:1008
- Garay LA (1960). *Bot Mus Leaflets*, Harvard University. 19:57-87
- Gasteiger E, Hoogland C, Gattiker A, Duvaud S, Wilkins MR, Appel RD and Bairoch A (2005). In: Protein Identification and Analysis Tools on the ExPASy Server; (In) John M. Walker (ed): The Proteomics Protocols Handbook, Humana Press, pp. 571-607
- Gholami M, Rahemi M and Rastegar S (2011). Effect of pulse treatment with sucrose, exogenous benzyl adenine and gibberellic acid on vase life of cut rose ‘Red One’. *Hort Env Biotech* 52(5):482-487
- Gillisen LJW and Hoestra FA (1984). Pollination-induced corolla wilting in *Petunia* hybrid: Rapid transfer through the style of a wilting-inducing substance *Plant physiol* 75(2):496-498
- Gilissen LJW (1977). Style-controlled wilting of the flower. *Planta* 133: 275-280
- Giovannoni JJ, DellaPenna D, Bennett AB and Fischer RL (1992). Expression of a chimeric polygalacturonase gene in transgenic rin (ripening inhibitor) tomato fruit results in polyuronide degradation but not fruit softening. *Plant Cell* (4): 667–679
- Goh CJ, Halevy AJ, Engal R and Kofranek AM (1985). Ethylene evolution and sensitivity in cut orchids. *Scientia Hort* 25:57-67
- Gonzalez NM and Botella JR (2001). Characterization of three ACC synthase gene family members during post-harvest-induced senescence in broccoli. (Direct Submission 18-JAN-2001)
- Goren R, Mattoo AK and Anderson JD (1984). Ethylene binding during leaf development and senescence and its inhibition by silver nitrate. *J Plant Physiol* 117: 243-248

- Gori DF (1983). Post-pollination phenomena and adaptive floral changes. In CE Jones and R.Little [eds.], *Handbook of experimental pollination biology*, 31-49.
- Graham IA, Denby KJ and Leaver CJ (1994). Carbon catabolite repression regulates glyoxylate cycle gene expression in cucumber. *Plant Cell* 6: 761-772
- Grbic V and Bleeker AB (1995). Ethylene regulates the timing of leaf senescence in *Arabidopsis*. *J Plant Physiol* 8: 595-602
- Grebe TW and Stock JB (1999). The histidine protein kinase superfamily. *Adv Microb Physiol* 41:139-227
- Greenberg JT, Silverman FP and Liang H (2000). Uncoupling salicylic acid-dependent cell death and defense-related responses from disease resistance in the *Arabidopsis* mutant *acd5*. *Genetics* 156: 341-350
- Grierson D, Tous IL and Barry CS (2000). Regulation of ethylene biosynthesis in response to pollination in tomato flowers. *Plant Physiol* 123: 971-978.
- Grignon C and Sentenac H (1991). pH and ionic conditions in the apoplast. *Annu Rev Plant Physiol Plant Mol Biol* 42: 102-125
- Grotewall E (2006). The genetics and biochemistry of floral pigments. *Ann Rev Plant Biol* 57:761-780
- Guiboileau A, Sormani R, Meyer C and Daubresse CM (2010). Senescence and death of plant organs: Nutrient recycling and developmental regulation. *Compt Rend Biol* 333(4): 382-391
- Gulzar S (2003). Studies on postharvest handling and vase life in some select ornamental flowers. M. Phil. Thesis, University of Kashmir, India.
- Guo H and Ecker JR (2004). The ethylene signalling pathway: new insights. *Curr Opin Plant Biol* 7:40-49
- Gus Wicjman (2006). Malaysian orchid producers vigilant. *Flower Tech* 8(5): 120-125
- Guzman P and Ecker J (1990). Exploiting the triple response of *Arabidopsis* to identify ethylene-related mutants. *Plant Cell* 2: 513-523
- Halevy AH (1986). Pollination-induced corolla senescence. *Acta Hort* 181:25-32
- Halevy AH, Whitehead CS and Konfrank AM (1984). Does pollination induce corolla abscission of cyclamen flowers by promoting ethylene production? *Plant Physiol* 75: 1090-1093
- Halevy A and Mayak S (1981). Senescence and postharvest physiology of cut flowers. Part 2 *Hort Rev* 3: 59-143

- Halevy A and Mayak S (1979). Senescence and postharvest physiology of cut flowers. Part 1 *Hort Rev* 1: 204–236
- Halevy AH, Mayak S, Tirosh T, Spiegelstein H and Kofranek AM (1974). Opposing effects of abscisic acid on senescence of rose flowers. *Plant Cell Physiol.* 15: 813-821
- Hamilton AJ, Lycett GW and Grierson D (1990) Antisense gene that inhibits synthesis of the plant hormone ethylene in transgenic plants. *Nature* 346: 284-287
- Hansen LN, Funnel KA and Mackay BR (1996). Silver thiosulphate reduces ethylene-induced flower shattering in *Thalictrum delavayi*. *New Zealand J Crop LaHort Sci* 24(2): 203-205
- Harada T, Yuino M, Yuka T, Tanase K, Onazaki T, Morita S, Masumura T and Satoh S (2011). Analysis of genomic DNA of *DcACSI*, a 1-aminocyclopropane-1-carboxylate synthase gene, expressed in senescing petals of carnation (*Dianthus caryophyllus*) and its orthologous gene in *D. superbis* var. *longicaycinus*. *Plant Cell Rep* 30: 519-527
- Harrison CR and Arditti J (1976). Post-pollination phenomena in orchid flowers. VII. Phosphate movement among floral segments. *Am J Bot* 63: 911–918
- Have AT and Woltering AJ (1997). Ethylene biosynthetic genes are differentially expressed during carnation (*dianthus caryophyllus*.) flower senescence. *Plant Mol Biol* 34:89-97
- Hensel LL, Grbić V, Baumgarten DA and Bleecker AB (1993). Developmental and age-related processes that influence the longevity and senescence of photosynthetic tissues in arabidopsis. *Plant Cell* 5(5):553–564
- Heslop-Harrison J (1978). Genetic and physiology of angiosperm incompatibility systems. *Proc R Soc Lon B* 202(1146):73-92
- Hew CS, Tan SC, Chin TY and Ong TK (1989). Influence of ethylene on enzyme activities and mobilisation of materials in pollinated *Arachnis* orchid flowers. *J Plant Growth Reg* 8:121–130
- Himelblau E and Amasino RM (2001). Nutrient remobilization from leaves of *Arabidopsis thaliana* during leaf senescence. *J Plant Physiol* 158: 1317–1323
- Hirayama T, Kieber JJ, Hirayama N, Kegan M, Guzman P, Nourizadeh S, Alonso JM, Dailey WP, Dancis A and Ecker JR (1999). RESPONSIVE-TOANTAGONIST1, a Menkes/Wilson disease-related copper transporter, is required for ethylene signalling in *Arabidopsis*. *Cell* 97: 383–393
- Ho LC and Nichols R (1977). Translocation of C14 sucrose in relation to changes in carbohydrate content in rose corollas cut at different stage of development. *Ann Bot* 41:227-242

- Hoerberichts FA, van Doorn WG, Vorst O, Hall RD and van Wordragen MF (2007). Sucrose prevents up-regulation of senescence-associated genes in carnation petals. *J Exp Bot* 58 (11): 2873-2885
- Hoekstra FA and Weges RA (1986). Lack of control by early pistillate ethylene of the accelerated wilting of *Petunia hybrida* flowers. *Plant Physiol* 80:403-408
- Hoffman T, Schmidt JS, Zheng XY and Bent AF (1999). Isolation of ethylene-insensitive soybean mutants that are altered in pathogen susceptibility and gene-for-gene disease resistance. *Plant Physiol* 119: 935 949
- Holdsworth MJ, Bird CR, Ray J, Schuch W and Grierson D (1987). Structure and expression of an ethylene-related mRNA from tomato. *Nucleic Acids Res* 15: 731-739
- Hong Y ,Wang TW, Hudak KA, Schade F, Froese CD and Thompson JE (2000). An ethylene-induced cDNA encoding a lipase expressed at the onset of senescence. *Proc Natl Acad Sci USA* (15): 8717–8722
- Hooshdaran MZ, Barker KS, Hiliard GM, Kusch H, Morschhauser J and Rogers PD (2004). Proteomic analysis of azole resistance in *Candida albicans*. *Agents Biochem Pol* 48:2733-35
- Hsiang THT (1951). Physiological and biochemical changes accompanying pollination in orchid flowers: 1. General Observations and water relations. *Plant Physiol* 26 (3):441- 455
- Hua J and Meyerowitz EM (1998) Ethylene responses are negatively regulated by a receptor gene family in *Arabidopsis thaliana*. *Cell* 94: 261-271.
- Hua J, Sakai H, Nourizadeh S, Chen QG, Bleecker AB, Ecker JR and Meyerowitz EM (1998). EIN4 and ERS2 are members of the putative ethylene receptor gene family in *Arabidopsis*. *Plant Cell* 10: 1321–1332
- Hua J, Chang C, Sun Q and Meyerowitz EM (1995). Ethylene insensitivity conferred by *Arabidopsis* ERS gene. *Science* 269: 1712–1714
- Huang P, Do Y and Lu M (1997). Cloning and characterization of *Phalaenopsis* genes related to petal senescence. (Direct Submission 16-MAY-1997)
- Hurst CC (1898). Notes of some curiosities of orchid breeding. *J R Hortic Sci* 21:442-486
- Ichimura K, Yumoto HS and Goto R (2009). Ethylene production by gynoecium and receptacle is associated with sepal abscission in cut *Delphinium* flowers. *Postharv Biot Tech* 52(3) 267-272
- Ichimura K, Kisimoto M, Norikoshi R, Kawabata Y and Yamada K (2005). Soluble carbohydrates and variation in vase life of cut rose cultivars ‘Deliah’ and ‘Sonia’. *J Hortic Sci Biotechnol* 80:280-286

- Ichimura K, Kohata K and Goto R (2000). Soluble carbohydrates in Delphinium and their influence on sepal abscission in cut flowers. *Physiol Plant* 108: 307-313
- Ichimura K and Suto K (1999). Effects of the time of sucrose treatment on vase life, soluble carbohydrate concentrations and ethylene production in cut sweet pea flowers. *Plant Growth Regul* 28:117-122
- Ichimura K (1998). Improvement of postharvest life in several cut flowers by the addition of sucrose. *Jpn Agric Res Q* 32:275-280
- Ichimura K and Hiraya T (1998). Effect of silver thiosulfate complex (STS) in combination with sucrose on the vase life of cut sweet pea flowers. *J Jpn Soc Hort Sc* 68:23-27
- Iordachescu M and Verlinden S (2005). Transcriptional regulation of three EIN3-like genes of carnation (*Dianthus caryophyllus* L. cv. Improved White Sim) during flower development and upon wounding, pollination, and ethylene exposure. *J Exp Bot* 56:2011-2018
- Itai A, Hirokane K, Tanabe K and Tamura F (2004). PPETR1, *Pyrus pyrifolia* mRNA for ethylene receptor. Direct Submission(22-APR-2004)
- Iwaya-Inoue M and Takata M (2001). Trehalose plus chloramphenicol prolong the vase life of tulip flowers. *HortScience* 3: 946–950.
- Jarvis MC, Briggs SPH and Knox JP (2003). Intercellular adhesion and cell separation in plants. *Plant, Cell and Environment* 26:977–989
- Jarvis MC (1984). Structure and properties of pectin gels in plant cell walls. *Plant Cell Environ* 7: 153-164.
- Jones ML, Stead AD and Clark DG (2010). *Petunia: Evolutionary, Developmental and Physiological Genetics* (ed) Gerats T and Strommer J, 305-320
- Jones ML (2008). Ethylene signaling is required for pollination-accelerated corolla senescence in petunias. *Plant Sci* 75(2):190-196.
- Jones ML, Chaffin GS, Eason JR and Clark DG (2005). Ethylene-sensitivity regulates proteolytic activity and cysteine protease gene expression in petunia corollas. *J Exp Bot* 56: 2733–2744
- Jones ML and Woodson WR. (1999). Differential expression of three members of 1-aminocyclopropane-carboxylate synthase gene family in carnation. *Plant Physiol* 119:755-764
- Jones ML, Larsen PB and Woodson WR (1995). Ethylene regulated expression of a carnation cysteine proteinase during flower petal senescence. *Plant Mol Biol* 28: 505–512
- Jones RB, Serek M, Kuo L and Reid MS (1994). The effect of protein synthesis inhibition on petal senescence in cut bulb flowers. *J Amer Soc Hort Sci* 119: 1243-1247

- Jorge GA, Sonia C, Rufat M, Estopà M, Messeguer J, Segundo BS and Coca M (2007). Sucrose-mediated priming of plant defense responses and broad-spectrum disease resistance by overexpression of the maize pathogenesis-related PRms protein in rice plants. *Mol Plant-Microbe Interactions* 20(7):832-842
- Kaihara S and Takimoto A (1981). Physical basis of flower opening in *Pharbitis nil*. *Plant and Cell Physiology* 22: 307–310
- Kalaitzis P, Solomos T and Tucker ML (1997). Three different polygalacturonases are expressed in tomato leaf and flower abscission, each with a different temporal expression pattern. *Plant Physiol* 113: 1303–1308
- Kaltaler REL and Steponkus PL (1976). Factors affecting respiration in cut roses. *J. Amer. Soc. Hort. Sci.* 101: 352-354
- Kanellis AK, Solomos T and Matoo AK (1989). Hydrolytic enzyme activities and protein pattern of avocado fruit ripened in air and in low oxygen, with and without ethylene. *Plant Physiol* 90: 257-266
- Kaul S (2000). Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature* 408: 796–815
- Keller CP and Van Volkenburgh E (1997). Auxin-induced epinasty of tobacco leaf tissues. A non-ethylene mediated response. *Plant Physiol* 113: 603-610
- Kende H (1993). Ethylene biosynthesis. *Ann Rev Plant Physiol Plant Mol Biol* 44: 283-307
- Kende H (1989). Enzymes of ethylene biosynthesis. *Plant Physiol* 91(1): 1–4
- Kende H and Baumgartner B (1974). Regulation of aging in flowers of *Ipomea tricolor* by ethylene. *Planta* 116:279-289
- Ketsa S, Wisutiamonkul A and Roengmongkul K (2004). Role of ethylene in ovary growth and vase life of *Dendrobium* orchids. *Acta Hort* 687: 157-170
- Ketsa S, Rattanawisalanon M and Narkbua N (2001). Effects of aminooxyacetic acid and sucrose on vase life of cut roses. *Acta Hort* 543:227-234
- Ketsa S and Rugkong A (2000). Ethylene production, senescence and ethylene sensitivity of *Dendrobium* 'Pompadour' flowers following pollination. *J Hort Sci Biotechnol* 75:149-153
- Ketsa S and Luangsuwalai K (1996). The relationship between 1-aminocyclopropane-1-carboxylic acid content in pollinia, ethylene production and senescence of pollinated *Dendrobium* orchid flowers. *Postharv Biol Tech* 8:57-64
- Ketsa S and Boonrote A (1990). Holding solutions for maximizing bud opening and vase life of *Dendrobium* Youppadeewan flowers. *J Hort Sci* 65(1): 41-47

- Kieber JJ, Rothenberg M, Roman G, Feldmann KA and Ecker JR (1993). CTR1, a negative regulator of the ethylene response pathway in Arabidopsis, encodes a member of the raf family of protein kinases. *Cell* 72:427-441
- Kikuchi T, Shibuya H, Aikawa T and Jones JT (2006). Cloning and characterization of pectate lyases expressed in the esophageal gland of the pine wood nematode *Bursaphelenchus xylophilus*. *Mol Plant Pathology Interaction* 19(3): 280-287
- Kim JY and Hwang KB (2000). Pepper gene encoding a basic pathogenesis-related 1 protein is pathogen and ethylene inducible. *Physiologia Plantarum* 108: 51–60
- King GA and Morris SC (1994). Early compositional changes during postharvest senescence of broccoli. *J Am Soc Hortic Sci* 119:1000- 10005
- Kinouchi T, Endo R, Yamashita A and Satoh S (2006). Transformation of carnation with genes related to ethylene production and perception: towards generation of potted carnations with a longer display time. *J Plant Cell, Tissue Org Cult* 86: 27-35
- Kiss E, Balogh A, Tisza V, Koncz T and Heszky L (2006). Ethylene biosynthetic and signalling genes in strawberry: isolation and characterization of ACC-synthase, -oxidase and CTR1(in) Proceedings of the 7th international symposium on plant hormone ethylene. Springer
- Klee HJ and Clark DG (2010). Ethylene signal transduction in fruits and flowers. *Plant Hormones* 377-398
- Knapp J, Moureau P, Schuch W and Grierson D (1989) Organization and expression of polygalacturonase and other ripening related genes in Ailsa Craig ‘Neverripe’ and ‘Ripening inhibitor’ tomato mutants. *Plant Molecular Biology* 12: 105 – 116
- Knauff RL, Arditti J and Flick BH (1970). Postpollination phenomena in Orchideen blüten. *Die Orchidee* 21:132-135
- Knoester M, van Loon LC, van den Heuvel J, Bol JF and Linthorst HJ M (1998). Ethylene-insensitive tobacco lacks nonhost resistance against soil-borne fungi. *Proc. Natl. Acad. Sci. USA*, 95: 1933–1937
- Koda Y (1992). The role of jasmonic acid and related compounds in the regulation of plant development. *Int Rev Cytol* 135: 155-199
- Koizumi M, Yamaguchi-Shinozaki K, Tsuji H, Shinozaki K (1993). Structure and expression of two genes that encode distinct drought-inducible cysteine proteinases in Arabidopsis thaliana. *Gene* 129:175–182
- Konar RN and Stanley RG (1969). Wall softening enzymes in the gynoecium and pollen of *Hemerocallis fulva*. *Planta*, 84:304- 310
- Kongsawadworakul P and Chrestin H (2002). Cloning and characterization of a cDNA encoding 1-aminocyclopropane-1-carboxylate oxidase from Hevea bark:

expression in response to various stresses Unpublished. (Direct Submission26-DEC-2002)

Kosugi Y, Shibuya K, Ysuruno N, Iwazaki Y, Mochizuki A, Yoshioka T, Hashiba T and Satoh S (2000). Expression of genes responsible for ethylene production and wilting are differently regulated in carnation petals. *Plant Sci* 158:139-145

Kovaleva LV, Timofeeva GV, Zakharova EV, Voronkov As and Yu V (2011). Ethylene synthesis in petunia stigma tissues governs the growth of pollen tubes in progamic phase of fertilization. *Russ J Plant Phys* 52(3): 402-408

Kuroda S, Hakata M, Hirose Y, Shiraishi M and Abe S (2003). Ethylene production and enhanced transcription of an ethylene receptor gene, ERS1, in Delphinium during abscission of florets. *Plant Physiol Biochem* 41: 812-820

Kusuhara Y, Kawabata S and Sakiyama R (1996). Effects of light intensity and sucrose concentration on the petal colour and the expression of anthocyanin biosynthetic genes in detached flowers of *Eustoma grandiflorum*. *J Jpn Soc Hortic Sci* 65(2):550-551

Laemmli UK (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685

Larsen PB and Chang C (2001). The *Arabidopsis eer1* mutant has enhanced ethylene responses in the hypocotyl and stem. *Plant Physiol* 125:1061–1073

Larsen PB, Ashworth EN, Jones ML and Woodson WR (1995). Pollination-induced senescence in carnation. *Plant Physiol* 108:521-530

Laws N 2002. Orchid commerce around the world. *FloraCulture Intl* 12(10):28-29.

Lay-yee M, Stead AD and Reid MS (1992). Flower senescence in daylily (*Hemerocallis*). *Physiol Plantarum* 86: 308–314

Laytragoon LN (1998). Programmed cell death: the influence of CD40, CD95 (Fas or Apo-I) and their ligands. *Medical Onc* 15:15–19.

Lei C, Nan M and Junping G (2001). Cloning of an 1-aminocyclopropane-1-carboxylate cDNA from *Rosa* cultivar 'Karolinal'. Direct Submission(06-NOV-2001)

Leon P and Sheen J (2003). Sugar and hormone connections. *Trends Plant Sci* 8:110-116

Leopold AC (1980). Aging and senescence in plant development. In: Thimann KV. Ed. *Senescence in plants*. Boca Raton FL: CRC Press, 1–12

Leopold AC (1961). Senescence in plant development. *Science* 134, 1727–1734

Lerslerwong L, Ketsa S and van Doorn WG (2009). Protein degradation and peptidase activity during petal senescence in *Dendrobium* cv. Khao sanan. *Postharvest Biol Tech* 52(1):84–90

Lerslerwong L and Ketsa S (2008). Autocatalytic ethylene production by *Dendrobium* flowers during senescence induced by exogenous ethylene. *Thai J Agri Sci* 41 (3):91-99

Lesham YY(1992). Membrane-associated phospholytic and lipolytic enzymes. in *Plant Membranes: A Biophysical Approach to Structure, Development and Senescence*. ed Lesham YY (Kluwer Academic Publishers, Dordrecht, The Netherlands), pp 174–191

Lesham YY, Halevy AH and Frenkel C (1986). Process and control of plant senescence. *Dev Crop Sci* 8:142-161

Liang X, Oono Y, Shen NF, Köhler C, Li K, Scolnik PA and Theologis A (1995). Characterization of two members (ACS1 and ACS3) of the 1-aminocyclopropane-1-carboxylate synthase gene family of *Arabidopsis thaliana*. *Gene* 167:17–24

Liao LJ, Lin YH, Huang KL, Chen WS and Cheng YM (2000). Postharvest life of cut rose flowers as affected by silverthiosulfate and sucrose. *Bot Bull Acad Sin* 41: 299-303

Liepman AH, Cavalier DM, Lerouxel O and Keegrsta K (2007). Cell wall structure, biosynthesis and assembly. In 'Plant cell separation and adhesion'. (Eds JA Roberts, Z Gonzalez-Carranza) pp. 8 – 39. Oxford: Blackwell Publishing

Lim SL, Chin TY and Hew CS (1975). Biochemical changes accompanying the senescence of *Arundina* flowers, *In Biology in Society, Proc of Seminar Singapore Inst Biol and Singapore Natl Acad Sci Singapore*, pp 18-26

Lindroth AM, Saarikoski P, Flygh G, Clapham D, Gro'nroos R, Thelander M, Ronne H and von Arnold S (2001). Two S-adenosylmethionine synthetase-encoding genes differentially expressed during adventitious root development in *Pinus contorta*. *Plant Mol Biol* 46(3):335-46.

Linskens HF and Spanjers AW (1973).Changes in the electrical potential in the transmitting tissue of petunia styles after cross- and self-pollination. *Incompatible Newslett* 3:81–85

Liu HC, Do YY and Huang PL (2000). Molecular cloning and characterization of cDNAs encoding ethylene receptor homologs from *Oncidium*. Direct Submission (08-JUN-2000)

Liu J, Zhang Z, He S, Cao J, Lv P and Joyce DC (2008). Effects of postharvest nano-silver treatments on cut flowers. *Int Soc for Hort Sci Postharvest Quality of Ornamentals conference, Odense, Denmark, August 11-14*

Lizada MCC and Rimando TJ (1982). Changes in 1-aminocyclopropane-1-carboxylic acid in pollinated *Dendrobium* and *Phalaenopsis*. *Proc. 4th ASEAN Orchid Congr Book Ser 26 Phillippe Council for Agri and Resourc Res and Dev*

Ministry of Agric and Food and Ministry of Foreign Affairs, Manila, Philippines, pp 119-123

Lohani S, Trivedi PK and Nath P (2004). Changes in activities of cell wall hydrolases during ethylene-induced ripening in banana: effect of 1-MCP, ABA and IAA. *Postharvest Biol Tech* 31: 119-126

Lotan T, Ori N and Fluhr R (1988). Pathogenesis-related proteins are developmentally regulated in tobacco flowers. *Plant Cell* 1(9):881–887.

Loubaud M and van Doorn WG (2004). Wound-induced and bacteria-induced blockage in rose, *Astilbe* and *Viburnum* (2004). *Postharvest Biol Technol* (32):281-288

Luangsuwalai K, Ketsa S and Doorn WG (2011). Ethylene-regulated hastening of perianth senescence after pollination in *Dendrobium* flowers is not due to an increase in perianth ethylene production. *Postharv Biol Tech* 62(3): 338-341

Lukaszewski TA and Reid MS (1989). Bulb type flower senescence. *Acta Hort* 261:59- 62

Marangoni, AG, Palma T and Stanley DW (1996). Membrane effects in postharvest physiology. *Postharvest Biol Tech* 7: 193 - 217

Mascarenhas JP (1990). Gene activity during pollen development. *Annu Rev Plant Physiol Plant Mol Biol* 41: 317–338

Matile P, Winkenbach F (1971). Function of lysosomes and lysosomal enzymes in the senescing corolla of the morning glory (*Ipomoea purpurea*). *J Exp Bot* 22: 759-771

Matoo AK, Anderson JD, Chalutz E and Lieberman M (1979). Influence of enol ether amino acids, inhibitors of ethylene biosynthesis, on aminoacyl transfer RNA synthetases and protein synthesis. *Plant Physiol* 64:289-292

Mayak S, Borochoy A and Tirosh T (1985). Transient water stress in carnation: Effect of aminooxyacetic acid. *J Exp Bot* 36(5):800-806

Mayak S and Dilley DR (1976). Effect of sucrose on response of cut carnation (*Dianthus caryophyllus*) to kinetin, ethylene and abscisic acid. *J Am Soc Hortic Sci.* 101: 583–585

McDaniel BK and Binder BM (2012). Ethylene Receptor 1 (ETR1) Is Sufficient and Has the Predominant Role in Mediating Inhibition of Ethylene Responses by Silver in *Arabidopsis thaliana*. *J Biol Chem* 287: 2609-2613

McGarvey DJ and Christoffersen RE (1992). Characterization and kinetic parameters of ethylene-forming enzyme from avocado fruit. *J Biol Chem* 267(9):5964–5967

Medawar PB (1952). *An Unsolved Problem of Biology* Lewis, London.

- Meir S, Philosoph SH, Michaeli R, Davidson H, Fogelman M, Shaffer A, Fjeld T and Stromme E (1995). Improvement of the keeping quality of mini-gladiolus spikes during prolonged storage by sucrose pulsing and modified atmosphere packaging. *Acta Hort*, 405: 335-342.
- Meli VS, Ghosh S, Prabha TN, Chakraborty N, Chakraborty S and Datta A (2010). Enhancement of fruit shelf life by suppressing N-glycan processing enzymes. *Proc Natl Am Soc* 107 (6): 2413-2418
- Milbus H, Sriskandarajah S and Serek M (2009). Genetically modified flowering potted plants with reduced ethylene sensitivity. *Acta Hort* 847:75–80
- Minic Z and Jouanin L (2006) Plant glycosyl hydrolases involved in cell wall polysaccharide degradation. *Plant Physiol Biochem* 44:435-449
- Miyazaki JH, Yang SF (1987). The methionine salvage pathway in relation to ethylene and polyamine biosynthesis. *Physiol Plant* 69: 366-370
- Moline HE, La Motte CE, Gochnawr C and Mc Namer A (1972). Further comparative studies on pectin esterase in relation to leaf and flower abscission. *Plant Physiol* 50:655–659
- Moniuszko G, Glow D and Sirko A (2010). Increase of ethylene level during sulfur deficiency in tobacco depends on the members of UP9/LSU family. Direct Submission to NCBI (18-10-2010)
- Mor Y, Reid MS and Kofranek AM (1984). Pulse treatments with silver thiosulfate and sucrose improve the vase life of sweet peas. *J Am Soc Hort Sci* 109: 866–868
- Moran F, Nasuno S and Starr M (1968). Extracellular and intracellular polygalacturonic acid trans-eliminase of *Erwinia carotovora*. *Arch Biochem Biophysics* 123:298-306
- Moussatche P and Klee HJ (2004). Autophosphorylation activity of the Arabidopsis ethylene receptor multigene family. *J Biol Chem* 279:48734-48741
- Mukherjee SK (1983). Orchids. Indian Council of Agricultural Research, New Delhi, pp: 102
- Muller F, Adori C and Sass M (2004). Autophagic and apoptotic features during programmed cell death in the fat body of the tobacco hornworm (*Manduca sexta*). *European Journal of Cell Biology* 83: 67–78
- Muller R, Stummann BM and Serek M (2003). Characterization of an ethylene receptor family with differential expression in rose (*Rosa hybrida* L.) flowers. *Plant Cell Rep* 19:1232-1239

- Nadeau JA and O'Neill SD (1995). Nucleotide sequence of a cDNA encoding 1-aminocyclopropane-1-carboxylate oxidase from senescing orchid petals. *Plant Physiol* 108(2):833-834
- Nadeau JA, Zhang XS, Nair H, O'Neill SD (1993). Temporal and spatial regulation of 1-aminocyclopropane-1-carboxylate oxidase in the pollination-induced senescence of orchid flowers. *Plant Physiol* 103: 31-39
- Nagtong T, Thanonkeo S, Klanrit,P and Thanonkeo P (2009).Direct submission 26-OCT-2009)
- Nair H, Idris ZM and Arditti J (1991). Effects of 1-aminocyclopropane-1-carboxylic acid on ethylene evolution and senescence of *Dendrobium* (*Orchidaceae*) flowers. *Lyndleyana* 6:49-58
- Nair H and Tung HF (1987). Ethylene production and 1-aminocyclopropane-1-carboxylic acid levels in detached orchid flowers of *Dendrobium* Pompador. *Scientia Hort* 32:145-151
- Nair H and Tung HF(1980). Investigations on cut flower longevity of *Oncidium flexuosum* *Oncidium sphacelatum* . Proc 3rd ASEAN Orchid Cong, Kuala Lumpur, Malaysia pp, 85-95
- Nakatsuka A, Murachi S, Okunishi H, Shiomi S, Nakano R, KuboY and Inaba A (1998). Differential expression and internal feedback regulation of 1-aminocyclopropane-1-carboxylate synthase, of 1-aminocyclopropane-1-carboxylateoxidase, and ethylene receptor genes in tomato fruit during development and ripening. *Plant Physiol* 118:1295–1305
- Narumi T, Kanno Y,Suzuki M, Kishimoto S, Ohmiya S and Satoh S (2005). Cloning of a cDNA encoding an ethylene receptor (DG-ERS1) from chrysanthemum and comparison of its mRNA level in ethylene-sensitive and -insensitive cultivars. *Postharvest Biol Technol* 36: 21–30
- Nichols R (1977). Induction of flower senescence and gynaecium development in the carnation (*Dianthus caryophyllus*) by ethylene and 2-chloroethylphosphonic acid *J Hort Sci* 46:323-332
- Nichols R (1973). Senescence of the cut carnation flower: respiration and sugar status. *J Hort Sci* 48:11-21
- Nichols R (1971). Induction of flower senescence and gynaecium development in the carnation (*Dianthus caryophyllus*) by ethylene and 2-chloroethylphosphonicacid. *J Hort Sci* 46: 323-332
- Niul Y, Yang Y, Zhang ZQ and Sun H (2011). Floral closure induced by pollination in gynodioecious *Cyananthus delavayi* (*Campanulaceae*): effects of pollen load and type, floral morph and fitness consequences. *Ann Bot* 108(7): 1257-1268
- Noh YS and Amasino RM (1999). Identification of a promoter region responsible for the senescence-specific expression of SAG12. *Plant Mol Biol* 41(2): 181-194

- Noodén LD (2004). Introduction. In: Noodén LD. *Plant cell death processes*. Amsterdam: Elsevier. 1–18
- Nowak J and Vacharotayan S (1980). Evaluation of different chemical treatments for keeping quality and vase-life prolongation of some orchid cultivars. *Pr Inst Sadownictwa Kwiciarstwa* 5:83-93
- O'Neill SD and Nadeau JA (1997). Postpollination flower development. *Hort Rev* 19:1-58
- O'Neill SD, Nadeau JA, Zhang XS, Bui AQ, Halevy AH (1993) Inter-organ regulation of ethylene biosynthetic genes by pollination. *The Plant Cell* 5: 419-432
- O'Donoghue EM, Eason JR, Somerfield SD and Ryan DA (2005). Galactosidases in opening, senescing and water-stressed *Sandersonia aurantiaca* flowers. *Functional Plant Biol* 32 (10) :911-922
- O'Donoghue EM, Somerfield SD and Heyes JA (2002). Organization of cell walls in *Sandersonia aurantiaca* floral tissue. *J Exp Bot* 53(368): 513-523
- Ohkawa K, Kasahara Y and Suh JN (1999). Mobility and effects on vase life of silver-containing compounds in cut rose flowers. *HortScience* 34(1): 112-113
- Ohtsubo N, Mitsuhashi I, Koga M, Seo S, and Ohashi S (1999). Ethylene Promotes the Necrotic Lesion Formation and Basic PR Gene Expression in TMV-Infected Tobacco. *Plant Cell Physiol* 40: 808 – 817
- Ohtsubo N, Mitsuhashi I, Koga M, Seo S and Ohashi Y (1999). Ethylene promotes the necrotic lesion formation and basic PR gene Expression in TMV-infected tobacco. *Plant Cell Physiol* 40 (8): 808-817
- Olley CM, Joyce DC and Irving DE (1996). Changes in sugar, protein, respiration and ethylene in developing and harvested Geraldton waxflower (*Chamaelucium uncinatum*) flowers. *New Zeal J Crop Hort* 24: 143–150
- Orzaez D, Blay R and Granell A (1999). Programme of senescence in petals and carpels of *Pisum sativum* L. flowers and its control by ethylene. *Planta* 208: 220-226
- Paliyath G and Droillard MJ (1992). The mechanism of membrane deterioration and disassembly during senescence. *Plant Physiol* 30:789-812
- Palusa SG, Golovkin M, Shin SB, Richardson DN and Reddy AS (2007). Organ-specific, developmental, hormonal and stress regulation of expression of putative pectate lyase genes in Arabidopsis. *New Phytol* 174: 537–550
- Pan DM and Chen J (2006). Clone and characterization of Lilium ERS1. Direct Submission (20-FEB-2006)
- Panavas T, Pikula PD, Rubinstein B and Walker EL (1999). Identification of senescence-associated genes from daylily petals. *Plant Mol Biol* 31:1227-1231

- Panavas T and Rubinstein B (1998). Oxidative events during programmed cell death of daylily (*Heimerocallis hybrid*) petals. *Plant Sci* 133: 125–138
- Panavas T , Reid PD and Rubinstein B (1998). Programmed cell death of daylily petals: activities of wall-based enzymes and effects of heat shock. *Plant Physiol and Biochem* 42: 675 – 703
- Passarinho PA and de Vries SC (2002). *Arabidopsis chitinases*: a genomic survey. In: Somerville CR, Meyerowitz EM (eds) *The Arabidopsis book*, American Society of Plant Biologists, Rockville, pp 1–25
- Pathak N and Sanwal GG (1998). Multiple forms of polygalacturonase from banana fruits. *Phytochemistry* 48: 249-255
- Patterson SE (2001). Cutting loose. Abscission and dehiscence in *Arabidopsis*. *Plant Physiol* 126: 494–500
- Paulin A (1986). Influence of exogenous sugars on the evolution of some senescence parameters of flowers. *Acta Hort* 181: 183–193
- Paulin A and Jamain C (1982). Development of flowers and changes in various sugars during opening of cut carnations. *J Amer Soc Hort Sci* 107: 258-261
- Payton S, Fray RG, Brown R and Grierson D. (1996). Ethylene receptor expression is regulated during fruit ripening, flower senescence and abscission. *Plant Mol Bio.* 31: 1227-1231
- Pech JC, Latche A, Larrgaudiere C and Reid MS (1987). Control of early ethylene synthesis in pollinated petunia flowers. *Plant Physiol Biochem* 25:431-437
- Phillips HL and Kende H (1980). Structural changes in flowers of *Ipomoea tricolor* during flower opening and closing. *Protoplasma* 102: 199– 216
- Podd LA, PN Hills and J Van Staden (2002). Physiological response and extension of vase life of cut carnation flowers treated with ethanol and acetaldehyde. II. Protein content and enzyme activity. *Plant Growth Regul* 38:107-117
- Porat R, Nadeau JA, Kirby JA, Sutter EG and O’Neill SD (1998). Characterization of the primary pollen signal in the postpollination syndrome of *Phalaenopsis* flowers. *Plant Growth Regul* 24: 109-117
- Porat R, Borochoy A, Halevy AH and O’Neill SD (1994). Pollination induced senescence of *Phalaenopsis* petals – The wilting process, ethylene production and sensitivity to ethylene . *Plant Growth Reg* 15:129-136
- Pressey R (1991). Polygalacturonase in tree pollens. *Phytochemistry* 30: 1753–1755
- Pressey R and Reger BJ (1989). Polygalacturonase in pollen from corn and other grasses. *Plant Sci* 59: 57–62
- Pun UK and Ichimura K (2003). Role of sugars in senescence and biosynthesis of ethylene in cut flowers. *JARQ* 37 (4): 219 – 224

- Qiao Y, Song C, Hu Z, Zhang Z, Qu S and Yao Q (2007). Cloning of ACC synthase gene from *Pyrus pyrifolia* Nakai and construction of the antisense transformation vector . Direct Submission (19-APR-2007)
- Rattanawisalanon C, Ketsa S and van Doorn WG (2002). Effect of aminooxyacetic acid and sugars on *Dendrobium* flowers. *Postharvest Biol Tech* 29: 93-100
- Reid MS and Kofranek AM (1981). Recommendations for standardized vase life evaluations. *Acta Hort* 113:171–173
- Reid MS, Paul JL Farhoomand MB, Kofranek AM and Staby GL (1980). Pulse treatments with the silver thiosulphate complex extend the vase life of cut carnations. *J American Soc Hort Science* 105: 25-27
- Rodriguez FI, Esch JJ, Hall AE, Binder BM, Schaller GE and Bleecker AB (1999). A copper cofactor for the ethylene receptor ETR1 from Arabidopsis. *Science* 283: 996–998
- Roeder S, Dreschler K, Wirtz M, Cristescu SM, Harren FJM, Hell R and Piechulla B (2009). SAM levels, gene expression of SAM synthetase, methionine synthase and ACC oxidase, and ethylene emission from *N. suaveolens* flowers. *Plant Mol Biol* 70(5):535-546
- Roein Z, Asil MH and Rabiei B (2009). Silver thiosulphate in relation to vase life of narcissus cut flowers (*Narcissus jonquilla*). *Hort Env Biotech* 50(4):308-312
- Rolland F, Moore B and Sheen J (2002). Sugar Sensing and Signaling in Plants. *Plant Cell Online* 14 (1):5185-5205
- Ronne H, von Arnold S (2001) Two S-adenosylmethionine synthetase-encoding genes differentially expressed during adventitious root development in *Pinus contorta*. *Plant Mol Biol* 46:335–346
- Rottmann WH, Peter GF, Oeller PW, Keller JA, Shen NF, Nagy BP, Taylor LP, Campbell AD and Theologis A (1991). ACC synthase is encoded by a multigene family whose transcription is induced during fruit and floral senescence. *J Mol Biol* 222: 937-961
- Rubinstein B (2000). Regulation of cell death in flower petals. *Plant Mol Biol* 44:303-318
- Sacalis JN and Lee JS (1987). Promotion of floral longevity by the ovary in carnation flowers. *J Am Soc Hort Sci* 112:118–121
- Sacher JA (1973). Senescence and postharvest physiology. *Annu Rev Plant Physiol* 24:197–224
- Sakai H, Hua J, Chen QG, Chang C, Medrano LJ, Bleecker AB and Meyerowitz EM (1998). ETR2 is an ETR1-like gene involved in ethylene signaling in *Arabidopsis*. *Proc Natl Acad Sci USA* 95: 5812–5817

- Sankhla N, Mackay WA and Davis TD (2000). Extension of vase life and prevention of ethylene-induced flower shattering in *Lupinus hvardii* by 1-methylcyclopropene. *Acta Hort* 543: 75-78.
- Savin KW, Baudinette SC, Graham MW, Michael MZ, Nugent GD, Chin-Yi Lu, Chandler SF and Cornish EC (1995). Antisense ACC oxidase RNA delays carnation petal senescence. *HortScience*, 30: 970-972
- Schofield CJ and Zhang Z(1999). Structural and mechanistic studies on 2-oxoglutarate-dependent oxygenases and related enzymes. *Curr Opin Struct Biol* 9(6):722-731
- Schultes RE and Pease AS (1963). Generic names of orchids , their origin and meaning. Academic Press, New York
- Schwede T, Kopp J, Guex N and Peitsch MC (2003). SWISS-MODEL: an automated protein homology-modeling server. *Nucleic Acids Res* 31:3381-3385
- Serek M, Sisler EC, Frello S and Sriskandarajah S (2006). Postharvest technologies for extending the shelf life of ornamental crops. *Int J Postharv Tech Inn* 1(1):69-75
- Serek M, Sisler EC and Reid MS (1994). 1-MCP: a novel gas ethylene inhibitor to increase the life of ethylene-sensitive cut flowers and potted plants. Proceeding of the International Symposium on Postharvest physiology, pathology and technologies for horticultural commodities Agadir, Morocco.
- Serek M and Reid MS (1993). Anti-ethylene treatments for potted flowering plants-relative efficacy of inhibitors of ethylene action and biosynthesis. *HortScience* 28: 1180-1181
- Seymour GB, Harding SE, Taylor AJ, Hobson GE and Tucker G (1987). Polyuronide solubilization during ripening of normal and mutant tomato fruit. *Phytochemistry* 26: 1871-1875
- Shahri W and Tahir I (2011). Flower Senescence-strategies and some associated events. *Bot Rev* 77:152–184
- Shaw JF, Chen HH, Tsai MF, Kuo CI and Huang LC (2002). Extended flower longevity of *Petunia hybrida* plants transformed with boers, a mutated ERS gene of *Brassica oleracea*. *Mol Breed* 9: 211–216
- Shibuya K, Barry KJ, Ciardi JA, Loucas HM, Underwood BA, Nourizadeh S, Ecker JR, Klee HJ and Clark DG (2004). The central role of pHEN2 in ethylene responses throughout petal development in *Petunia*. *Plant Physiol* 136: 2900–2912
- Shibuya K, Nagata M, Tanikawa N, Yoshioka Y, Hashiba T and Satoh S (2002), Comparison of mRNA levels of three ethylene receptors in senescing flowers of carnation (*Dianthus caryophyllus* L). *J Exp Bot* 53 : 399–406

- Shibuya K, Satoh S and Yoshioka T (1998). A cDNA Encoding a Putative Ethylene Receptor Related to Petal Senescence in Carnation (*Dianthus caryophyllus* L.) *Flowers Plant Physiol.* 116: 867
- Shykoff JA, Bucheli E and Kaltz O (1996). Flower lifespan and disease risk. *Nature* 379: 779–780
- Singh AP, Pandey SP, Rajluxmi Pandey S, Nath P and Sane AP (2011). Transcriptional activation of a pectate lyase gene, RbPel1, during petal abscission in rose. *Postharvest Biol Tech* 60:143-148
- Sisler, EC, Reid MS and Yang SF(1986). Effect of antagonists of ethylene action on binding of ethylene in cut carnations. *Plant Growth Regul* 4:213–218
- Smith CJS, Watson CF, Morris PC, Bird CR, Seymour GB, Gray JE, Arnold C, Tucker GA, Schuch W and Harding S (1990). Inheritance and effect on ripening of antisense polygalacturonase genes in transgenic tomatoes. *Plant Mol Biol* 14: 369–379
- Smith CJS, Watson CF, Morris PC, Bird CR, Seymour GB, Gray JE, Arnold C, Tucker GA, Schuch W, Harding S, and others (1990). Inheritance and effect on ripening of antisense polygalacturonase genes in transgenic tomatoes. *Plant Mol Biol* 14: 369–379
- Smith MT, Saks Y, van Staden J (1992). Ultrastructural changes in the petals of senescing flowers of *Dianthus caryophyllus* L. *Annals of Botany* 69: 277–285
- Somogyi M (1945). Determination of blood sugar. *J biol Chem* 160: 69-73
- Soudry E, Ulitzur S and Gepstein S (2005). Accumulation and remobilization of amino acids during senescence of detached and attached leaves: in planta analysis of tryptophan levels by recombinant luminescent bacteria. *J Exp Bot* 56: 695–702
- Spanjers AW (1978). Voltage variation in *Lilium longiflorum* pistils induced by pollination. *Nature* 215:1278-1280
- Sriskandarajah S, Milbus H and Serek M (2007). Transgenic *Campanula carpatica* plants with reduced ethylene sensitivity. *Plant Cell Rep* 26:805–813
- Staswick PE (1990). Novel regulation of storage protein genes. *The Plant Cell* 2 (1): 1-6
- Sriyong M, Buanong M, Photchanachai M, Uthairatanakij S, Chansilpa A and Aree C (2009). Petal Color Stability and Vase Life of *Nymphaea* IMangkala UbonM Pulsed in Sucrose Solution. *Agri Sci J* 40(1):241-244
- Stead AD (1992). Pollination –induced flower senescence – a review. *Plant Growth Regul* 11:13-20

- Stead AD (1985). The relationship between pollination, ethylene production and flower senescence. In: Ethylene and Plant Development. Eds. Roberts and Tucker. pp. 71-81
- Stead AD and Moore KG (1979). Studies on flower longevity in *Digitalis*. *Planta* 4:409-414
- Stearns JC and Glick BR (2003). Transgenic plants with altered ethylene biosynthesis or perception. *Biotech Adv* 21: 193-210
- Stewart GR, Norris KN and Asen S (1975). Microspectrometric measurement of pH and pH effect on color of petal epidermal cells. *Phytochem* 14: 937-942
- Stock AM, Robinson VL and Goudreau PN (2000). Two-component signal transduction. *Annu Rev Biochem* 69:183-215
- Strauss MS and Arditti J (1984). Postpollination phenomena in orchid flowers.XII. Effects of pollination, emasculation and auxin treatment on flowers of *Cattleya* Porzio "Cannizaro" and the rostellum of *Phalaenopsis*.*Bot Gaz* 145(1):43-49
- Strauss M and Koopowitz H (1973). Floral physiology of Angraecum. I. Inheritance of post-pollinator phenomena. *Am Orchid Soc Bull* 42 : 495
- Suisuwan C (1986). Influence of chemical solutions on quality and prolonging life of *Dendrobium* Jaquelyn Proc 6th ASEAN Orchid Congr, Orchid Soc Thailand, Bangkok pp 152-154
- Sultan M and Farooq S (1996). Some physiological changes associated with the development and senescence in flowers of daylily (Hemerocallis). *Plant Physiol Biochem* 23(2): 205-208
- Suttle JC and Kende H (1980). Ethylene action and loss of membrane integrity during petal senescence in Tradescantia. *Plant Physiol* 65: 1067-1072
- Suwanagul A, Tangjitmantham A and Hongtrakul V (2004). Putative *Dendrobium* Sonia No.17 ethylene receptor gene. Direct Submission (10-SEP-2004)
- Swarbreck D, Lamesch P, Wilks C and Huala F (2011). Arabidopsis ETR1 gene. Direct submission (18-Feb-2011)
- Takahashi,H, Shinkawa T, Nakai S and Inoue Y (2010). Differential expression of ACC oxidase genes during low-pH-induced root hair formation in lettuce (*Lactuca sativa* L.) seedlings. *Plant Growth Regul* 62: 137-149
- Tanase K and Ichimura K (2006). Expression of ethylene receptors DI-ERS1-3 and DI-ERS2, and ethylene response during flower senescence in *Delphinium*.*J Plant Physiol* 163 (11): 1159-1166
- Tarun AS, Lee JS and Theologis A (1998). Random mutagenesis of 1-aminocyclopropane-1-carboxylate synthase: A key enzyme in ethylene biosynthesis. *Proc Natl Acad Sci USA* 95: 9796-9801

ten Have A and Woltering EJ (1997). Ethylene biosynthetic genes are differentially expressed during carnation (*Dianthus caryophyllus* L.) flower senescence. *Plant Mol Biol* 34:89–97

Theologis A and Sato T (1998). Inventors; The United States of America as represented by the Secretary of the Agriculture, assignee. 1998/03/03. Control of fruit ripening through genetic control of ACC synthase synthesis. US#5723766

Theologis A (1992). One rotten apple spoils the whole bushel: the role of ethylene in fruit ripening. *Cell* 70:181–184

Thimann KV, Tetley RM, Krivak BM (1977). Metabolism of oat leaves during senescence: V. Senescence in light. *Plant Physiol* 59: 448–454

Thomas H, Ougham HJ, Wagstaff C and Stead AD (2003). Defining senescence and death. *J Exp Bot* 54: 1127–1132

Thompson J (1988). The molecular basis for membrane deterioration during senescence. Pp 51–83. In: L. D. Noodén & A. C. Leopold (eds). *Senescence and Aging in Plants*. Academic, New York

Thompson JE, Froese CD, Madey E, Smith MD and Hong Y (1998). Lipid metabolism during plant senescence. *Progress in Lipid Science* 37: 119–141

Thongkum M, Bhunchoth A, Warin N, Chatchawankanphanich O and Burns P (2009). Direct Submission (14-JAN-2009)

Tieman DM and Klee HJ (1999). Differential expression of two novel members of the tomato ethylene-receptor family. *Plant Physiol* 120(1): 165–172

Trivellini A, Ferrante A, Vernieri P, Carmassi G and Serra G (2011). Spatial and temporal distribution of mineral nutrients and sugars throughout the lifespan of *Hibiscus rosa-sinensis* L. flower. *Central Eur J Biol* 6(3):365–375

Trusty SE and Miller WB (1991). Postproduction carbohydrate levels in pot chrysanthemums. *J Am Soc Hortic Sci* 116: 412–421

van der Meuler-Muisers JJM, van Oeveren JC, van der Plas LHW and van Tuyl JM (2001). Postharvest flower development in Asiatic hybrid lilies as related to petal carbohydrate status. *Postharvest Biol Technol* 21: 201–211

van der Straeten D, Rodrigues-pousada RA, Villarroel R, Hanley S, Goodman HM and Montagu MV (1992). Cloning, genetic mapping, and expression analysis of a *Arabidopsis thaliana* gene that encodes ACC synthase. *Proc Natl Acad Sci USA* 89: 9969–9973

van der Straeten D, Wiemeersch LV, Goodman HM and Montagu MV (1990). Cloning and sequence of two different cDNAs encoding ACC synthase in tomato. *Proc Natl Acad Sci USA* 87: 4859–4863

van Doorn WG and Woltering EJ (2004). Senescence and programmed cell death: substance or semantics? *J Exp Bot* 55(406):2147–2153

- van Doorn WG (2004). Is petal senescence due to sugar starvation? *Plant Physiol* 134:35-42
- van Doorn WG (2002). Does Ethylene treatment mimic the effects of pollination on floral lifespan and attractiveness? *Ann Bot* 89:375-383
- van Doorn WG and van Meeteran U (2003) Flower opening and closure: a review. *J Exp Bot* 54:1801 – 1812
- van Doorn WG and Stead AD (1997) Abscission of flowers and flower parts. *J Exp Bot* 48:821–837
- van Doorn WG (1997). Effects of pollination on floral attraction and longevity. *J Exp Bot* 48(314): 1615-1622
- van Doorn WG, Zagory D and Reid MS (1991). Role of ethylene and bacteria in vascular blockage of cut fronds from the fern *Adiantum raddianum*. *Sci Hort* 46: 161-169
- van Doorn WG and Perik RR (1990). Hydroxyquinoline citrate and low pH prevent vascular blockage in stems of cut rose flowers by reducing the number of bacteria. *J Amer Soc Hort Sci* 115:979-981
- van Eldik GJ, Vriezen WH, Wingens M, Ruiter RK, van Herpen MMA, Schrauwen JAM and Wullems GJ (1995). A pistil-specific gene of *Solanum tuberosum* is predominantly expressed in the stylar cortex. *Sex Plant Reprod* 8:173–179
- van Leperen W, van Meeteren U and van Gelder H (2000). Fluid ionic composition influences hydraulic conductance of xylem conduits. *J Exp Bot* 25: 769–776
- Vardi Y and Mayak S (1989). Involvement of abscisic acid during water stress and recovery in petunia flowers. *Acta Hort* 261:107-112
- Veen H (1983). Silver thiosulphate: an experimental tool in plant science *Ibid* 20: 211-224
- Verlinden S and Garcia JJV (2004). Sucrose loading decreases responsiveness in carnation (*Dianthus caryophyllus* cv White Sim) petals. *Postharvest Biol Technol* 31:305-312
- Wagstaff C, Chanasut U, Harren FJM., Laarhoven LJ, Thomas B, Rogers HJ and Stead AD (2005). Ethylene and flower longevity in *Alstroemeria*: Relationship between tepal senescence, abscission and ethylene biosynthesis. *J Exp Bot* 56(413):1007-1016
- Wagstaff CM, Leverentz K, Griffiths G, Thomas B, Chanasut U, Stead AD and Rogers HJ (2002). Cysteine protease gene expression and proteolytic activity during senescence of *Alstroemeria* petals. *J Exp Bot* 53(367): 233–240
- Wagstaff C, Rogers HJ, Leverentz MK, Griffiths G, Thomas B, Chanasut U, and Stead AD (2001) .Characterisation of *Alstroemeria* flower vase life. *Acta Hort* 543: 161-175

- Wang H and Woodson WR (1993). A flower senescence-related mRNA from carnation shares sequence homology with fruit ripening-related genes involved in ethylene biosynthesis. Direct Submission (12-APR-1993)
- Wang H, Brandt AS and Woodson WR (1993). A flower senescence-related mRNA from carnation encodes a novel protein related to enzymes involved in phosphonate synthesis. *Plant Mol Biol* 22:719-724
- Wang H and Woodson WR (1991). A flower senescence-related mRNA from carnation shares sequence similarity with fruit ripening-related mRNAs involved in ethylene biosynthesis. *Plant Physiol* 96:1000-1001
- Wang W, Hall AE, O'Malley R and Bleecker AB (2003). Canonical histidine kinase activity of the transmitter domain of the ETR1 ethylene receptor from *Arabidopsis* is not required for signal transmission. *Proc Natl Acad Sci USA* 100: 352–357
- Wang Y and Kumar PP (2007). Characterization of two ethylene receptors PhERS1 and PhETR2 from petunia: PhETR2 regulates timing of anther dehiscence. *J Exp Bot* 58 (3): 533-544
- Warin N, Bhunchoth A, Thongkum M, Burns P and Chatchawankanphanich O. Dendrobium cv. 'Karen' ACC synthase (ACS) gene. Direct Submission(05-MAR-2007)
- Watanabe A and Imaseki H (1982). Changes in translatable mRNA in senescing wheat leaves. *Plant Cell Physiol* 23: 489-497
- Watson MA and Watson DJ (1951). The effect of infection with beet yellows and beet mosaic viruses on the carbohydrate content of sugar-beet leaves, and on translocation. *Ann Appl Biol* 38:276–289
- Wawrzynczak A and Goszcynska DM (2003). Effect of ethylene inhibitors on longevity of cut carnations (*Dianthus caryophyllus* L.) and ethylene production by flowers. *J Fruit Ornament Plant Res* 11:89-98
- Weerts JA (2008). The effect of sucrose-pulsing on cut carnation and freesia flowers. Masters Thesis, Rand Afrikaans University
- Wen ZQ, Lee YW, Pan RC and Hew CS (1990). Biochemical and physiological changes associated with the development of orchid flower *J Sing Natl Acad Sci* 18: 100-103
- Wenstein LH and Laurencot HJ (1958). Senescence of roses. II. Dark fixation of CO₂ bycut “Better Times” roses at different stages of senescence. *Contrib. Boyce Thompson Inst* 19:327
- Whitehead CS, Fujino DW and Reis MS (1983). Identification of the ethylene precursor, 1-aminocyclopropane-carboxylic acid (ACC) in pollen. *Sci Hort.* 21:291-297
- Whittaker DJ, Smith GS and Gardner RC (1997). Expression of ethylene biosynthetic genes in *Actinidia chinensis* fruit. *Plant Mol Biol* 34:45-55

- Wiemken-Gehrig V, Wiemken A and Matile PH (1974). Mobilization von Zellwandstoffen in der welkenden Blüte von *Ipomoea tricolor* Cav. *Planta* 115: 297–307
- Wilkinson JQ, Lanahan MB, Clark DG, Bleeker AB, Chang C and Meyerowitz EM (1997). A dominant mutant receptor for *Arabidopsis* confers ethylene insensitivity in heterologous plants. *Nat Biotech* 15:444-447
- Williams RR (1965). The effect of summer nitrogen application on the quality of apple blossom. *J Horticult Sci* 40:31–41
- Wing RA, Yamaguchi J, Larabell SK, Ursin VM and McCormick S (1990). Molecular and genetic characterization of two pollen-expressed genes that have sequence similarity to pectate lyases of the plant pathogen *Erwinia*. *Plant Mol Biol* 14:17–28
- Winkenbach F and Matile P (1970). Evidence for de novo synthesis of an invertase inhibitor in senescing petals of *Ipomoea*. *Zeitschrift für Pflanzenphysiologie* 63: 292-295
- Wolfe J, Hutcheon CJ, Higgins VJ and Cameron RK (2000). A functional gene-to-gene interaction is required for the production of an oxidative burst in response to infection in *Arabidopsis thaliana*. *Physiol Mol Plant Pathol* 56(6):253-261
- Woltering EJ and Nijenhuis-de Vries MA (2003). Regulation of differential ethylene production in gravistimulated flower stems. Unpublished. (Direct Submission 02-JUL-2003)
- Woltering EJ, Somhorst D and van der Veer P (1995). The role of ethylene in interorgan signalling during flower senescence. *Plant Physiol* 109 (4):1219-1225
- Woltering EJ, Van Hout M, Somhorst D and Harren F (1993). Roles of pollination and short-chain saturated fatty acids in flower senescence. *Plant Growth Regul* 12:1-10
- Woltering EJ (1990). Interorgan translocation of 1-aminocyclopropane-1-carboxylic acid and ethylene coordinates senescence in emasculated *Cymbidium* flowers. *Plant physiol* 92(3):837-845
- Wood PJ, Erfle JD and Teather RM (1988). Use of complex formation between congo red and polysaccharides in detection and assay of polysaccharide hydrolases. *Methods in Enzymology* 160: 59 – 74
- Woodson WR, Park KY, Drory A, Larsen PB and Wang H (1992). Expression of ethylene biosynthesis pathway transcripts in senescing carnation flowers. *Plant Physiol* 99:526–532
- Woodson WR and Handa AK (1987). Changes in protein patterns and in vivo protein synthesis during presenescence and senescence of *Hibiscus* petals. *J Plant Physiol* 128: 67–75

- Woodson WR, Hanchey SH and Chisholm DN (1985). Role of ethylene in the senescence of isolated petals. *Plant Physiol* 79:679-683
- Wu C and Bradford KJ (2003). Class I chitinase and β -1,3-glucanase are differentially regulated by wounding, methyl jasmonate, ethylene and gibberellin in tomato seeds and leaves. *Plant Physiol* 133: 263–27
- Wulster G, Sacalis J and Janes H (1982). The effect of inhibitors of protein synthesis on ethylene-induced senescence in isolated carnation petals. *J Amer Soc Hort Sci* 107: 112-115
- Xu Y and Hanson MR (2000). Programmed cell death during pollination induced petal senescence in *Petunia*. *Plant Physiol* 122:1323-1333
- Yam TW, Arditti J and Cameron KM (2009). The orchids have been a splendid sport: an alternative look at Charles Darwin's contribution to orchid biology. *Amer J Bot* 96: 1–27
- Yamane M, Liu X, Nakano R, Kubo Y and Yokotani N (2006). Ethylene biosynthesis in banana fruit. Direct Submission (19-JUL-2006)
- Yang SF and Hoffman NE (1984). Ethylene biosynthesis and its regulation in higher plants. *Ann Rev Plant Physiol* 35: 155-189
- Yang XH, Pua EC and Goh CJ (1996). Isolation of a cDNA clone encoding 1-aminocyclopropane-1-carboxylate synthase from *Dendrobium crumenatum* *Plant Physiol* 112: 863
- Yap YM, Loh CS and Ong BL (2008). Regulation of flower development in *Dendrobium crumenatum* by changes in carbohydrate contents, water status and cell wall metabolism. *Sci Hortic* 119:59–65
- Yau CP and Yip WK (1997). Nucleotide sequence of a full-length cDNA encoding an ethylene receptor from rice (Accession No. AF013979) (PGR97-134). *Plant Physiol*. 115: 315.
- Yin X, Chen K, Allan AC, Ferguson IB, Beuning L, Crowhurst R, Gleave A, Janssen B, Klages K, Martinus R, Richardson A, Marsh K, MacRae E, McNeilage M, Nain B, Newcomb R, Ross G, Schroeder R, Snowden K, Walton E, Wang YY, Wu R and Yauk Y (2008). Ethylene-induced modulation of genes associated with the ethylene signalling pathway in ripening kiwifruit. *J Exp Bot* 59 (8): 2097-2108
- Yip KC and Hew CS (1988). Ethylene production by young orchid flowers and buds. *Plant Growth Regul* 7:217-222
- Yip WK, Moore T and Yang SF (1992). Differential accumulation of transcripts for four tomato 1-aminocyclopropane-1-carboxylate synthase homologs under various conditions. *Proc Natl Acad Sci USA* 89:2475–2479
- Yu H and Goh CJ (2001). Molecular genetics of reproductive biology in orchids. *Plant Physiol* 127:1390-1393

- Yu SM (1999) Cellular and genetic responses of plants to sugar starvation. *Plant Physiol* 121: 687–693
- Yu YB, Adams DO and Yang SF (1979). 1-aminocyclopropane-1-carboxylate synthase, a key enzyme in ethylene biosynthesis. *Arch Biochem Biophys* 198:280-286
- Zarembinski TI and Theologis A (1994). Ethylene biosynthesis and action: case of conservation. *Plant Mol Biol* 26: 1579-1597
- Zarembinski TI and Theologis A (1993). Anaerobiosis and plant growth hormones induce two genes encoding 1-aminocyclopropane-1-carboxylatesynthase in rice (*Oryza saliva* L.). *Mol Biol Cell* 4: 363-373
- Zhang XS and O'Neill SD (1993). Ovary and gametophyte development are coordinately regulated by auxin and ethylene following pollination. *Plant Cell* 5: 403–418
- Zhivotovski B, Burgess DH, Vanags DM and Orrenius S (1997). Involvement of cellular proteolytic machinery in apoptosis. *Biochem Biophys Res Comm* 230(3):481-488
- Zhou Y, Wang CY, Hong GE, Hoerberichts FA and Visser PB (2005). Programmed cell death in relation to petal senescence in ornamental plants. *J Integ Plant Biol* 47(6): 641-650

WEB REFERENCES

Bangkok Post (www.bangkokpost.com)

China Times (news.chinatimes.com)

Global Agriculture Information Network (<http://www.fas.usda.gov>)

Ministry of Agriculture (www.moa.gov.my)

Ministry of National Development of Singapore (www.mnd.gov.sg)

Royal Flora Ratchaphruek 2006 (www.royalfloraexpo.com)

Taipei Times (www.taipeitimes.com)

Taiwan Floriculture Exports Association (www.taiwan-agriculture.org)

Thai Farmers Research Centre Co (www.tfrc.co)

New York Times (www.newyorktimes.com)