

# POSTHARVEST PHYSIOLOGY AND MOLECULAR CHARACTERIZATION OF ETHYLENE RELATED GENES IN POLLINATED *DENDROBIUM* POMPADOUR

|                                                                |             |
|----------------------------------------------------------------|-------------|
| <b>Abstract</b>                                                | <b>ii</b>   |
| <b>Abstrak</b>                                                 | <b>v</b>    |
| <b>Acknowledgement</b>                                         | <b>viii</b> |
| <b>List of Figures</b>                                         | <b>ix</b>   |
| <b>List of Tables</b>                                          | <b>xiii</b> |
| <b>List of Abbreviations</b>                                   | <b>xv</b>   |
| <b>List of Appendices</b>                                      | <b>xvii</b> |
| <b>Chapter 1: Introduction</b>                                 | <b>1</b>    |
| <b>Chapter 2: Literature Review</b>                            | <b>4</b>    |
| 2.1 Orchids in the world market                                |             |
| 2.1.2 Limited shelf life in orchids                            |             |
| 2.2 Botanical description                                      |             |
| 2.3 Flower opening                                             |             |
| 2.3.1 Categories of flower opening                             |             |
| 2.3.2 Carbohydrate metabolism during flower opening            |             |
| 2.3.3 Ultra structural changes during flower opening           |             |
| 2.3.4 Pigment development during flower opening                |             |
| 2.4 Senescence                                                 |             |
| 2.4.1 Introduction to plant senescence                         |             |
| 2.4.2 Plant senescence as a programmed cell death?             |             |
| 2.4.2.1 Molecular regulation of senescence                     |             |
| 2.4.4.2 Hormonal regulation of senescence                      |             |
| 2.4.2.3 Cell wall and membrane destruction                     |             |
| 2.4.4.2 Carbohydrate changes                                   |             |
| 2.4.4.5 Protein changes                                        |             |
| 2.4.3 Pollination-induced petal senescence                     |             |
| 2.5 Ethylene                                                   |             |
| 2.5.1 Ethylene biosynthesis                                    |             |
| 2.5.1.1 Ethylene biosynthesis pathway                          |             |
| 2.5.1.2 Ethylene biosynthesis enzyme genes                     |             |
| 2.5.1.3 Spatial and temporal expression of ACCO and ACCS genes |             |
| 2.5.2 Ethylene signalling                                      |             |
| 2.5.2.1 Ethylene receptor genes                                |             |

- 2.5.2.2 Ethylene signal and transduction pathway
- 2.5.2.3 Spatial and temporal expression of ethylene receptor genes

## 2.6 Extending cut flower shelf life with chemicals and preservatives

- 2.6.1 Ethylene inhibitors
  - 2.6.1.1 Ethylene biosynthesis inhibitors
    - 2.6.1.1.1 Aminooxyacetic acid
    - 2.6.1.1.2 Aminoethoxyvinylglycine
  - 2.6.1.2 Ethylene action inhibitors
    - 2.6.1.2.1 Silverthiosulphate
    - 2.6.1.2.2 1-Methylcyclopropane
- 2.6.2 The role of endogenous sugars in flowers
- 2.6.3 The role of exogenous sugars in extending vase life

## 2.7 Biotechnology for orchid improvement

- 2.7.1 Manipulation of ethylene biosynthesis genes
- 2.7.2 Manipulation of ethylene receptor genes

# **Chapter 3: Physiological changes of pollinated *Dendrobium* Pompadour 45**

## 3.1 Introduction

## 3.2 Materials & Methods

- 3.2.1 Plant material
- 3.2.2 Treatment solutions
- 3.2.3 Ethylene measurement
- 3.2.4 Morphological and physiological observations
  - 3.2.4.1 Flower senescence
  - 3.2.4.2 Colour measurements
  - 3.2.4.3 Petal thickness
  - 3.2.4.4 Water uptake and fresh weight
  - 3.2.4.5 Water loss
  - 3.2.4.6 Statistical analysis

## 3.3 Results

## 3.4 Discussion

# **Chapter 4: Changes in starch and sugar status of pollinated *Dendrobium* Pompadour 83**

## 4.1 Introduction

## 4.2 Materials and methods

- 4.2.1 Plant material
- 4.2.2 Extraction of starch and sugars
  - 4.2.2.1 Starch determination
  - 4.2.2.2 Determination of total sugar
  - 4.2.2.3 Determination of total reducing sugar

#### 4.3 Results

#### 4.4 Discussion

### **Chapter 5: Cell wall hydrolases and membrane leakage in pollinated *Dendrobium* Pompadour flowers** **107**

#### 5.1 Introduction

#### 5.2 Materials and methods

##### 5.2.1 Plant material

##### 5.2.2 Preparation of sample

##### 5.2.3 Determination of polygalacturonase activity

##### 5.2.4 Determination of pectate lyase activity

##### 5.2.5 Determination of pectin methylesterase activity

##### 5.2.6 Determination of cellulase activity

##### 5.2.7 Measurement of membrane leakage

#### 5.3. Results

#### 5.4. Discussion

### **Chapter 6: Protein content and profile analysis of pollinated flowers held in different treatment solutions** **135**

#### 6.1 Introduction

#### 6.2 Materials and Methods

##### 6.2.1 Plant material

##### 6.2.2 Preparation of solutions

##### 6.2.3 Extraction of total soluble and insoluble proteins

##### 6.2.4 One dimensional (1D) SDS PAGE analysis

##### 6.2.5 PVDF blot transfer of polypeptides

#### 6.3 Results

##### 6.3.1 Protein content in *D. Pompadour* flowers

##### 6.3.2 SDS PAGE analysis of protein profile of *D. Pompadour* flowers

##### 6.3.3 N-Terminal protein sequence analysis of 30kDa, 27kDa and 15kDa polypeptides

###### 6.3.3.1 30kD polypeptide

###### 6.3.3.2 27kDa polypeptide

###### 6.3.3.3 15kDa polypeptide

#### 6.4. Discussion

7.1 Introduction

7.2 Materials and methods

- 7.2.1 Plant material
- 7.2.2 Extraction of RNA
- 7.2.3 Primer design
- 7.2.4 Preparation of RT-PCR Reaction mixture
- 7.2.5 RT-PCR amplification of genes
- 7.2.6 Agarose gel preparation
- 7.2.7 Purification of RT-PCR product
- 7.2.8 Sequencing of isolated DNA
- 7.2.9 Bioinformatic analysis tools
  - 7.2.9.1 Translate
  - 7.2.9.2 Prosite
  - 7.2.9.3 Pfam
  - 7.2.9.4 BLAST NCBI
  - 7.2.9.5 ProtParam
  - 7.2.9.6 ClustalW
  - 7.2.9.7 Swiss Model
  - 7.2.9.8 RasMol

7.3 Results

- 7.3.1 ACCO gene of *D. Pompadour*
  - 7.3.1.1 RT-PCR results of ACCO gene of *D. Pompadour*
  - 7.3.1.2 Nucleotide and amino acid sequence of ACCO gene of *D. Pompadour*
  - 7.3.1.3 Features of ACCO protein of *D. Pompadour*
  - 7.3.1.4 Pfam analysis of ACCO protein of *D. Pompadour*
  - 7.3.1.5 Homology of ACCO protein of *D. Pompadour*
  - 7.3.1.6 ProtParam analysis of ACCO protein of *D. Pompadour*
  - 7.3.1.7 Multiple sequence analysis of ACCO protein of *D. Pompadour*
  - 7.3.1.8 Three dimensional (3D) structure of ACCO protein of *D. Pompadour*
- 7.3.2 ACCS gene of *I. Pompadour*
  - 7.3.2.1 RT-PCR results of ACCS gene of *D. Pompadour*
  - 7.3.2.2 Nucleotide and amino acid sequence of ACCO gene of *D. Pompadour*
  - 7.3.2.3 Features of ACCS protein of *D. Pompadour*
  - 7.3.2.4 Pfam analysis of ACCS protein of *D. Pompadour*
  - 7.3.2.5 Homology of ACCS protein of *D. Pompadour*
  - 7.3.2.6 ProtParam analysis of ACCS protein of *D. Pompadour*
  - 7.3.2.7 Multiple sequence analysis of ACCS protein of *D. Pompadour*
  - 7.3.2.8 Three dimensional (3D) structure of ACCS protein of *D. Pompadour*

- 7.3.3 *ETR1* gene of *D. Pompadour*
  - 7.3.3.1 RT-PCR results of *ETR1* gene of *D. Pompadour*
  - 7.3.3.2 Nucleotide and amino acid sequence of *ETR1* gene of *D. Pompadour*
  - 7.3.3.3 Features of *ETR1* protein of *D. Pompadour*
  - 7.3.3.4 Pfam analysis of *ETR1* protein of *D. Pompadour*
  - 7.3.3.5 Homology of *ETR1* protein of *D. Pompadour*
  - 7.3.3.6 ProtParam analysis of *ETR1* protein of *D. Pompadour*
  - 7.3.3.7 Multiple sequence analysis of *ETR1* protein of *D. Pompadour*
  - 7.3.3.8 Three dimensional (3D) structure of *ETR1* protein of *D. Pompadour*
- 7.3.4 *ERS1* gene of *D. Pompadour*
  - 7.3.4.1 RT-PCR results of *ERS1* gene of *D. Pompadour*
  - 7.3.4.2 Nucleotide and amino acid sequence of *ERS1* gene of *D. Pompadour*
  - 7.3.4.3 Features of *ERS1* protein of *D. Pompadour*
  - 7.3.4.4 Pfam analysis of *ERS1* protein of *D. Pompadour*
  - 7.3.4.5 Homology of *ERS1* protein of *D. Pompadour*
  - 7.3.4.6 ProtParam analysis of *ERS1* protein of *D. Pompadour*
  - 7.3.4.7 Multiple sequence analysis of *ERS1* protein of *D. Pompadour*
  - 7.3.4.8 Three dimensional (3D) structure of *ERS1* protein of *D. Pompadour*
- 7.3.5 *ERS2* gene of *D. Pompadour*
  - 7.3.5.1 RT-PCR results of *ERS2* gene of *D. Pompadour*
  - 7.3.5.2 Nucleotide and amino acid sequence of *ERS2* gene of *D. Pompadour*
  - 7.3.5.3 Features of *ERS2* protein of *D. Pompadour*
  - 7.3.5.4 Pfam analysis of *ERS2* protein of *D. Pompadour*
  - 7.3.5.5 Homology of *ERS2* protein of *D. Pompadour*
  - 7.3.5.6 ProtParam analysis of *ERS2* protein of *D. Pompadour*
  - 7.3.5.7 Multiple sequence analysis of *ERS2* protein of *D. Pompadour*
  - 7.3.5.8 Three dimensional (3D) structure of *ERS2* protein of *D. Pompadour*

## 7.4 Discussion

|                                                  |            |
|--------------------------------------------------|------------|
| <b>Chapter 8: General Discussion</b>             | <b>249</b> |
| <b>Chapter 9: Conclusion and Future Research</b> | <b>263</b> |
| <b>Literature cited</b>                          | <b>266</b> |
| <b>Appendices</b>                                |            |