

LIST OF FIGURES

	Page
Fig. 2.1 Chemical structure of amylose.....	8
Fig. 2.2 Chemical structure of amylopectin.....	8
Fig. 2.3 Cross section view of bast and core fiber plant stem.....	12
Fig. 2.4 Chemical structure of cellulose.....	15
Fig. 2.5 Chemical structure of different carbon sugars in hemicellulose.....	17
Fig. 2.6 Chemical structure of lignin.....	18
Fig. 2.7 Chemical structure of pectin.....	19
Fig. 3.1 The chemical structure of PVA.....	29
Fig. 3.2 The rice plant (<i>Oryza sativa</i>).....	32
Fig. 3.3 Rice starch granule.....	33
Fig. 3.4 Tapioca plant and its tuberous roots.....	34
Fig. 3.5 Tapioca starch granule.....	36
Fig. 3.6 The sago palm (<i>Metroxylon sagu Rottb</i>).....	37
Fig. 3.7 Sago starch granule.....	39
Fig. 3.8 <i>Buluh minyak</i> or <i>bambusa vulgaris</i>	41
Fig. 3.9 The kenaf plant (<i>Hibiscus cannabinus L.</i>).....	43
Fig. 3.10 The kenaf stalks.....	45
Fig. 3.11 <i>Hibiscus sabdariffa var. altissima</i>	46
Fig. 3.12 The <i>Hibiscus sabdariffa var. sabdariffa</i>	47
Fig. 3.13 The roselle stems.....	48
Fig. 3.14 The Napier/Elephant grass.....	49
Fig. 3.15 Napier grass stalks.....	50
Fig. 4.1 FTIR spectra of pure PVA in the frequency range of 650 - 4000 cm ⁻¹	71
Fig. 4.2 FTIR spectrum of tapioca, rice and sago starch powder in the frequency range of 650-4000 cm ⁻¹	73

Fig. 4.3 FTIR spectrum of alkali treated bamboo, kenaf, roselle and Napier fibers in the frequency range of 650-4000 cm ⁻¹	75
Fig. 4.4 FTIR spectrum of pure PVA, pure tapioca starch, PVA/1TS and PVA/3TS in the frequency range of 650-4000 cm ⁻¹	76
Fig. 4.5 FTIR spectrum of pure PVA, pure rice starch, PVA/1RS and PVA/3RS in the frequency range of 650-4000 cm ⁻¹	77
Fig. 4.6 FTIR spectrum of pure PVA, pure sago starch, PVA/1SS and PVA/3SS in the frequency range of 650-4000 cm ⁻¹	77
Fig. 4.7 FTIR spectrum of pure PVA, treated bamboo fiber, PVA/1TS/1BB and PVA/1TS/3BB in the frequency range of 650-4000 cm ⁻¹	80
Fig. 4.8 FTIR spectrum of pure PVA, treated kenaf fiber, PVA/1TS/1KF and PVA/1TS/3KF in the frequency range of 650-4000 cm ⁻¹	81
Fig. 4.9 FTIR spectrum of pure PVA, treated roselle fiber, PVA/1TS/1ROS and PVA/1TS/3ROS in the frequency range of 650-4000 cm ⁻¹	81
Fig. 4.10 FTIR spectrum of pure PVA, treated Napier fiber, PVA/1TS/1NP and PVA/1TS/3NP in the frequency range of 650-4000 cm ⁻¹	82
Fig. 4.11 FTIR spectrum of pure PVA, treated bamboo fiber, PVA/1RS/1BB and PVA/1RS/3BB in the frequency range of 650-4000 cm ⁻¹	82
Fig. 4.12 FTIR spectrum of pure PVA, treated kenaf fiber, PVA/1RS/1KF and PVA/1RS/3KF in the frequency range of 650-4000 cm ⁻¹	83
Fig. 4.13 FTIR spectrum of pure PVA, treated roselle fiber, PVA/1RS/1ROS and PVA/1RS/3ROS in the frequency range of 650-4000 cm ⁻¹	83
Fig. 4.14 FTIR spectrum of pure PVA, treated Napier fiber, PVA/1RS/1NP and PVA/1RS/3NP in the frequency range of 650-4000 cm ⁻¹	84
Fig. 4.15 FTIR spectrum of pure PVA, treated bamboo fiber, PVA/1SS/1BB and PVA/1SS/3BB in the frequency range of 650-4000 cm ⁻¹	84
Fig. 4.16 FTIR spectrum of pure PVA, treated kenaf fiber, PVA/1SS/1KF and PVA/1SS/3KF in the frequency range of 650-4000 cm ⁻¹	85
Fig. 4.17 FTIR spectrum of pure PVA, treated roselle fiber, PVA/1SS/1ROS and PVA/1SS/3ROS in the frequency range of 650-4000 cm ⁻¹	85
Fig. 4.18 FTIR spectrum of pure PVA, treated Napier fiber, PVA/1SS/1NP and PVA/1SS/3NP in the frequency range of 650-4000 cm ⁻¹	86
Fig. 4.19 X-ray diffraction pattern of pure PVA.....	91
Fig. 4.20 X-ray diffractograms of tapioca, rice and sago.....	93

Fig. 4.21 X-ray diffractograms of treated roselle, kenaf, bamboo, and napier.....	95
Fig. 4.22 X-ray diffractograms of pure PVA, PVA/1TS, PVA/3TS and pure tapioca starch.....	98
Fig. 4.23 X-ray diffractograms of pure PVA, PVA/1RS, PVA/3RS and pure rice starch.....	98
Fig. 4.24 X-ray diffractograms of pure PVA, PVA/1SS, PVA/3SS and pure sago starch.....	99
Fig. 4.25 X-ray diffractograms of pure PVA, PVA/1TS, PVA/1TS/1BB and PVA/1TS/3BB.....	100
Fig. 4.26 X-ray diffractograms of pure PVA, PVA/1TS, PVA/1TS/1KF and PVA/1TS/3KF.....	101
Fig. 4.27 X-ray diffractograms of pure PVA, PVA/1TS, PVA/1TS/1ROS and PVA/1TS/3ROS.....	101
Fig. 4.28 X-ray diffractograms of pure PVA, PVA/1TS, PVA/1TS/1NP and PVA/1TS/3NP.....	102
Fig. 4.29 X-ray diffractograms of pure PVA, PVA/1RS, PVA/1RS/1BB and PVA/1RS/3BB.....	102
Fig. 4.30 X-ray diffractograms of pure PVA, PVA/1RS, PVA/1RS/1KF and PVA/1RS/3KF.....	103
Fig. 4.31 X-ray diffractograms of pure PVA, PVA/1RS, PVA/1RS/1ROS and PVA/1RS/3ROS.....	103
Fig. 4.32 X-ray diffractograms of pure PVA, PVA/1RS, PVA/1RS/1NP and PVA/1RS/3NP.....	104
Fig. 4.33 X-ray diffractograms of pure PVA, PVA/1SS, PVA/1SS/1BB and PVA/1SS/3BB.....	104
Fig. 4.34 X-ray diffractograms of pure PVA, PVA/1SS, PVA/1SS/1KF and PVA/1SS/3KF.....	105
Fig. 4.35 X-ray diffractograms of pure PVA, PVA/1SS, PVA/1SS/1ROS and PVA/1SS/3ROS.....	105
Fig. 4.36 X-ray diffractograms of pure PVA, PVA/1SS, PVA/1SS/1NP and PVA/1SS/3NP.....	106
Fig. 4.37 SEM image of treated bamboo fibers at 400x magnification.....	108
Fig. 4.38 SEM image of treated bamboo fibers at 3000x magnification.....	108
Fig. 4.39 SEM image of treated kenaf fibers at 400x magnification.....	109

Fig. 4.40 SEM image of treated kenaf fibers at 3000x magnification.....	109
Fig. 4.41 SEM image of treated roselle fibers at 400x magnification.....	109
Fig. 4.42 SEM image of treated roselle fibers at 3000x magnification.....	109
Fig. 4.43 SEM image of treated Napier fibers at 400x magnification.....	109
Fig. 4.44 SEM image of treated Napier fibers at 3000x magnification.....	109
Fig. 4.45 SEM image of pure PVA film at 500x magnification.....	111
Fig. 4.46 SEM image of PVA/1TS film at 500x magnification.....	112
Fig. 4.47 SEM image of PVA/3TS film at 500x magnification.....	112
Fig. 4.48 SEM image of PVA/1RS film at 500x magnification.....	112
Fig. 4.49 SEM image of PVA/3RS film at 500x magnification.....	112
Fig. 4.50 SEM image of PVA/1SS film at 500x magnification.....	112
Fig. 4.51 SEM image of PVA/3SS film at 500x magnification.....	112
Fig. 4.52 SEM image of PVA/1TS/1BB at 25x magnification.....	114
Fig. 4.53 SEM image of PVA/1TS/3BB at 25x magnification.....	114
Fig. 4.54 SEM image of PVA/1TS/1KF at 25x magnification.....	114
Fig. 4.55 SEM image of PVA/1TS/3KF at 25x magnification.....	114
Fig. 4.56 SEM image of PVA/1TS/1ROS at 25x magnification.....	115
Fig. 4.57 SEM image of PVA/1TS/3ROS at 25x magnification.....	115
Fig. 4.58 SEM image of PVA/1TS/1NP at 25x magnification.....	115
Fig.4.59 SEM image of PVA/1TS/3NP at 25x magnification.....	115
Fig. 4.60 SEM image of PVA/1RS/1BB at 25x magnification.....	115
Fig. 4.61 SEM image of PVA/1RS/3BB at 25x magnification.....	115
Fig. 4.62 SEM image of PVA/1RS/1KF at 25x magnification.....	116
Fig. 4.63 SEM image of PVA/1RS/3KF at 25x magnification.....	116
Fig. 4.64 SEM image of PVA/1RS/1ROS at 25x magnification.....	116
Fig. 4.65 SEM image of PVA/1RS/3ROS at 25x magnification.....	116

Fig. 4.66 SEM image of PVA/1RS/1NP at 25x magnification.....	116
Fig. 4.67 SEM image of PVA/1RS/3NP at 25x magnification.....	116
Fig. 4.68 SEM image of PVA/1SS/1BB at 25x magnification.....	117
Fig. 4.69 SEM image of PVA/1SS/3BB at 25x magnification.....	117
Fig. 4.70 SEM image of PVA/1SS/1KF at 25x magnification.....	117
Fig. 4.71 SEM image of PVA/1SS/3KF at 25x magnification.....	117
Fig. 4.72 SEM image of PVA/1SS/1ROS at 25x magnification.....	117
Fig. 4.73 SEM image of PVA/1SS/3ROS at 25x magnification.....	117
Fig. 4.74 SEM image of PVA/1SS/1NP at 25x magnification.....	118
Fig. 4.75 SEM image of PVA/1SS/3NP at 25x magnification.....	118
Fig. 4.76 SEM image of fractured surface of PVA/1TS/1BB at 1000x magnification.....	119
Fig. 4.77 SEM image of fractured surface of PVA/1TS/3BB at 1000x magnification.....	119
Fig. 4.78 SEM image of fractured surface of PVA/1TS/3KF at 1000x magnification.....	120
Fig. 4.79 SEM image of fractured surface of PVA/1TS/1ROS at 1000x magnification.....	120
Fig. 4.80 SEM image of fractured surface of PVA/1TS/3ROS at 1000x magnification.....	120
Fig. 4.81 SEM image of fractured surface of PVA/1TS/1NP at 1000x magnification.....	120
Fig. 4.82 SEM image of fractured surface of PVA/1TS/3NP at 1000x magnification.....	120
Fig. 4.83 SEM image of fractured surface of PVA/1RS/1BB at 1000x magnification.....	121
Fig. 4.84 SEM image of fractured surface of PVA/1RS/3BB at 1000x magnification.....	121
Fig. 4.85 SEM image of fractured surface of PVA/1RS/3KF at 1000x magnification.....	121

Fig. 4.86 SEM image of fractured surface of PVA/1RS/3ROS at 1000x magnification.....	121
Fig. 4.87 SEM image of fractured surface of PVA/1RS/3NP at 1000x magnification.....	121
Fig. 4.88 SEM image of fractured surface of PVA/1SS/3BB at 1000x magnification.....	122
Fig. 4.89 SEM image of fractured surface of PVA/1SS/3KF at 1000x magnification.....	122
Fig. 4.90 SEM image of fractured surface of PVA/1SS/1ROS at 1000x magnification.....	122
Fig. 4.91 SEM image of fractured surface of PVA/1SS/3ROS at 1000x magnification.....	122
Fig. 4.92 SEM image of fractured surface of PVA/1SS/3NP at 1000x magnification.....	122
Fig. 4.93 TG curves for the degradation of PVA in nitrogen atmosphere at 10°C/min.....	124
Fig. 4.94 TG curves for the degradation of different starches in nitrogen atmosphere at 10°C/min.....	125
Fig. 4.95 TG curves for the degradation of different treated natural fibers in nitrogen atmosphere at 10°C/min.....	127
Fig. 4.96 TG curves for the degradation of PVA/1TS and PVA/3TS composites. The curves were compared with the TG curves of pure PVA and pure tapioca starch.....	129
Fig. 4.97 TG curves for the degradation of PVA/1RS and PVA/3RS composites. The curves were compared with the TG curves of pure PVA and pure rice starch.....	130
Fig. 4.98 TG curves for the degradation of PVA/1SS and PVA/3SS composites. The curves were compared with the TG curves of pure PVA and pure sago starch.....	130
Fig. 4.99 TG thermograms of pure PVA, treated bamboo fiber, PVA/1TS, PVA/1TS/1BB and PVA/1TS/3BB between the temperature range of 50°C to 900°C.....	132
Fig. 4.100 TG thermograms of pure PVA, treated kenaf fiber, PVA/1TS, PVA/1TS/1KF and PVA/1TS/3KF between the temperature range of 50°C to 900°C.....	133

Fig. 4.101 TG thermograms of pure PVA, treated roselle fiber, PVA/1TS, PVA/1TS/1ROS and PVA/1TS/3ROS between the temperature range of 50°C to 900°C.....	133
Fig. 4.102 TG thermograms of pure PVA, treated Napier fiber, PVA/1TS, PVA/1TS/1NP and PVA/1TS/3NP between the temperature range of 50°C to 900°C.....	134
Fig. 4.103 TG thermograms of pure PVA, treated bamboo fiber, PVA/1RS, PVA/1RS/1BB and PVA/1RS/3BB between the temperature range of 50°C to 900°C.....	134
Fig. 4.104 TG thermograms of pure PVA, treated kenaf fiber, PVA/1RS, PVA/1RS/1KF and PVA/1RS/3KF between the temperature range of 50°C to 900°C.....	135
Fig. 4.105 TG thermograms of pure PVA, treated roselle fiber, PVA/1RS, PVA/1RS/1ROS and PVA/1RS/3ROS between the temperature range of 50°C to 900°C.....	135
Fig. 4.106 TG thermograms of pure PVA, treated Napier fiber, PVA/1RS, PVA/1RS/1NP and PVA/1RS/3NP between the temperature range of 50°C to 900°C.....	136
Fig. 4.107 TG thermograms of pure PVA, treated bamboo fiber, PVA/1SS, PVA/1SS/1BB and PVA/1SS/3BB between the temperature range of 50°C to 900°C.....	136
Fig. 4.108 TG thermograms of pure PVA, treated kenaf fiber, PVA/1SS, PVA/1SS/1KF and PVA/1SS/3KF between the temperature range of 50°C to 900°C.....	137
Fig. 4.109 TG thermograms of pure PVA, treated roselle fiber, PVA/1SS, PVA/1SS/1ROS and PVA/1SS/3ROS between the temperature range of 50°C to 900°C.....	137
Fig. 4.110 TG thermograms of pure PVA, treated Napier fiber, PVA/1SS, PVA/1SS/1NP and PVA/1SS/3NP between the temperature range of 50°C to 900°C.....	138
Fig. 4.111 Storage modulus (E') versus temperature at 1 Hz for pure PVA in film form.....	141
Fig. 4.112 $\tan \delta$ versus temperature at 1 Hz for pure PVA in film form.....	142
Fig. 4.113 DSC thermogram for pure PVA in film form.....	143
Fig. 4.114 Storage modulus (E') vs. temperature for PVA/1TS and PVA/3TS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	145

Fig. 4.115 Storage modulus (E') vs. temperature for PVA/1RS and PVA/3RS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	146
Fig. 4.116 Storage modulus (E') vs. temperature for PVA/1SS and PVA/3SS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	146
Fig. 4.117 Loss factor ($\tan \delta$) vs. temperature for PVA/1TS and PVA/3TS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	147
Fig. 4.118 Loss factor ($\tan \delta$) vs. temperature for PVA/1RS and PVA/3RS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	148
Fig. 4.119 Loss factor ($\tan \delta$) vs. temperature for PVA/1SS and PVA/3SS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	148
Fig.4.120 DSC thermogram for PVA/1TS/1BB.....	153
Fig 4.121 DSC thermogram for PVA/1TS/3BB.....	153
Fig. 4.122 DSC thermogram for PVA/1TS/1KF.....	153
Fig. 4.123 DSC thermogram for PVA/1TS/3KF.....	153
Fig. 4.124 DSC thermogram for PVA/1TS/1ROS.....	154
Fig. 4.125 DSC thermograms for PVA/1TS/3ROS.....	154
Fig. 4.126 DSC thermogram for PVA/1TS/1NP.....	154
Fig. 4.127 DSC thermogram for PVA/1TS/3NP.....	154
Fig. 4.128 DSC thermogram for PVA/1RS/1BB.....	155
Fig. 4.129 DSC thermogram for PVA/1RS/3BB.....	155
Fig. 4.130 DSC thermogram for PVA/1RS/1KF.....	155
Fig. 4.131 DSC thermogram for PVA/1RS/3KF.....	155
Fig. 4.132 DSC thermogram for PVA/1RS/1ROS.....	156
Fig. 4.133 DSC thermogram for PVA/1RS/3ROS.....	156
Fig. 4.134 DSC thermogram for PVA/1RS/1NP.....	156
Fig. 4.135 DSC thermogram for PVA/1RS/3NP.....	156

Fig. 4.136 DSC thermogram for PVA/1SS/1BB.....	157
Fig. 4.137 DSC thermogram for PVA/1SS/3BB.....	157
Fig. 4.138 DSC thermogram for PVA/1SS/1KF.....	157
Fig. 4.139 DSC thermogram for PVA/1SS/3KF.....	157
Fig. 4.140 DSC thermogram for PVA/1SS/1ROS.....	158
Fig. 4.141 DSC themogram for PVA/1SS/3ROS.....	158
Fig. 4.142 DSC thermogram for PVA/1SS/1NP.....	158
Fig. 4.143 DSC thermogram for PVA/1SS/3NP.....	158
Fig. 4.144 Storage modulus (E') vs. temperature for PVA/1TS/1BB and PVA/1TS/3BB composites. The thermograms were compared with the DMA thermogram for pure PVA.....	159
Fig. 4.145 Storage modulus (E') vs. temperature for PVA/1TS/1KF and PVA/1TS/3KF composites. The thermograms were compared with the DMA thermogram for pure PVA.....	159
Fig. 4.146 Storage modulus (E') vs. temperature for PVA/1TS/1ROS and PVA/1TS/3ROS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	160
Fig. 4.147 Storage modulus (E') vs. temperature for PVA/1TS/1NP and PVA/1TS/3NP composites. The thermograms were compared with the DMA thermogram for pure PVA.....	160
Fig. 4.148 Storage modulus (E') vs. temperature for PVA/1RS/1BB and PVA/1RS/3BB composites. The thermograms were compared with the DMA thermogram for pure PVA.....	161
Fig. 4.149 Storage modulus (E') vs. temperature for PVA/1RS/1KF and PVA/1RS/3KF composites. The thermograms were compared with the DMA thermogram for pure PVA.....	161
Fig. 4.150 Storage modulus (E') vs. temperature for PVA/1RS/1ROS and PVA/1RS/3ROS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	162
Fig. 4.151 Storage modulus (E') vs. temperature for PVA/1RS/1NP and PVA/1RS/3NP composites. The thermograms were compared with the DMA thermogram for pure PVA.....	162
Fig. 4.152 Storage modulus (E') vs. temperature for PVA/1SS/1BB and PVA/1SS/3BB composites. The thermograms were compared with	

the DMA thermogram for pure PVA.....	163
Fig. 4.153 Storage modulus (E') vs. temperature for PVA/1SS/1KF and PVA/1SS/3KF composites. The thermograms were compared with the DMA thermogram for pure PVA.....	163
Fig. 4.154 Storage modulus (E') vs. temperature for PVA/1SS/1ROS and PVA/1SS/3ROS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	164
Fig. 4.155 Storage modulus (E') vs. temperature for PVA/1SS/1NP and PVA/1SS/3NP composites. The thermograms were compared with the DMA thermogram for pure PVA.....	164
Fig. 4.156 Loss factor ($\tan \delta$) vs. temperature for PVA/1TS/1BB and PVA/1TS/3BB composites. The thermograms were compared with the DMA thermogram for pure PVA.....	166
Fig. 4.157 Loss factor ($\tan \delta$) vs. temperature for PVA/1TS/1KF and PVA/1TS/3KF composites. The thermograms were compared with the DMA thermogram for pure PVA.....	166
Fig. 4.158 Loss factor ($\tan \delta$) vs. temperature for PVA/1TS/1ROS and PVA/1TS/3ROS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	167
Fig. 4.159 Loss factor ($\tan \delta$) vs. temperature for PVA/1TS/1NP and PVA/1TS/3NP composites. The thermograms were compared with the DMA thermogram for pure PVA.....	167
Fig. 4.160 Loss factor ($\tan \delta$) vs. temperature for PVA/1RS/1BB and PVA/1RS/3BB composites. The thermograms were compared with the DMA thermogram for pure PVA.....	168
Fig. 4.161 Loss factor ($\tan \delta$) vs. temperature for PVA/1RS/1KF and PVA/1RS/3KF composites. The thermograms were compared with the DMA thermogram for pure PVA.....	168
Fig. 4.162 Loss factor ($\tan \delta$) vs. temperature for PVA/1RS/1ROS and PVA/1RS/3ROS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	169
Fig. 4.163 Loss factor ($\tan \delta$) vs. temperature for PVA/1RS/1NP and PVA/1RS/3NP composites. The thermograms were compared with the DMA thermogram for pure PVA.....	169
Fig. 4.164 Loss factor ($\tan \delta$) vs. temperature for PVA/1SS/1BB and PVA/1SS/3BB composites. The thermograms were compared with the DMA thermogram for pure PVA.....	170
Fig. 4.165 Loss factor ($\tan \delta$) vs. temperature for PVA/1SS/1KF and PVA/1SS/3KF composites. The thermograms were compared with	

the DMA thermogram for pure PVA.....	170
Fig. 4.166 Loss factor ($\tan \delta$) vs. temperature for PVA/1SS/1ROS and PVA/1SS/3ROS composites. The thermograms were compared with the DMA thermogram for pure PVA.....	171
Fig. 4.167 Loss factor ($\tan \delta$) vs. temperature for PVA/1SS/1NP and PVA/1SS/3NP composites. The thermograms were compared with the DMA thermogram for pure PVA.....	171
Fig. 4.168 Storage modulus (E') vs. temperature for PVA/1RS/1B, PVA/1TS/1BB and PVA/1SS/1BB composites.....	173
Fig. 4.169 Storage modulus (E') vs. temperature for PVA/1RS/3BB, PVA/1TS/3BB and PVA/1SS/3BB composites.....	173
Fig. 4.170 Storage modulus (E') vs. temperature for PVA/1RS/1KF, PVA/1TS/1KF and PVA/1SS/1KF composites.....	174
Fig. 4.171 Storage modulus (E') vs. temperature for PVA/1RS/3KF, PVA/1TS/3KF and PVA/1SS/3KF composites.....	174
Fig. 4.172 Storage modulus (E') vs. temperature for PVA/1RS/1ROS, PVA/1TS/1ROS and PVA/1SS/1ROS composites.....	175
Fig. 4.173 Storage modulus (E') vs. temperature for PVA/1RS/3ROS, PVA/1TS/3ROS and PVA/1SS/3ROS composites.....	175
Fig. 4.174 Storage modulus (E') vs. temperature for PVA/1RS/1NP, PVA/1TS/1NP and PVA/1SS/1NP composites.....	176
Fig. 4.175 Storage modulus (E') vs. temperature for PVA/1RS/3NP, PVA/1TS/3NP and PVA/1SS/3NP composites.....	176
Fig. 4.176 Tensile strength values for PVA blended with different concentrations of different starches.....	179
Fig. 4.177 Young modulus values for PVA blended with different concentrations of different starches.....	180
Fig. 4.178 Percent elongation at break values for PVA blended with different concentrations of different starches.....	180
Fig. 4.179 Tensile strength values for PVA blended with 1g of tapioca starch and different concentrations of different fibers.....	183
Fig. 4.180 Tensile strength values for PVA blended with 1 g of rice starch and different concentrations of different fibers.....	183
Fig. 4.181 Tensile strength values for PVA blended with 1g of sago starch and different concentrations of different fibers.....	184

Fig. 4.182 Tensile strength values for different sets of PVA blended with 1g of different starches and reinforced with 1g of different fibers.....	185
Fig. 4.183 Tensile strength values for different sets of PVA blended with 1g of different starches and reinforced with 3g of different fibers.....	186
Fig. 4.184 Young modulus values for PVA blended with 1g of tapioca starch and different concentration of different fibers.....	188
Fig. 4.185 Young modulus values for PVA blended with 1g of rice starch and different concentration of different fibers.....	188
Fig. 4.186 Young modulus values for PVA blended with 1g of sago starch and different concentration of different fibers.....	189
Fig. 4.187 Percent elongation at break values for PVA blended with 1g of tapioca starch and different concentration of different fibers.....	190
Fig. 4.188 Percent elongation at break values for PVA blended with 1g of rice starch and different concentration of different fibers.....	191
Fig. 4.189 Percent elongation at break values for PVA blended with 1g of sago starch and different concentration of different fibers.....	191
Fig. 4.190 Weight loss of PVA/starch blends for the outdoor soil burial experiment.....	195
Fig. 4.191 Weight loss of PVA/starch blends for the indoor soil burial experiment.....	195
Fig. 4.192 SEM micrograph of pure PVA film surface after 2 weeks of indoor burial.....	197
Fig. 4.193 SEM micrograph of pure PVA film surface after 2 weeks of outdoor burial.....	197
Fig. 4.194 SEM micrograph of PVA/1TS film surface after 2 weeks of indoor burial.....	197
Fig. 4.195 SEM micrograph of PVA/1TS film surface after 2 weeks of outdoor burial.....	197
Fig. 4.196 SEM micrograph of PVA/3TS film surface after 2 weeks of indoor burial.....	197
Fig. 4.197 SEM micrograph of PVA/3TS film surface after 2 weeks of outdoor burial.....	197
Fig. 4.198 SEM micrograph of PVA/1RS film surface after 2 weeks of indoor burial.....	198

Fig. 4.199 SEM micrograph of PVA/1RS film surface after 2 weeks of outdoor burial.....	198
Fig. 4.200 SEM micrograph of PVA/3RS film surface after 2 weeks of indoor burial.....	198
Fig. 4.201 SEM micrograph of PVA/3RS film surface after 2 weeks of outdoor burial.....	198
Fig. 4.202 SEM micrograph of PVA/1SS film surface after 2 weeks of indoor burial.....	198
Fig. 4.203 SEM micrograph of PVA/1SS film surface after 2 weeks of outdoor burial.....	198
Fig. 4.204 SEM micrograph of PVA/3SS film surface after 2 weeks of indoor burial.....	199
Fig. 4.205 SEM micrograph of PVA/3SS film surface after 2 weeks of outdoor burial.....	199
Fig. 4.206 Weight loss for the composites of PVA blended with tapioca starch and different concentrations of different fibers for the outdoor soil burial experiment.....	201
Fig. 4.207 Weight loss for the composites of PVA blended with tapioca starch and different concentrations of different fibers for the indoor soil burial experiment.....	201
Fig. 4.208 Weight loss for the composites of PVA blended with rice starch and different concentrations of different fibers for the outdoor soil burial experiment.....	202
Fig. 4.209 Weight loss for the composites of PVA blended with rice starch and different concentrations of different fibers for the indoor soil burial experiment.....	202
Fig. 4.210 Weight loss for the composites of PVA blended with sago starch and different concentrations of different fibers for the outdoor soil burial experiment.....	203
Fig. 4.211 Weight loss for the composites of PVA blended with sago starch and different concentrations of different fibers for the indoor soil burial experiment.....	203
Fig. 4.212 SEM micrograph of PVA/1TS/1BB film surface after 2 weeks of indoor burial.....	204
Fig. 4.213 SEM micrograph of PVA/1TS/1BB film surface after 2 weeks of outdoor burial.....	204

Fig. 4.214 SEM micrograph of PVA/1TS/3BB film surface after 2 weeks of indoor burial.....	205
Fig. 4.215 SEM micrograph of PVA/1TS/3BB film surface after 2 weeks of outdoor burial.....	205
Fig. 4.216 SEM micrograph of PVA/1TS/1KF film surface after 2 weeks of indoor burial.....	205
Fig. 4.217 SEM micrograph of PVA/1TS/1KF film surface after 2 weeks of outdoor burial.....	205
Fig. 4.218 SEM micrograph of PVA/1TS/3KF film surface after 2 weeks of indoor burial.....	205
Fig. 4.219 SEM micrograph of PVA/1TS/3KF film surface after 2 weeks of outdoor burial.....	205
Fig. 4.220 SEM micrograph of PVA/1TS/1ROS film surface after 2 weeks of indoor burial.....	206
Fig. 4.221 SEM micrograph of PVA/1TS/1ROS film surface after 2 weeks of outdoor burial.....	206
Fig. 4.222 SEM micrograph of PVA/1TS/3ROS film surface after 2 weeks of indoor burial.....	206
Fig. 4.223 SEM micrograph of PVA/1TS/3ROS film surface after 2 weeks of outdoor burial.....	206
Fig. 4.224 SEM micrograph of PVA/1TS/1NP film surface after 2 weeks of indoor burial.....	206
Fig. 4.225 SEM micrograph of PVA/1TS/1NP film surface after 2 weeks of outdoor burial.....	206
Fig. 4.226 SEM micrograph of PVA/1TS/3NP film surface after 2 weeks of indoor burial.....	207
Fig. 4.227 SEM micrograph of PVA/1TS/3NP film surface after 2 weeks of outdoor burial.....	207
Fig. 4.228 SEM micrograph of PVA/1RS/1BB film surface after 2 weeks of indoor burial.....	207
Fig. 4.229 SEM micrograph of PVA/1RS/1BB film surface after 2 weeks of outdoor burial.....	207
Fig. 4.230 SEM micrograph of PVA/1RS/3BB film surface after 2 weeks of indoor burial.....	207

Fig. 4.231 SEM micrograph of PVA/1RS/3BB film surface after 2 weeks of outdoor burial.....	207
Fig. 4.232 SEM micrograph of PVA/1RS/1KF film surface after 2 weeks of indoor burial.....	208
Fig. 4.233 SEM micrograph of PVA/1RS/1KF film surface after 2 weeks of outdoor burial.....	208
Fig. 4.234 SEM micrograph of PVA/1RS/3KF film surface after 2 weeks of indoor burial.....	208
Fig. 4.235 SEM micrograph of PVA/1RS/3KF film surface after 2 weeks of outdoor burial.....	208
Fig. 4.236 SEM micrograph of PVA/1RS/1ROS film surface after 2 weeks of indoor burial.....	208
Fig. 4.237 SEM micrograph of PVA/1RS/1ROS film surface after 2 weeks of outdoor burial.....	208
Fig. 4.238 SEM micrograph of PVA/1RS/3ROS film surface after 2 weeks of indoor burial.....	209
Fig. 4.239 SEM micrograph of PVA/1RS/3ROS film surface after 2 weeks of outdoor burial.....	209
Fig. 4.240 SEM micrograph of PVA/1RS/1NP film surface after 2 weeks of indoor burial.....	209
Fig. 4.241 SEM micrograph of PVA/1RS/1NP film surface after 2 weeks of outdoor burial.....	209
Fig. 4.242 SEM micrograph of PVA/1RS/3NP film surface after 2 weeks of indoor burial.....	209
Fig. 4.243 SEM micrograph of PVA/1RS/3NP film surface after 2 weeks of outdoor burial.....	209
Fig. 4.244 SEM micrograph of PVA/1SS/1BB film surface after 2 weeks of indoor burial.....	210
Fig. 4.245 SEM micrograph of PVA/1SS/1BB film surface after 2 weeks of outdoor burial.....	210
Fig. 4.246 SEM micrograph of PVA/1SS/3BB film surface after 2 weeks of indoor burial.....	210
Fig. 4.247 SEM micrograph of PVA/1SS/3BB film surface after 2 weeks of outdoor burial.....	210

Fig. 4.248 SEM micrograph of PVA/1SS/1KF film surface after 2 weeks of indoor burial.....	210
Fig. 4.249 SEM micrograph of PVA/1SS/1KF film surface after 2 weeks of outdoor burial.....	210
Fig. 4.250 SEM micrograph of PVA/1SS/3KF film surface after 2 weeks of indoor burial.....	211
Fig. 4.251 SEM micrograph of PVA/1SS/3KF film surface after 2 weeks of outdoor burial.....	211
Fig. 4.252 SEM micrograph of PVA/1SS/1ROS film surface after 2 weeks of indoor burial.....	211
Fig. 4.253 SEM micrograph of PVA/1SS/1ROS film surface after 2 weeks of outdoor burial.....	211
Fig. 4.254 SEM micrograph of PVA/1SS/3ROS film surface after 2 weeks of indoor burial.....	211
Fig. 4.255 SEM micrograph of PVA/1SS/3ROS film surface after 2 weeks of outdoor burial.....	211
Fig. 4.256 SEM micrograph of PVA/1SS/1NP film surface after 2 weeks of indoor burial.....	212
Fig. 4.257 SEM micrograph of PVA/1SS/1NP film surface after 2 weeks of outdoor burial.....	212
Fig. 4.258 SEM micrograph of PVA/1SS/3NP film surface after 2 weeks of indoor burial.....	212
Fig. 4.259 SEM micrograph of PVA/1SS/3NP film surface after 2 weeks of outdoor burial.....	212