

REFERENCES

- Akbulut, M., Yücel, M., and Öktem, H. A. (2008). Analysis and optimization of DNA delivery into chickpea (*Cicer arietinum* L.) seedlings by *Agrobacterium tumefaciens*. African Journal of Biotechnology 7 (8): 1011 – 1017.
- Aldemita, R. R., and Hodges, T. K. (1996). *Agrobacterium tumefaciens*-mediated transformation of japonica and indica rice varieties. *Planta* 199: 612 – 617.
- Alizadeh, H., Naghavi, M.R., Omidi, M., and Saatian, B. (2004). Effect of plant regulators on direct shoot regeneration of wheat (*Triticum aestivum*). 4th International Crop Science Congress. Queensland, Australia.
- Ankenbauer, R. G., and Nester, E. W. (1990). Sugar-mediated induction of *Agrobacterium tumefaciens* virulence genes: structural specificity and activities of monosaccharides. *Journal of Bacteriology* 172: 6442 – 6446.
- Aswath, C. R., Mo, S. Y., Kim, D. H., and Park, S. W. (2006). *Agrobacterium* and biolistic transformation of onion using non-antibiotic selection marker phosphomannose isomerase. *Genetic Transformation and Hybridization. Plant Cell Report* 25: 92 – 99.
- Aukerman, M. J., and Amasino, R. M. (1998). Floral induction and florigen. *Cell* 93: 491 – 494.

Ayre, B.G., and Turgeon, R. (2004). Graft transmission of a floral stimulant derived from *CONSTANS*. *Plant Physiology* 135: 1 – 8.

Birch, R. G. (1997). Plant transformation: Problems and strategies for practical application. *Annual Review of Plant Physiology and Plant Molecular Biology* 48: 297 – 326.

Bradley, L. R., Kim, J. S., and Matthyssse, A. G. (1997). Attachment of *Agrobacterium tumefaciens* to carrots cells and *Arabidopsis* wound sites is correlated with the presence of a cell-associated, acidic polysaccharide. *Journal of Bacteriology* 179: 5372 – 5379.

Braun, A. C. (1943). Studies on tumor inception in crown gall disease. *Am. J. Bot.* 30: 674 – 677.

Brown, T. A. (2002). *Gene Cloning and DNA Analysis: An Introduction*. (4th ed). Blackwell Science Ltd. MA, USA.

Bundock, P. A., den Dulk-Ras, A., Beijerbergen, A., and Hooykaas, P. J. J. (1995). Trans-kingdom T – DNA transfer from *Agrobacterium tumefaciens* to *Saccharomyces cerevisiae*. *EMBO Journal* 14: 3206 – 3214.

Cangelosi, G. A., Hung, L., Puvanesarajah, V., Stacey, G., Ozga, D. A., Leigh, J. A., and Nester, E. W. (1987). Common loci for *Agrobacterium tumefaciens* and

Rhizobium meliloti exopolysaccharide synthesis and their role in plant interaction.
Journal of Bacteriology 169: 2086 – 2091.

Cangelosi, G. A., Martinetti, G., Leigh, J. A., Lee, C. C., Theines, C., and Nester, E. W. (1989). Role of *Agrobacterium tumefaciens* chvA protein in export of β - 1, 2 glucan. journal of Bacteriology 171: 1609 – 1615.

Chalfie, M., Tu, Y., Euskirchen, G., Ward, W. W., and Prasher, D. C. (1994). Green fluorescent protein as a marker for gene expression. Science 263: 802 – 805.

Chaudhury, D., Madanpotra, S., Jaiwal, R., Saini, R., Kumar, P. A., and Jaiwal, P. K. (2006). *Agrobacterium tumefaciens*-mediated high frequency genetic transformation of an Indian cowpea (*Vigna unguiculata* L. Walp.) cultivar and transmission of transgenes into progeny. Plant Science 172: 692 – 700.

Cheng, M., Fry, J. E., Pang, S. Z., Zhou, H. P., Hironaka, C. M., Duncan, D. R., conner, W., and Wan, Y. C. (1997). Genetic transformation of wheat mediated by *Agrobacterium tumefaciens*. Plant Physiology 115: 971 – 980.

Cheng, X. Y., Sardana, R., Kaplan, H., and Altosaar, I. (1998). *Agrobacterium-transformed* rice expressing synthetic cry1Ab and cry1Ac genes are highly toxic to striped stem borer and yellow stem borer. Proceedings of the National Academy of Sciences USA 95: 2767 – 2772.

Chilton, M. D. (1993). *Agrobacterium* gene transfer: Progress on a “poor man’s vector” for maize. Proceedings of the National Academy of Sciences USA 90: 3119 – 3120.

Citovsky, V., Zupon, J., Warnick, D., and Zambryski, P. (1992). Nuclear localization of *Agrobacterium* vir E2 protein in plant cells. Science. 256: 1802-1805.

Cody, C. W., Prasher, D. C., Westler, W. M., Prendergast, F. G., and Ward, W. W. (1993). Chemical structure of the hexapeptide chromophore of the Aequorea green-fluorescent protein. Biochemistry 32. 1212 – 1218.

Cox, K. M., Sterling, J. D., Regan, J. T., Gasdaska, J. R., Frantz, K. K., Peele, C. G., Black, A., Passmore, D., Moldovan-Loomis, C., Srinivasan, M., Cuison, S., Cardarelli, P. M., and Dickey, L. F. (2006). Glycan optimization of a human monoclonal antibody in the aquatic plant *Lemna minor*. Nature Biotechnology 24 (12): 1591 – 1597.

Crow, R. M., Gartland, J. S., McHugh, A. T., and Gartland, K. M. A. (2006). Real-time GUS analysis using Q-PCR instrumentation. Journal of Biotechnology 126. (126). 135 – 139.

Dandekar, A. M., and Fisk, H. J. (2005). Plant transformation: *Agrobacterium*-mediated gene transfer. In: Peña, L. (ed). Transgenic Plants. Humana Press. p. 61-79.

Davis, S. J., and Viersra, R. D. (1998). Soluble, highly fluorescent variants of green fluorescent protein (GFP) for use in higher plants. *Plant Molecular Biology* 36: 1573 – 5028.

De Bondt, A., Eggermont, K., Druart, P., Vil, M. D., Goderis, L., Vanderleydon, J., and Broekaert, W. F. (1994). *Agrobacterium*-mediated transformation of apple (*Malus X domestica Borkh.*): an assessment of factors affecting gene transfer during early transformation steps. *Plant Cell Report* 13: 587 – 593.

De la Pena, A, Lörz, H., and Schell, J. (1987). Transgenic rye plants obtained by injecting DNA into young floral tillers. *Nature* 325: 274 – 276.

De la Riva, G. A., González-Cabrera, J., Vázquez-Padrón, R., and Ayra-Pardo, C. (1998). *Agrobacterium tumefaciens*: a natural tool for plant transformation. *Electronic Journal of Biotechnology* Vol. 1. No. 3: 118 – 133.

Deblaere, R., Bytebier, B., De Greve, H., Deboeck, F., Schell, J., Van Montagu, M., and Leemans, J. (1985). Efficient octopine Ti plasmid – derived vectors for *Agrobacterium tumefaciens*. *Journal of Bacteriology* 178: 961 – 970.

Dillen. W., Clercq, J., Goossens, A., Zambre, M., Montagu, M., de Clercq, J., and Montagu, M. (1997). Exploiting the presence of regeneration capacity in the *Phaseolus* gene pool for *Agrobacterium*-mediated gene transfer to the common bean, XI Forum for Applied Biology, Gent, Belgium 62: 1397 – 1402.

Doyle, J. J. and Doyle, J. L. (1987). A rapid DNA isolation procedure from small quantities of fresh leaf tissues. *Phytochem. Bull.* (19). 11 – 15.

Draper, J., and Scott, R. (1991). Gene transfer to plants. In: Plant genetic engineering. Grierson, D. (ed). Glasgow, Blackie. Pp: 38 – 81.

Dürrenberger, F., Crameri, A., Hohn, B., and Koukolikava-Nicola, Z. (1989). Covalently bound VirD2 protein of *Agrobacterium tumefaciens* protects the T – DNA from exonucleolytic degradation. *Proceedings of the National Academy of Sciences USA* 86: 9154 – 9158.

Elliott, A. R., Campbell, J. A., Dugdale, B., Brettell, R. I. S., Grof, C. P. L. (1998). *Agrobacterium* – mediated transformation of sugarcane using GFP as a screenable marker. *Australia Journal of Plant Physiology* 25: 739 – 743.

Elliott, A. R., Campbell, J. A., Dugdale, B., Brettell, R. I. S., Grof, C. P. L. (1999). Green Fluorescent protein facilitates rapid *in vivo* detection of genetically transformed plant cells. *Plant Cell Report* 50: 151 – 158.

Enriquez-Obregon, G. A., Vazquez-padrón, R. I., Prieto-Sansonov, D. L., de la Riva, G. A., and Selman-Housein, G. (1997). Genetic transformation of sugarcane by *Agrobacterium tumefaciens* using antioxidant compounds. *Biotecnologia Aplicada* 14: 169 – 174.

Fromm, M., Taylor, L., and Walbot, V. (1985). Expression of genes transferred into monocotyledonous and dicotyledonous plant cells by electroporation. *Proceedings of the National Academy of Sciences USA* 82: 5824 – 5828.

Galun, E. and Breiman, A. (1998). *Transgenic Plants*. Imperial College Press. p.13-31.

Gasdaska, J., Spencer, D., and Dickey, L. (2003). Advantages of therapeutic protein production in the aquatic plant *Lemna*. *Bioprocessing Journal* 3: 50 – 56.

Gheysen, G., Villarroel, R., and Van Montagu, M. (1989). Illegitimate recombination in plants: a model for T – DNA integration. *Genes Development* 5: 287 – 297.

Grant, J. E., Domisse, E. M., Christey, M. C., Conner, A. J. (1991). Gene transfer to plants using *Agrobacterium*. In: *Advances Methods in Plant Breeding and Biotechnology*. Murray. D. R. (Ed). Oxford, UK. CAB International.

Greenberg, B. M., and Glick, B. R. (1993). The use of recombinant DNA technology to produce genetically modified plants. In: Methods in Plant Molecular Biology and Biotechnology. CRC Press, Inc. Boca Raton, Florida, USA.

Gruber, M. Y., and Crosby, W. L. (1993). Vectors for plant transformation. In: Methods in plant molecular biology and biotechnology. Glick, B. R. and Thompson, J. E. (eds). CRC Press. Inc. Boca Raton, Florida, USA. Pp: 89 – 119.

Hajdukiewicz, P., Svab, Z., and Maliga, P. (1994). The small versatile pPZP family of *Agrobacterium* binary vectors for plant transformation. Plant Molecular Biology 25: 989 – 994.

Hamilton, C. M. (1997). A binary – BAC system for plant transformation with high molecular weight DNA. Gene 200: 107 – 116.

Harder. R., (1968). Axenische kultur von *Aponogeton distachyus* L.. Planta 82, 19 – 193.

Haseloff, J., Amos, B. (1995). GFP in plants. Trends Genetics 11: 328 – 329.

Haseloff, J., Siemering, K. R., Prasher, D. C., and Hodge, S. (1997). Removal of a cryptic intron and subcellular localization of green fluorescent protein are required to mark transgenic *Arabidopsis* plants brightly. Proceedings of the National Academy of Sciences USA 94: 2122 – 2127.

Hiei, Y., Ohta, S., Komari, T., and Kumashiro, T. (1994). Efficient transformation of rice (*Oriza sativa*) mediated by *Agrobacterium* and sequence analysis of the boundaries of the T – DNA. *The Plant Journal* 6: 271 – 282.

Hiscock, P. (2005). Aquarium Plants. Comprehensive coverage, from growing them to perfection to choosing the best varieties. Mini Encyclopedia. Barron's Educational Series, Inc. New York.

Hoekema, A., Hirsch, P. Hooykas, J., and Schilperoott, R. (1983). A binary plant vector strategy based on separation of *vir*- and T-region of the *Agrobacterium tumefaciens* Ti plasmid. *Nature*. 303: 179-180.

Hood, E. E., Helmer, G. L., Fraley, R. T., Chilton, M. D. (1986). The hyper virulence of *Agrobacterium tumefaciens* A281 is encoded in a region of pTiBo542 outside of T-DNA. *Journal of Bacteriology* 168: 1291 – 1301.

Hood, E. E., Gelvin, S. B., Melchers, L.S., Hoekema, A. (1993) New *Agrobacterium* helper plasmids for gene transfer to plants. *Transgenic Research* 2: 208 – 218.

Hooykaas, P. J. J., and Schilperoott. R. A. (1992). *Agrobacterium* and plant genetic engineering. *Plant Molecular Biology*. 19: 15 – 38.

Horn, M. E., Shillito, R. D., Conger, B. V., and Harms, C. T. (1988). Transgenic plants of Orchardgrass (*Dactylis glomerata* L.) from protoplasts. *Plant Cell Reports* 7: 469 – 472.

Horsch, R. B., Fry, J. E., Hoffmann, N. L., Eichholtz, D., Rogers, S. G., and Fraley, R. T. (1985). A simple and general method for transferring genes into plants. *Science* 227: 1229 – 1231.

Hu, W., and Cheng, C. L. (1995). *FEBS Letter* 369: 331 – 334.

Huang, L., Chang, Y., (1994). Rapid in vitro multiplication of the aquatic angiosperm, *Anubias barteri* var. undulate. *Aquat. Bot.* 47, 77 – 83.

Imaizumi, T., and Kay, S. A. (2006). Photoperiodic control of flowering: not only by coincidence. *Trends in Plant Science* 11 (10): 550 – 558.

Ishida, Y., Saito, H., Ohta, S., Hiei, Y., Komari, T., and Kumashiro, T. (1996). High efficiency transformation of maize (*Zea mayz* L.) mediated by *Agrobacterium tumefaciens*. *Nature Biotechnology* 4: 745 – 750.

Jefferson, R. A. (1987). Assaying chimeric genes in plants: The GUS gene fusion system. *Plant Molecular Biology Reporter* 5 (4): 387 – 405.

Jefferson, R., Kavanagh, A. T., and Bevan, M. W. (1987). GUS fusions: β -glucuronidase as a sensitive and versatile gene fusion marker in higher plants. The EMBO Journal. 6: 3901-3907.

Jeon, G. A., Eum, J. S., and Sim, W. S. (1998). The role of inverted repeat (IR) sequence of the *virE* gene expression in *Agrobacterium tumefaciens* pTiA6. Molecules and Cells 8: 49 – 53.

Kaether, C., and Gerdes, H. H. (1995). Visualisation of protein transport along the secretory pathway green fluorescent protein. FEBS Letters 369 (2-3): 267 – 271.

Kane, M. E., Gilman, E. F., Jenks, M. A., Sheehan, T. J. (1990). Micropropagation of the aquatic plant *Cryptocoryne lucens*. HortScience 25, 687 – 689.

Kar, S., Johnson, T. M., Nayak, P., and Sen, S. K. (1996). Efficient transgenic plant regeneration through *Agrobacterium*-mediated transformation of Chickpea (*Cicer arietinum* L.). Plant Cell Report 16: 32 – 37.

Kato, N., Pontier, D., and Lam, E. (2002). Spectral profiling for the simultaneous observation of four distinct fluorescent proteins and detection of protein-protein interaction via fluorescent resonance energy transfer in tobacco leaf nuclei. Plant Physiology 129: 931 – 942.

Kim, Y. S., Kwon, T. H., and Sik, Y. M. (2003). Direct transfer and expression of human GM-CSF in tobacco suspension using *Agrobacterium*-mediated transfer system. *Plant Cell, Tissue and Organ Culture* 78: 133 – 138.

Koncz. C., Olsson, O., Langridge, W. H. R., Schell, J., and Szalay, A. A. (1987). Expression and assembly of functional bacterial luciferase in plants. *Proceedings of National Academy of Sciences USA* 84: 131 – 135.

Koncz, C., Németh, K., Redei, G. P., and Scell, J. (1994). In: Paszkowski, J. (ed). Homologous recombination and gene silencing in plants. Kluwer, Dordrecht, The Netherlands.

Koroch, A., Juliani, H. R., Kapteyn, J., and Simon, J. E. (2001). *In vitro* regeneration of *Echinacea purpurea* from leaf explants. *Plant Cell, Tissue and Organ Culture* 69: 79 – 83.

Kukulczanka, K., Klimaszewska, K., Slawinski, S. (1980). In vitro culture of *Aponogeton*. *Tropical Fish Hobbyist* 29, 36 – 39.

Lee, J. H., and Schöfl, F. (1995). GUS activity staining in gels: A powerful tool for studying protein interaction in plants. *Plant Molecular Biology Reporter* 13 (3): 346 – 354.

Li, W., Guo, G. Q., and Zheng, G. C. (2000). *Agrobacterium*-mediated transformation: state of the art and future prospect. Chinese Science Bulletin 45 (17): 1537 – 1546.

Luo, W. X., Cheng, T., Guan, B. Q., Li, S. W., Miao, J., Zhang, J., and Xia, N. S. (2006). Variants of green fluorescent proteins GFPxm. Marine Biotechnology 8: 560 – 566.

Ma, H. (1998). Flowering time: from photoperiodism to florigen. Current Biology 8: 690 – 692.

Mason, G., Provero, P., Vaira, A. M., and Accotto, G. P. (2002). Estimating the number of integration in transformed plants by quantitative real-time PCR. Open access available in the website: <http://www.biomedcentral.com/1472-6750/2/20>

Men, X. T., Ming, R. W., Liu, C. H., Wei and Y Li. (2003). *Agrobacterium*-mediated transformation of Dendrobium orchid. Plant Cell, Tissue and Organ Culture. 75: 63 – 71.

Metzlaff, M., and O'Dell, M. (1997). RNA-mediated RNA degradation and chalcone synthase A silencing in petunia. Cell 88: 845 – 854.

Morise, H., Shimomura, O., Johnson, F. H., and Winant, J. (1974). Intramolecular energy transfer in the bioluminescent system of *Aequorea*. Biochemistry 13: 2656 – 2662.

Mok, S. H. (2007). *Agrobacterium*-mediated transformation of local hot chilli (*Capsicum annuum* var Kulai) for virus resistant trait. PhD Thesis. Universiti Malaya. Kuala Lumpur.

Murashige, T., Skoog, F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol. Plant.* 15: 473 – 497.

Niedz, R. P., Sussman, M. R., and Satterlee, J. S. (1995). Green Fluorescent protein: an *in vivo* reporter of plant gene expression. *Plant Cell Report* 14: 403 – 406.

Offringa, R., de Groot, M. J. A., Haagsman, H. J., Does, M. P., van den Elzen, P. J. J. M. & Hooykaas, P. J. J. (1990). Extrachromosomal homologous recombination and gene targeting in plant cells after *Agrobacterium* mediated transformation. *EMBO J.* 9.10: 3077-3084.

Ow, D. W., Wood, K. V., DeLuca, M., de Wet, J. R., Helinski, D. R., and Howell, S. H. (1986). Transient and stable expression of the firefly luciferase gene in plant cells and transgenic plants. *Science* 234: 856 – 859.

Peralta, E. G., and Ream, L. W. (1985). T – DNA border sequence required for crown gall tumorigenesis. *Proceedings of National Academy of Sciences USA* 82: 5112 – 5116.

Potrykus, I. (1991). Gene transfer to plants: Assessment of published approaches and results. *Annual Review Plant Physiology. Plant Molecular Biology* 42: 205 – 225.

Potrykus, I., Bilang, R., Futterer, J., Sautter, C., Schrott, M., and Spangenberg, G. (1998). Genetic engineering of crop plants. In: Altman, A. (ed). *Agricultural Biotechnology*. Marcel Dekkar, Inc. p.121-123.

Puchta, H. (1998). Repair of genomic double-strand breaks in somatic cells by one-side invasion of homologous sequences. *Plant Journal* 13: 331 – 339.

Rataj, R., Horeman, T. J. (1977). *Aquarium Plants*. T. F. H. Publications, Inc. Neptune City, New Jersey, USA.

Reichel, C., Mathur, J., Eckes, P., Langenkemper, K., Koncz, C., Schell, J., Reiss, B., and Maas, C. (1996). Enhanced green fluorescence by the expression of an *Aequorea victoria* green fluorescent protein mutant in mono- and dicotyledonous plant cells. *Proceedings of the National Academy Sciences. USA* 93: 5888 – 5893.

Rizzuto, R., Brini, M. Pizzo, P., Murgia, M., and Pozzan, T. (1995). Chimeric green fluorescent protein as a tool for visualising subcellular organelles in living cells. *Current Biology* 5: 635 – 642.

Ridings, W. H., Zettler, F. W. (1973). *Aphanomyces* blight of amazon sword plants. *Phytopathology* 63, 289 – 295

Rup, L. and Sukanya, L. (1993). Genetic engineering of plants for crop improvement. CRC Press, Inc.Boca Raton, Florida, USA.

Sambrook, J., Fritsch, E. F., and Maniatis, T. (1989). Molecular Cloning. A Laboratory Manual (2nd ed). Cold Spring Harbor Laboratory Press.

Sanford, J. (1988). The biolistic process. Trends in Biotechnology 6: 299 – 302

Scheppeler, J. A., Cassin, P. E., and Gambier, R. M. (2000). Biotechnology explorations: Applying the fundamentals. ASM Press.

Sahidin, N., Othman, R. Y., and Khalid, N. (2007). In vitro regeneration of exotic water trumpet, *Cryptocoryne lucens* de Wit. Asia Pacific Conference on Plant Tissue Culture and Agribiotechnology. Kuala Lumpur, Malaysia.

Seabra, R. C., and Pais, M. S. (1998). Genetic transformation of European chestnut. Plant Cell Reports 17: 177-182.

Sheen, J., Hwang, S. B., Niwa, Y., Kobayashi, H., and Galbraith, D. W. (1995). Green-fluorescent protein as a reporter for virus infections. Plant Journal 8: 777 – 784.

Shen, W. H., Escudero, J., Schlappi, M., Ramos, C., Hohn, B. and Koukolikova-Nicola, Z. (1993). T-DNA transfer to maize cells: histochemical investigation of beta-

glucuronidase activity in maize tissues. Proceedings of the National Academy Sciences. USA 90, 1488–1492.

Slater, A., Scott, N., Fowler, M. (2003). Plant Biotechnology: The Genetic Manipulation of Plants. Oxford University Press. New York. USA.

Smith, E. F., Townsend, C. O. (1907). A plant tumor of bacterial origin. Science 25: 671 – 673.

Songstad, D. D., Somers, D. A., and Griesbach, R. J. (1992). Advances in alternative DNA delivery techniques. Plant Cell, Tissue and Organ Culture 40: 1 – 5.

Southern, E. M. (1975). Detection of specific sequences among DNA fragments separated by gel electrophoresis. Journal of Molecular Biology. 98: 503 – 507.

Stam, M., Mol, J. N. M., and Kooter, J. M. (1997). The silence of genes in transgenic plants. Annals of Botany 79: 3 – 12.

Thomashow, M. F., Karlinsey, J. E., Marks, J. R., and Hurlbert, R. E. (1987). Identification of a new virulence locus in *Agrobacterium tumefaciens* that affects polysaccharides composition and plant attachment. Journal of Bacteriology 169: 4621 – 4636.

Topping, J. F., and Lindsey, K. (1997). Molecular characterization of transformed plants. In: Clark, M. S. (ed). Plant Molecular Biology – A Laboratory Manual. Springer, Berlin Heidelberg New York, pp 427 – 442.

Torisky, R. S., Kovacs, L., Avdiushko, S., Newman, J. D., Hunt, A. G., and Collins, G. B. (1997). Development of a binary vector system for plant transformation based on supervirulent *Agrobacterium tumefaciens* strain Chry5. Plant Cell Reports 17: 102 – 108.

Twyman, R. M., Stöger, E., Kohli, A., Capell, T., and Christou, P. Selectable and screenable markers for rice transformation. In: Jackson, J. F., and Linskens, H. F. (2002). Molecular Methods of Plant Analysis 22: Testing for Genetic Manipulation in Plants. Springer – Verlag Berlin Heidelberg New York.

Uchimiya, H., M. J. J., Fushimi, T., Hashimoto, H. Harada, H., Syono, K., and Sugawara, Y. (1986). Expression of a foreign gene in callus derived from DNA-treated protoplasts of rice (*Oryza sativa* L.). Molecular General Genetics 204: 204 – 207.

Veluthambi, K., Gupta, A. K., Sharma, A. (2003). The current status of plant transformation technologies. Current Science. Vol. 84. 3: 368 – 380.

Wahlroos, T., Susi, P., Tylkina, L., Malyshenko, S., Zvereva, S., and Korpela, T. (2003). Agrobacterium-mediated transformation and stable expression of the green fluorescent protein in *Brassica rapa*. *Plant Physiology Biochemistry* 41: 773 – 778.

Wang, K., Genetello, C., van Montagu, M., and Zambryski, P. (1984). Sequence context of the T – DNA border repeat element determines its relative activity during T – DNA transfer to plant cells. *Molecular and General Genetics* 210: 338 – 346.

Wang, K., Herrera-Estrella, L. Van Montagu, M., and Zambryski, P. (1984). Right 25 bp terminus sequence of the nopaline T – DNA is essential for and determines direction of DNA transfer from *Agrobacterium* to the plant genome. *Cell* 38: 455 – 462.

White, F. F., and Nester, E. W. (1980). Relationship of plasmids responsible for hairy root and crown gall tumorigenicity. *Journal of Bacteriology* 144. 2: 710 – 720.

Wilkinson, J. E., Twell, D., Lindsey, K. (1994). Methanol does not specially inhibit endogenous β -glucuronidase (GUS) activity. *Plant Science* 97: 61 – 67.

Windelov, H. (1987). *Aquarium Plants*. T. F. H. Publications, Inc. Neptune City, New Jersey, USA.

Wong, W. C., Jalil, M., Abdullah, M. O., Othman, R. Y., and Khalid, N. (2005). Comparison of β -glucuronidase expression and anatomical localization in bombarded

immature embryos of banana cultivar Mas via biolistic transformation. Asia Pacific journal of Molecular Biology and Biotechnology 13 (1): 15 – 22.

Wong, W. C. (2004). Genetic Transformation of Embryogenic Cell Suspension of *Musa acuminata* cv. Mas (AA Group) With A Transcription Factor Associated With Early Flowering. PhD Conversion Thesis. University of Malaya. Kuala Lumpur.

Yamamoto, Y., (2001). Genetic transformation of duckweed *Lemna gibba* and *Lemna minor*. *In vitro* Cell Development Biology 37: 349 – 353.

Yang, Y., Klejnot, J., Yu, X., Liu, X., and Lin, C. (2007). Florigen (II): It is a mobile protein. Journal of Integrative Plant Biology 49 (12): 1665 – 1669.

Yi, C. X., Zhang, J., Chan, K. M., Liu, X. K., and Hong, Y. (2008). Quantitative real-time PCR assay to detect transgene copy number in cotton (*Gossypium hirsutum*). Analytical Biochemistry. 10.1016/j.ab.2007.11.022.

Yong, W. T. T., Abdullah, J. O., and Mahmood, M. (2006). Optimization of Agrobacterium-mediated transformation parameters for Melastomataceae spp. using green fluorescent protein (GFP) as a reporter. Scientia Horticulturae 109: 78 – 85.

Zambryski, P., Joos, H., Genetello. C., Leemans, J., van Montagu, M., and Schell, J. (1983). Ti plasmid vector for the introduction of DNA into plant cells without alteration of their normal regeneration capacity. EMBO Journal 2 (12): 2143 – 2150.

Zhu, Y. J., Agbayani, R., and Moore, P. H. (2004). Green fluorescent protein as a visual selection marker for papaya (*Carica papaya* L.) transformation. *Plant Cell Report* 22: 660 – 667.

Zupan, J. R., and Zambryski, P. C. (1995). Transfer of T – DNA from *Agrobacterium* to the plant cell. *Plant Physiology* 107: 1041 – 1047.

Zupan, J. R., Citovsky, V., and Zambryski, P. (1995). *Agrobacterium* VirE2 protein mediates nuclear uptake of single-stranded DNA in plant cells. *Proceedings of the National Academy of Sciences USA* 93: 2392 – 2397.