

REFERENCES

Adiza, H. S. (2010). The Nutritional Value of Poha Beer (Tamarind Fruit Drink) and its Social Usage in Tamale Metropolis. *Pakistan Journal of Nutrition*. **9**:797-805.

Aengwanich, W., Maitree, S., Chaleerin, P., Thangklang, P., Kapan, S., Srikhun, T. and Thongchai, B. (2009). Antimicrobial effect of polyphenolic compound extracted from tamarind seed coat on productive performance of broilers. *International Journal Applied Research and Veterinary Medicine*. **7**:112-115.

Agostini, D. (1995). *Enciclopedia Geografica Mondiale*. 1–2. Novara.

American Diabetes Association. (2008b). Clinical Practice Recommendations- Standards of medical care in diabetes. *Diabetes Care*. **31**:S12-S54.

American Heart Association (2006). Phytochemicals and cardiovascular disease. *Circulation*. **114**:82-96.

Amlan, K. P. and Jyotisna, S. (2010). Exploitation of dietary tannins to improve rumen metabolism and ruminant nutrition. *Journal of Science and Food Agriculture*. **91**:24-37.

Anapaula, L. L., Tais, N., Chrysostomo, A., Elisa, C .S., Azzolini, C. G. V., Recchia, S. A. and Uyemura, A. I. d. A. (2007). Effects of the extract of the Tamarind (*Tamarindus indica*) fruit on the Complements system: Studies in vitro and in hamsters submitted to cholesterol-enriched diet. *Food and Chemical Toxicology*. **45**:1487-1495.

Anasuya, D. A. and Sasikala, M. (2006). Tamarind Ingestion and lithogenic properties of urine: Study in men. *Nutrition Research*. **10**:1109-1117.

Andreas, S. (2009). Self-Monitoring of Blood Glucose (SMBG) in Type II Diabetics. Benefits and Practical Application. *International Diabetes Federation*. Pages 1-28.

Andres, C., Lars, B., Gina, B. and Abraham, L. B. (1996). Effect of black bean tannins on in vitro carbohydrate digestion and absorption. *The Journal of Nutritional Biochemistry*. **7**:445-450.

Andriamanantena, R. W., Artaud, J., Gaydou, E. M., Iatrides, M. C. and Chevalier, J. L. (1983). Fatty acid and sterol compositions of malagasy tamarind kernel oils. *Journal of the American Oil Chemists Society*. **60**:1318-1321.

Arjun, L. K., Uday, K. P. M. D., Rao, G., Shanker, K. V. and lakshmaiah, N. (2004). Additional beneficial effect of tamarind ingestion over defluoridated water supply to adolescent boys in a fluorotic area. *Nutrition*. **20**:433-436.

Balogun, A. M. and Fetuga, B. L. (1986). Chemical composition of some under-exploited leguminous crop seeds in Nigeria. *Journal of Agricultural Food Chemistry*. **38**:189-192.

Barry, T. N. and Ducan, S. J. (1984). The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep. 1 Voluntary intake. *British Journal Nutrition*. **51**:493-504.

Barry, T. N. and Manley, T. R. (1986). Interrelationships between the concentrations of total condensed tannin, free condensed tannin and lignin in *Lotus* sp. and other possible consequences in ruminants. *Journal of Science and Food Agriculture*. **37**:248-254.

Bassaganya-Riera, J., Skoneczka, J., Kingston, D. G., Krishnan, A., Misyak, S. A., Guri, A. J., Pereira, A., Carter, A. B., Minorsky, P., Tumarkin, R. and Hontecillas, R. (2010). Mechanisms of action and medicinal applications of abscisic Acid. *Journal of Current Medicinal Chemistry*. **17**:467-478.

Benagiano, G., Primiero, F. M., Bastianelli, C., Bianchi, P., Medda, E. (1997). Comparative clinical evaluation of the effect on carbohydrate and lipid metabolism of two norethisterone-containing hormonal contraceptives: *Mesigyna and Trinovum*. *Contraception*. **55**:295-300.

- Beppu, H., Shimpo, K., Chihara, T., Kaneko, T., Tamai, I., Yamaji, S., Ozaki, S., Kuzuya, H. and Sonoda, S. (2006). Antidiabetic effects of dietary administration of *Aloe arborescens* Miller components on multiple low-dose streptozotocin-induced diabetes in mice: Investigation on hypoglycemic action and systemic absorption dynamics of aloe components. *Journal of Ethnopharmacology*. **103**:468–477.
- Bhatta, R., Krishnamoorthy, U. and Mohammed, F. (2001). Effects of tamarind (*Tamarindus indica*) seed husk tannis on in vitro rumen fermentation. *Animal Feed Science and Technology* **90**:143-152.
- Bhatta, R., Krishnamoorthy, U. and Mohammed, F. (2000). Effect of feeding of tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation. *Animal Feed Science and Technology*. **83**:67-74.
- Bhatta, R., Krishnamoorthy, U., Mohammed, F. (1999). Effect of natural sources of tannin on rumen fermentation in vitro. *Indian Journal of Animal Nutrition*. **16**:279-284.
- Bressani, R., Elias, L.G., Wollzak, A., Hagerman, A. E. and Butler, L. C. (1983). Tannin in common beans: Methods of analysis and effects on protein quality. *Journal of Food Science*. **48**:1000-1003.
- Brunzell, J. D., Facp, M. D., Michael Davidson, M. D., Facc, C. D., Furberg, M. D., Ronald, B., Goldberg, M. D., Barbara, V., Howard, J. H., Stein, F. F. and Joseph, L. W. M. (2008). Lipoprotein management in Patients with cardiometabolic risk. *Journal of American College of Cardiology*. **51**:1512-1524.
- Buenrostro, M. and Lopez-Munguia, A. C. (1986). Enzymatic extraction of avocado oil. *Biotechnology*. **8**:505-506.
- Carlos, A., William, D., Madeline, M., Nicholas, E., Danielle, A., Domenic, R. and William, H. (2003). Design of the cooperative study on glycemic control and complications in diabetes mellitus type 2: Veterans Affairs Diabetes Trial. *Journal of Diabetes and its Complications*. **17**:314-322.

- Carranza, J., Alvizouri, m., Alvarado, M. R., Chevez, F., Gmez, M. and Herrera, J. E. (1995). Effects of avocado on the level of blood Lipids in patients with phenotype ii and iv dyslipidemias. *Archivos del Instituto Cardiologia de Mexico*. **65**:342-348.
- Chen, H., Morrell, P. L., Ashworth, V. M., Cruz, M. and Clegg, M. T. (2009). Tracing the geographic origins of major avocado cultivars. *Journal of Heredity*. **100**:56–65.
- Christie, W. (2003). Lipid analysis: isolation, separation, identification, and structural analysis of lipids. Scotland: Oily Press. Pages 5-7.
- Claude, M., Maria T., Michele, G., Alain, D. and Nesrine, A. (2003). Effect of age and glucoregulation on cognitive performance. *Neurobiology of Aging*. **24**:985-1003.
- Clements, K. M. and Wainwright, P. E. (2007). Spontaneously hypertensive, Wistar Kyoto and Sprague-Dawley rats differ in performance on a win-stay task and a conditioned cue preference task in the water radial arm maze. *Behavioural Brain Research*. **183**:167-177.
- Crane, J. H., Balerdi C. F., Magauire, I (2007). Avocado growing in the Florida home Landscape. *University of Florida*. **01**:08-10.
- Criqui, M. H. (1994). Very Low Cholesterol and Cholesterol Lowering. Leaflet 71-0059. American Heart Association.
- Daly, M. E., Vale, C., Walker, M., Littlefield, A., Alberti, K. G. and Mathers, J. C. (1998). Acute effects on insulin sensitivity and diurnal metabolic profiles of a high-sucrose compared with a high-starch diet. *American Journal of Clinical Nutrition*. **67**:1186– 1196.
- David, K. and Shirley C.C. (2005). Phytosterol- health benefits and potential concerns: A review. *Nutritional research*. **25**:413-428.

Delaney, B., Luke, S., Wade, S., James, H., Steve, M., John, H., Jae, S., Yasuhiro, T., Gordon, L. A. and David, K. (2004). Oral absorption of phytosterols and emulsified phytosterols by Sprague –Dawley rats. *Journal of Nutritional Biochemistry*. **15**:289-295.

Devalaraja, S., Shalini, J. and Hariom, Y. (2011). Exotic fruits as therapeutic complements for diabetes, obesity and metabolic syndrome. *Food Research International*. Article in press.

Ding, H., Young-Won, C., Kinghorn, S. M. (2007). Chemopreventive characteristics of avocado fruit. *Seminar on Cancer Biology*. **17**:386-394.

Doughari, J. H. (2006). Antimicrobial Activity of *Tamarindus indica*. *Tropical Journal of Pharmaceutical Research*. **5**:597-603.

Durrington, P. (2003). Dyslipidaemia *Lancet*. **362**:717-31.

Dykes, I. and Rooney, W. L. (2007). Phenolic compounds in cereal grains and their health benefits. *Cereal Food World*. **52**:105-111.

Elkin, R. G. and Lorenz, E. S. (2009). Feeding laying hens a bio available soy sterol mixture fails to enrich their eggs with phytosterols or elicit egg yolk compositional changes. *Metabolism and Nutrition of Poultry Science*. **88**:152-158.

Emma, I. (2009). Cholesterol. *Journal of American Chemical Society*. **2**:6-10

Emmy, D. C., Katerina, H. and Patrick, V.D. (2010). *Tamarindus indica* L- A review of traditional uses, phytochemistry and pharmacology. *Journal of Afrika Focus*. **23**:53-83.

- Engel, R. and Schubert, H. (2005). Formulation of Phytosterols in emulsions for increased dose response in functional foods. *Innovative Food Science and Emerging Technologies*. **6**: 233-237.
- Espenshade, P. J. and Hughes, A. L. (2007). Regulation of sterol synthesis in eukaryotes. *Annual Review of Genetics*. **41**:401-427.
- Erah, P.O., Osuide, G.E. and Omogbai, E.K.I. (1996). Hypoglycemic effect of the extract of *Solenostemon monostachys* leaves. *Journal of West Africa Pharmaceutics*. **10**:21-27.
- Eriko, M. M. T., Kouji Nomaguchi, M. Y., Tomohiro Toida, M. T. and Keiji Iwatsuki, T. K. (2008). Administration of phytosterols isolated from *Aloe vera* gel reduce visceral fat mass and improve hyperglycemia in Zucker diabetic fatty (ZDF) rats. *Obesity Research & Clinical Practice*. **2**:239-245.
- Flitsch, S. L and UliJn, R. V. (2003). Sugars tied to the spot. *Nature* **421**:219-220.
- Garry, W. (2008). Beneficial and detrimental effects of dietary condensed tannins for sustainable sheep and goat production—Progress and challenges. *Animal Feed Science and Technology*. **147**:116-139.
- Gebhardt, S. E. and Thomas, R. G. (2002). Nutritive value of foods. *Home and Garden Bulletin* 72.
- George, A. S. and Stephen, R. E. (1991). A role for central postsynaptic & 2-adrenoceptors in glucoregulation. *Brain Research*. **562**:225-229.
- Getachew, G., Pittroff, W., Putnam, D.H., Dandekar, A., Goyal, S. and DePeters, E. J. (2007). The influence of addition of gallic acid, tannic acid or quebracho tannins to alfalfa hay on in vitro rumen fermentation and microbial protein synthesis. *Animal Feed Science Technology*. **10**:10-16.

Getachew, G., Makkar, H. P. S., and Becker, K. (2000a). Effect of polyethylene on in-vitro degradability of nitrogen and microbial protein synthesis from tannin-rich browse and herbaceous legume. *British Journal of Nutrition*. **84**:73-83.

Grundy, S. M., Cleeman, J. L., Merz, C. N., Brewer, H. B., Clark, L. T., Hunninghake, D. B., Pasternak, R. C., Smith, S. C. and Stone, N. J. (2004). Implications of recent clinical trials for the National Cholesterol Education Program Adult Treatment Panel 111 Guidelines. *Journal of American College Cardiology*. **44**:720-32.

Gu, L., Kelm, M.A., Hammerstone, J. F., Zhang, Z., Beecher, G., Holden, J., Haytowitz, D. and Prior, R. L. (2003). Liquid chromatographic/electrospray ionization mass spectrometric studies of procyanidins in foods. *Journal of Mass Spectrometry*. **38**:1272-1280.

Haines, T. H. (2001). Do sterols reduce proton and sodium leaks through lipid bilayers. *Progress in Lipid Research* **40**:299-324.

Hansen, M., Baunsgaard, D., Autrup, H., Vogel, U. B., Moller, P., Lindecrona, R., Wallin, H., Poulsen, H. E., Loft, S. and Dragsted, L. O. (2008). Sucrose, glucose, and fructose have similar genotoxicity in the rat colon and affect the metabolome. *Food and Chemical Toxicology*. **46**:752-760.

Hashimura, H., Ueda, C., Kawabata, J., and Kasai, T. (2001). Acetyl-CoA carboxylase inhibitors from avocado (*Persea americana* Mill.) fruits. *Bioscience Biotechnology and Biochemistry*. **65**:1656–8.

Heinemann, T., Axtmann, G. and Von Bergmann, K. (1993). Comparison of intestinal absorption of cholesterol with different plant sterol in man. *European Journal of Clinical Investigation*. **23**:827-831.

Hemant, J., Purohit, H. and Dagainawala, F. (2002). The relationship of some metal ions with citric acid production by *Aspergillus niger* using tamarind seed as raw material. *Journal of Fermentation Technology*. **64**:561-565.

- Hervas, G., Fructos, P., Javier, F., Mantecon, A. R. and Alvarez Del Pino, M. C. (2003). Effect of different doses of quebracho tannin extract on rumen fermentation in ewes. *Animals Feed Science Technology*. **109**:65-69.
- Heydari, I., Vida, R., Sara, R. and Afsaneh, A. (2010). Chronic complications of diabetes mellitus in newly diagnosed patients. *International Journal of Diabetes Mellitus*. **2**:61-63.
- Ikeda, I., Tanaka, K., Sugano, M., Vahouny, G.V. and Gallo, L. L. (1998). Inhibition of cholesterol absorption in rats by plants sterols. *Journal Lipids Research*. **29**:1573-1582.
- Imafidon, E. K. and Okunrobo O. L. (2009). Biochemical evaluation of the tradomedicinal uses of seeds of *Persea americana* mill. (Family:Lauraceae). *World Journal of Medical Sciences*. **4**:143-146.
- Imafidon, K. E. (2010). Liver function status of hypertensive and normotensive rats administered *Persea americana* mill. (Avocado) seeds. *Academic Journal of Plant Science*. **3**:130 -133.
- January (1988). Report of the National cholesterol Education Programm Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults. The Expert panel. *Archives of Internal Medicine*. **148**:36-69.
- Jacela, J. Y., Derouchey, J. M. and Tokach, M. D. (2010). Feed additives for swine: Fact sheets – flavors and mold inhibitors, mycotoxin binders, and antioxidants. *Journal of Swine Health and Production*. **18**:27–32.
- John. S., Sorokin, A. V. and Thompson, P. D. (2007). Phytosterols and vascular disease. *Current Opinion in Lipidology*. **18**:35–40.
- Karen, C. (2001). Avocado Fruit is a Rich Source of Beta-Sitosterol Duester. *Journal of the American Dietetic Association*. **101**:404-405.

Kawasaki, N., Ohkura, R., Miyazaki, S., Uno, Y., Sugimoto, S., David, A., and Nair, S. S. D. (1999). Thermally reversible xyloglucan gels as vehicles for oral drug delivery. *International Journal of Pharmaceutics*. **181**:227-234.

Kaye, F. P., Sussanna, H. A. and Janette, C. B. M. (2002). International table of glycemic index and glycemic load values: *American Journal of Clinical Nutrition* **76**:5-56.

Khandare, A. L., Kumar, P. U. and Nakka, L. (2000). Beneficial effect of tamarind ingestion on fluoride toxicity in dogs. *Fluoride Research Report*. **33**:33-38.

Kumar, C. S. and Bhattacharya, S. (2008). Tamarind seed: properties, processing and utilization. *Critical Reviews in Food Science and Nutrition*. **48**:1-20.

Lahav, E. and Whiley, A.W. (2002) Irrigation and Mineral Nutrition: In *The Avocado: Botany, Production and Uses*. (Whiley, A.W., Schaffer, B. and Wolstenholme, B.N. Eds.) CAB International Wallingford, Oxon, UK. Pages 275-277

Lombardo, Y. B., Drago, S., Chicco, A., Fainstein-Day, P., Gutman, R., Gagliardino, J. J., Gomez D. C. L. (1996). Long-term administration of a sucrose-rich diet to normal rats: relationship between metabolic and hormonal profiles and morphological changes in the endocrine pancreas. *Metabolism*. **45**:1527-32.

Lee, K. W., Everts, H. J., Kappert, M. F., Losa, R., Losa, R. and Beynen, D. (2003). Effects of dietary essential oil components on growth performance, digestive enzymes and lipid metabolism in female broiler chickens. *British Poultry Science*. **44**: 450-457.

Leroux, M., Kaye, H. S., and Brand-Miller, J. (2002). International table of glycemic index and glycemic load values: 2002. *American Journal of Clinical Nutrition*. **76**:5-56.

Lynch, J. M., Barbano, D. M., Healy, P. A., and Fleming (1997). *Journal AOAC International*. **80**:1038.

- Mahmood, S., Ajmal Khan, M., Sarwar, M. and Nisa, M. (2007). Use of chemical treatments to reduce antinutritional effects of tannins in salseed meal: Effect on performance and digestive enzymes of broilers. *Livestock Science*. **116**:162 – 170
- Mahto, B., Singh, A. K., Mahto, D . K. and Kumar, B. (2010). Effect of tamarind seed (*Tamarind indica*) feeding on feed intake and nutrient utilization in Desi pig. *Agricultural Research Communication Centre*. **44**:205-207.
- Makni, M., Fetoui, H., Gargouri, N. K., Garoui, E. M., Jaber, H., Makni, J. and Boudawara, N. Z. (2008). Hypolipidemic and hepatoprotective effects of flax and pumpkin seed mixture rich in ω -3 and ω -6 fatty acids in hypercholesterolemic rats. *Food and Chemical Toxicology*. **46**:3714-3720.
- Makkar, H. P. S., Barowy, N. K., Becker, K. and Degen, A. (1995). Some problems in fibre determination of tannin-rich forage (*Acacia Saligna* leaves) and their implications in in-vitro. *Animal Feed Science Technology*. **55**:67-76.
- Maton, A., Jean, H., Charles, W. M., Susan, J., Maryana, Q., Warner, D. L. and Jill, D.W. (1993). *Human Biology and Health*. Englewood Cliffs, New Jersey: Prentice Hall. Pages 52-59.
- Maria, D. R. R., Gerold, J., Socorro, V., Fernando, L. D., Reiner, W. and Peter, W. (2004). Two glucosylated abscisic acid derivate from avocado seeds (*Persea americana* Mill. *Lauraceae* cv. Hass). *Phytochemistry*. **65**:955-962.
- Maria, D. Y., Victoria, G., Pilar, S., Rafael, C., Maria, A. M., Emilio, M. V. and Marian, M. (2005). Effect of the type of dietary fat on biliary lipid composition and bile lithogenicity in humans with cholesterol gallstone disease. *Nutrition* **21**:339-347.
- Marini, A., Carulli, G., Azzara, A., Grassi, B. and Ambrogi, F. (1989). Serum cholesterol and triglycerides in hematological malignancies. *Acta Haematology*. **81**:75-9.

Mark, R. F., Mary, H., Hirdesh, U., Patricia, D., Donald, B., Renee, S. M., Rosario, G., Xingrong, L. and Kyle, L. K. (2009). Mechanism of subendocardial cell proliferation in the rat and relevance for understanding drug-induced valvular heart disease in humans. *Experimental and Toxicologic Pathology* In Press Corrected Proof, Available online.

Masao, T., Yoshihisa, K., Masatoshi, K., Kenji, H., Emiko, M., Kyoichi, M., Kenta, M., Tatsuo, O., Reiko, O., Fumitaka, O., Yoshimitsu, O., Junko, S., Shojiro, S., Shinji, T., Ichiro, T., Kazuichi, T., Takeshi, Y., Takuji, Y., Atsushi, Y. and Haruo, N. (2008). Phytosterols dissolved in diacylglycerol oil reinforce the cholesterol-lowering effect of low-dose pravastatin treatment. *Nutrition Metabolism and Cardiovascular Diseases*. **18**:483-491.

Maseko, B. R., Nkambule, C. and Botha, M. B.(2006). Synthesis of authentic organic standards of antibacterial compounds isolated from avocados. Tshwane University of Technology, Department of Chemistry and Physics Faculty of Natural Sciences. Pages 1-4.

Michael, P. (2010). Why are Rats used in Animal Testing. <http://www.wisegeek.com/why-are-rats-used-in-animal-testing.htm>.

Miwa, I. and Suzuki, S. (2002). An improved quantitative assay of glycogen in erythrocytes. *Annual Clinical Biochemistry*. **39**:612-3.

Monia, E., Hamadi, F., Evelyne, B., Najiba, Z. and Hamadi, A. (2006). Evaluation of some biological parameters of *Opuntia ficus Indica*. 1. Influence of seed oil supplemented diet on rats. *Bioresource Techonology*. **97**:1382-1386.

Morton, J. F. (1987). Tamarind. In *Fruits of Warm Climates*. Pages 115-121. <http://www.hort.purdue.edu/newcrop/morton/tamarind.html>

Nacz, M. and Shahidi, F. E (2004). Extraction and analysis of phenolics in food. *Journal of Chromatography A*. **1054**:95-111.

Oberlies, N. H., Rogers, L. L., Martin, J. M. and McLaughlin, J. L. (1998). Cytotoxic and insecticidal constituents of the unripe fruit of *Persea americana*. *Journal Natural Products*. **61**:781–5.

Oelrichs, P. B., Ng, J. C., Seawright, A. A., Ward, A., Schaffeler, L. and Macleod, J. k. (1995). Isolation and identification of a compound from avocado (*Persea americana*) leaves that causes necrosis of the acinar epithelium of the lactating mammary gland and the myocardium. *Natural Toxins*. **3**:344-9.

Olaeta, J. A., Schwartz, M., Undurraga, P. and Contreras, S. (2007). Use of Hass avocado (*Persea americana*) seed as a processed product. *Proceedings VI world avocado congress Chile*. **17**:0413-8

Ostlund, R. E., Racette, S. B., and Stenson, W. F. (2003). Inhibition of cholesterol absorption by phytosterol-replete wheat germ compared with phytosterol-depleted wheat germ. *American Journal Clinical Nutrition*. **77**:1385-1589.

Otvos, J (1999). Measurement of triglyceride-rich lipoproteins by nuclear magnetic resonance spectroscopy. *Clinical Cardiology*. **22**:II21–7.

Pawlina, W. and Ross, M, W. (2006). History: text and atlas: with correlated cell and molecular biology. Philadelphia: Lippincott Williams and Wilkins. Page 230

Pearson, A Budin, M. and Brocks, J. J. (2003). Phylogenetic and biochemical evidence for sterol synthesis in bacterium *Gemmata obscuriglobus*. *Proceedings of the National Academy of Science*. **100**:15352-7.

Pedersen, D. J, Lessard, S. J. and Coffey, V. G. (2008). High rates of muscle glycogen re-synthesis after exhaustive exercise when carbohydrate is co-ingested with caffeine. *Journal of Applied Physiology*. **105**:7–13.

Piironen, V., Lindsay, D. G., Miettinen, T. A., Toivo, J., and Lampi, A. M. (2000). Plant sterols: biosynthesis, biological function and their importance to human nutrition. *Journal of the Science of Food and Agriculture*. **80**:939–966.

Pouteau E, Monnard, I., Piguet-Welsch, C., Groux, M. J. A., Sagalowicz, L. and Berger, A. (2003). Non-esterified plant sterols solubilized in low fat milks inhibit cholesterol absorption: a stable isotope double-blind crossover study. *European Journal of Nutrition*. **42**:154–164

Pumthong, G. (1999). Antioxidative activity of polyphenolic compounds extracted from seed coat of *Tamarindus indicus* Linn. *Chiangmai Mai University, Thailand, IV-V*.

Ramadan, M. F. and Morsel, J.T., (2003). Oil cactus pear (*Opuntia ficus- indica*). *Food Chemistry*. **82**: 339-345.

Raymond, G., York, G. L., Kennedy, Jr., Geary, W. and Olsen, J. L. B. (2010). Male reproductive system parameters in a two-generation reproduction study of ammonium perfluorooctanoate in rats and human relevance. *Toxicology*. **271**:64-72.

Rhodes, C., Stryer, L. and Tasker, R. (1995). *Biochemistry* (4th ed.). San Francisco: W. H. Freeman. Pages 280, 703.

Roske I., Nieber K. and Oehme, P. (1990). Stress-induced dependence on endogenous opioid peptides--a fundamental process in the pathophysiology of a disturbed adaptation--its influence by substance P. *Pharmazie*. **45**:517-21.

Rother, K. L. (2007). Diabetes treatment –bridging the divide. *The New England Journal of Medicine*. **356**:1499-501.

Saladin, K. S. M. (2007). Glycogen. *Anatomy and Physiology*. Wikipedia <http://en.wikipedia.org/wiki/Glycogen>. Pages 1-5

- Salazar, M. J., El Hafidi, M., Pastelin, G., Ramirez-Ortega, M. C. and Sanchez-Mendoza, M. A. (2005). Effect of an avocado oil-rich diet over an angiotensin II-induced blood pressure response. *Journal of Ethnopharmacology*. **98**:335-338.
- Segrest, J. P., Jones, M. K., De-Loof, H. and Dashti, N. (2008). Structure of apolipoprotein B-100 in low density lipoproteins. *Journal of Lipid Research*. **42**:1346–67.
- Sergio, W. (2004). A natural food, the Malabar tamarind may be effective in the treatment of obesity. *Medical hypothesis*. **27**:39-40.
- Shepherd, J., Cobbe, S. M. and Ford, I. (1995). Prevention of coronary heart disease with pravastatin in men with hypercholesterolemia. West of Scotland Coronary Prevention Study Group. *The New England Journal of Medicine*. **333**:1301–7.
- Shi, G., Leray, V., Scarpignato, C., Bentouimou, N., Bruley des Varannes, S., Cherbut, C. and Galmiche, J. P. (1997). Specific adaptation of gastric emptying to diets with differing protein content in the rat: is endogenous cholecystokinin implicated. *Journal of Gastroenterology and Hepatologys*. **41**:612–618.
- Sidika, E., Kasim-Karakas, H. V., Rogelio, A., Lap-Chi, C. and Michael, N. G. (1996). Effects of dietary carbohydrates on glucose and lipid metabolism in golden Syrian hamsters. *Journal of Laboratory and Clinical Medicine*. **128**:208-213.
- Silanikove, N., Perevolotsky, A. and Provenza, F. D. (2001). Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants. *Animal Feed Science Technology*. **91**:69-81
- Simon, M., Rogler, J. C., Carlos J. M. and Larry G. B. (1990). Herbivore growth reduction by tannins: Use of waldbauer ratio techniques and manipulation of salivary protein production to elucidate mechanisms of action. *Biochemical Systematics and Ecology*. **18**: 183-197.

Smith, L. L. (1991). Another cholesterol hypothesis: Cholesterol as antioxidant. *Free Radical Biology Medicine*. **11**:47-61.

Soong, Y. Y. and Barlow, P. J. (2004). Antioxidant activity and phenolic content of selected fruit seeds. *Food Chemistry*. **88**:411–418.

Standley, L. (2004). All About Avocados: History of the Hass Avocado. <http://bongo-www.thefullwiki.org/Avocados>.

Suisha, F., Kawasaki, N., Miyazaki, S., Shirakwa, M., Yamatoya, K. and Sasaki, M. D. (1998). Attwood.Xyloglucan gels as sustained release vehicles for the interperitoneal administration of mitomycin C. *International Journal of Pharmaceutics*. **172**:27-32.

Susumu, S., Yoshitomo, O., Takashi, K., Azuma, K., Takeshi, K., Masashi, K., Tokio, S., Yutaka, S., Kishio, N. (2003). Clinical features of diabetes mellitus with the mitochondrial DNA 3243 (A–G) mutation in Japanese: Maternal inheritance and mitochondria-related complications. *Diabetes Research and Clinical Practice*. **59**:207-217.

Superko, H. R., Nejedly, M. and Garrett, B. (2002). Small LDL and its clinical importance as a new CAD risk factor: a female case study. *Progress in Cardiovascular Nursing*. **17**: 167–73.

Takahashi, A. S., Suzuki, N., Kawasaki, W., Kubo, S., Miyazaki, R., Loebenberg, J., and Bachynsky, D. A. (2002). Percutaneous absorption of non steroidal inflammatory Drugs from in situ gelling xyloglucan formations in rats. *International Journal on Pharmaceutics*. **246**:179-186.

Tamale, E., Jones, N. and Pswarayi-Riddough, I. (1995). Technologies Related to Participatory Forestry in Tropical and Subtropical Countries. World Bank Publications.

Tang, J. L., Armitage, J. M., Lancaster, T., Silagy, C. A., Fowler, G. H., Neil, H. A. (1998). "Systematic review of dietary intervention trials to lower blood total cholesterol in free-living subjects. *British Medical Journal*. **316**:1213-20.

Thomas, A. N., Uhlig, J., Mehansho, H., Putman, L., Carlson, D. M., and Butler, L. (1987). Binding of condensed tannin to salivary proline-rich glycoproteins: the role of carbohydrate. *Journal of Agricultural Food Chemistry*. **35**:331–334.

Tran-Duy, A., Smit, B., Dam, A. and Schrama, W. J. (2008). Effects of dietary starch and energy levels on maximum feed intake, growth and metabolism of Nile tilapia. *Oreochromis Niloticus Aquaculture*. **277**:213-219.

Trevor, G., Robert, L., Alison, T., Susan, M., Valerie, L. and John, F. (2001). The toxicity of styrene to the nasal epithelium of mice and rats: studies on the mode of action and relevance to humans. *Chemico-Biological Interactions*. **137**:185-202.

Ushijima, K., Fujisawa, T., Riby, J. and Kretchmer, N. (1991) Absorption of fructose by isolated small intestine of rats is via a specific saturable carrier in the absence of glucose and by the disaccharidase related transport system in the presence of glucose. *Journal of Nutrition*. **125**:2156-2164.

Vanessa B. and Woods, A. M. F. (2009). Dietary sources of unsaturated fatty acids for animals and their transfer into meat, milk and eggs. *Livestock Science*. **126**:1-20.

Vats, V., Yadav, S.P. and Grover, J. K. (2004). Ethanolic extract of *Ocimum Sanctum* leaves partially attenuates streptozotocin-induced alterations in glycogen content and carbohydrate metabolism in rats. *Journal of Ethnopharmacology*. **90**:155-160.

Villamar-Argueta, A., Cano-Asseleh, L.M. and Rodarte, M.E. (1994). Atlas de las Plantas de la Medicina Tradicional Mexicana. Instituto Nacional Indigenista Mexico (INI). (I–III): 1786.

- Warnick G. R., Knopp, R. H., Fitzpatrick, V. and Branson, L. (1990). Estimating low-density lipoprotein cholesterol by the Friedewald equation is adequate for classifying patients on the basis of nationally recommended cut points. *Clinical Chemistry*. **36**:15–9.
- Warren, B. Z., Nicole, S., Edmund, C., Jenkins, T. K., Urv, B. T. and Wayne, S. (2007). Cholesterol level, statin use and Alzheimer's disease in adults with Down syndrome. *Neuroscience Letters*. **416**:279-284.
- Wasan, K. M., Najafi, S., Wong, J., Kwong, M. and Pritchard, P.H. (2001). Assessing plasma lipid levels, body weight, and hepatic and renal toxicity following chronic oral administration of a water- soluble phytanol compound, FM-VP4, to gerbils. *Journal of Pharmaceutical Science*. **4**:228-234.
- Werman, M. J., Mokady, S. and Neeman, I. (1990). Partial isolation and characterization of new natural inhibitor of lysyl oxidase from avocado seed oil. *Journal of Agricultural Food Chemistry*. **38**:2164-2168.
- World Health Organization. (1999). Definition, Diagnosis and Classification of Diabetes Mellitus and its Complications. Report of a WHO Consultation, Part 1: Diagnosis and Classification of Diabetes Mellitus. World Health Organization Department of Non communicable Disease Surveillance Geneva.
- Yang, M. H., Wang, C. H. and Chen, H. L. (2001). Green, oolong and black tea extracts modulate lipid metabolism in hyperlipidemia rats fed high-sucrose diet. *Journal of Nutritional Biochemistry*. **12**:14-20.
- Yao, L. H., Jian, Y. M., Shi, j., Tomas-Barberan, F. A., Datta, N., Singanusong, R. and Chen, S. S. (2004). Flavonoids in food and their health benefits. *Plant Food for Human Nutrition*. **59**:113.
- Yasir, M., Das, S. and Kharya, M. D. (2010). The phytochemical and pharmacological profile of *Persea americana* Mill. *Pharmacognosy. Review*. **4**:77-84.

Zablocki, L., and Pecore, S. (1996). Trends in Food Science and Technology. Nutra sweet. Co Deerfield, United states Patent. Pages 307.

Zamet, D. N. (1996). On Avocado Fruit Size I. Parthenocarpic Fruit. *California Avocado Society*. **80**:133-149.