

References

- Abu Kasim, N. H. (1995). Fatigue of dental composite. PhD thesis, University of Newcastle. UK.
- Abu Kasim, N. H., McCabe, J. F., Radzi, Z., and Yahya, N. A. (2006) Rolling ball contact as a method for testing surface fatigue of resin-based restorative materials. *International Federation for Medical and Biological Engineering*; **15**: 155-157.
- Ahn, K. D., Chung, C. M., and Kim, Y. H. (1999). Synthesis and photopolymerization of multifunctional methacrylates derived from Bis-GMA for dental applications. *J Appl Polym Science*: **71**: 2033-2037.
- Albers, H. F. (2002). *Tooth-colored restoratives, principles and techniques*. 9th Ed. Hamilton. London. Chapter 6; Pages:81-110.
- Alger, M. (1997). *Polymer science dictionary*. 2nd Ed. Chapman & Hall, London. Page:299.
- Al-Hiyasat, A. S., Darmani, H., and Milhem, M. M. (2005). Cytotoxicity evaluation of dental resin composites and their flowable derivatives. *Clin Oral Invest*; **9**: 21–25.
- Ali, I. L., Yunus, N., and Abu-Hassan M. I. (2008). Hardness, flexural strength, and flexural modulus comparisons of three differently cured denture base systems. *J Prosthodont*; **17**: 545-9.
- Alvarez-Gayosso, C., Barcelo-Santana, F., Guerrero-Ibarra, J., Saez-Espinola, G., and Canseco-Martinez, M. A. (2004). Calculation of contraction rates due to shrinkage in light-cured composites. *Dent Mater*; **20**: 228-235.
- American Dental Association, ADA, (2003). Resin-based composites. *JADA*; **134**: 510-512.
- American National Standard (1993). *American Dental Association specification no. 27 for resin-based filling materials*. Chicago: American Dental Association, Council on Scientific Affairs.
- Amirouche-Korich, A., Mouzali, M. and Watts, D. C. (2009). Effects of monomer ratios and highly radiopaque fillers on degree of conversion and shrinkage-strain of dental resin composites. *Dent Mater*; **25**: 1411-1418.
- Anseth, K. S., Goodner, M. D., Reil, M. A., Kannurpatti, A. R., Newman, S. M. and Bowman, C. N. (1996). The Influence of Comonomer Composition on Dimethacrylate Resin Properties for Dental Composites. *J Dent Res*; **75**: 1607-1612.
- Anseth, K. S., Newman, S. M. and Bowman, C. N. (1995). Polymeric dental composites: properties and reaction behavior of multimethacrylate dental restorations. *Adv Polymer Sci*; **122**: 177-217.

- Antonucci, J. M., Dickens, S. H., Fowler, B. O., Xu, H. H. K., and McDonough, W. H. (2005). Chemistry of Silanes: Interfaces in Dental Polymers and Composites. *J Res Natl Inst Stand Techno*; **110**: 541-558.
- Antonucci, J.M., Icenogle, T. B., Regnault, W. F., Liu, D. W., O'Donnell, J. N. R., and Skrtic, D. (2006). Polymerization shrinkage and stress development in bioactive urethane acrylic resin composites. *Polymer Preprints*; **47**: 498-499.
- Antonucci, M. N., and Toth, E. E. (1983). Extent of polymerization of dental resins by differential scanning calorimetry. *J Dent Res* 62(2): 121-125.
- Anusavice, K. J. (2003). Phillips' *Science of dental materials*. 11th Ed. Elsevier Health Science, USA. Chapter15; Pages:399-441.
- Asmussen, E. (1982). Factors affecting the quantity of remaining double bonds in restorative resin polymers. *J Dent Res*; **90** : 492-496.
- Asmussen, E. and Peutzfeldt, A. (1998). Influence of UEDMA, BisGMA and TEGDMA on selected mechanical properties of experimental resin composites. *Dent Mater*; **14**: 51-56.
- Asmussen, E. and Peutzfeldt, A. (2003). Short communication: Polymer structure of a light-cured resin composite in relation to distance from the surface. *Eur J Oral Sci*; **111**: 277-279
- Assumption, H. J., and Mathias, J. (2003). Photopolymerization of urethane dimethacrylates synthesized via a non-isocyanate route. *Polymer*; **44**: 5131-5136.
- Atai, M. (2008). Precaution for urethane dimethacrylate synthesis. [Email] Personal communication; 19-January.
- Atai, M., Ahmadi, M., Babanzadeh, S., and Watts, D. C. (2007). Synthesis, characterization, shrinkage and curing kinetics of a new low-shrinkage urethane dimethacrylate monomer for dental applications. *Dent Mater*; **23**:1030-1041.
- Atai, M., Nekoomanesh, M., Hashemi, S.A., and Amani, S. (2004). Physical and mechanical properties of an experimental dental composite based on a new monomer. *Dent Mater*; **20**:663-668.
- Atai, M., Watts, D. C., and Atai, Z. (2005). Shrinkage strain-rates of dental resin-monomer and composite systems. *Biomaterials*; **26**:5015-5020.
- Attar, N., Turgut, M. D. and Guengeor, H. C. (2004). The effect of flowable resin composites as gingival increments on the microleakage of posterior resin composites. *Oper Dent*; **29**(2): 162-167.
- Attin, T., Buchalla, W., Kielbassa, A. M., and Hellwig, E. (1995). Curing shrinkage and volumetric changes of resin-modified glass ionomer restorative materials. *Dent Mater*; **11**:359-362.

- Bagis, Y. A. and Rueggeberg, F. A. (1997). Mass loss in urethane/TEGDMA- and Bis-GMA/TEGDMA-based resin composites during post-cure heating. *Dent Mater*; **13**:377-380.
- Barron, D. J., Rueggeberg, F. A. and Schuster, G. S. (1992). A comparison of monomer conversion and inorganic filler content in visible light-cured denture resins. *Dent Mater*; **8**:274-277.
- Barszczewska-Rybarek, I. M. (2009). Structure–property relationships in dimethacrylate networks based on Bis-GMA, UDMA and TEGDMA. *Dent Mater*; **25**:1082-1089.
- Barszczewska-Rybarek, I. M., Gibas, M., Kurcok, M. (2000). Evaluation of the network parameter in aliphatic poly(urethane dimethacrylate)s by dynamic thermal analysis. *Polymer*; **41**:3129–3135.
- Bayne, S. C. (2005). Dental biomaterials: Where are we and where are we going? *J Dent Edu*; **69**:571-585.
- Bayne, S. C. (2010). Personal communication; 20 October.
- Bayne, S. C., Thompson, J. Y., Swift, E. J. Jr., Stamatiades, P. and Wilkerson, M. (1998). A characterization of first-generation flowable composites. *J Am Dent Assoc*; **129**:567-577.
- Bellenger V, Verdu J, Morel E. (1989). Structure-properties relationships for densely cross-linked epoxy-amine systems based on epoxide or amine mixtures. *J Mater Sci*; **24**:63–68.
- Bland, M. H. and Peppas, N. A. (1996). Photopolymerized multifunctional (meth)acrylates as model polymers for dental applications. *Biomaterials*; **17**:1109-1114.
- Bottenberg, P., Alaerts, M. and Keulemans, F. (2007). A prospective randomised clinical trial of one bis-GMA-based and two ormocer-based composite restorative systems in class II cavities: Three-year results. *J Dent*; **35**:163-171.
- Bowen, P. L., Rapson, J. E. and Dickson, G. (1982). Hardening shrinkage and hygroscopic expansion of composite resins. *J Dent Res*; **61**:654-658.
- Bowen, R. L. (1962). Dental filling materials comprising vinyl silane treated fused silica and a binder consisting of the reaction products of bisphenol and glycidyl methacrylate, U.S. Patent 3,066,012.
- Braden, M. (1984). Water absorption characteristics of dental microfine composite filling materials. II Experimental materials. *Biomaterials*; **6**:373-375.
- Braden, M., and Davy, K.W. (1986). Water absorption characteristics of some unfilled resins. *Biomaterials*; **7**:474-5.

- Braden, M. (1978). The formulation of composite filling materials. *Oper Dent*; **3**:97-102.
- Braga, R. R. and Ferracane, J. L. (2004). Alternative in polymerization contraction stress management. *Crit Rev Oral Biol Med*; **15**:176-184.
- Braga, R. R., Ballester, R. Y. and Ferracane, J. L. (2005). Factors involved in the development of polymerization shrinkage stress in resin-composites: A systematic review. *Dent Mater*; **21**:962-70.
- Brunthaler, A., Konig, F., Lucas, T., Sperr, W. and Schedle, A. (2003). Longevity of direct resin composite restorations in posterior teeth. *Clin Oral Investig*; **7**:63-70.
- Burgers, R., Eidt, A., Frankenberger, R., Rosentritt, M., Schweikl, H., Handel, G., and Hahnel, S. (2009). The anti-adherence activity and bactericidal effect of microparticulate silver additives in composite resin materials. *Arch Oral Biol*; **54**:595-601.
- Carioscia, J. A., Lu, H., Stanbury, J. W., and Bowman, C. N. (2005). Thiol-ene oligomers as dental restorative materials. *Dent Mater*; **21**:1137-1143.
- Caughman, W. F., Caughman, G. B., Shiflett, R. A., Rueggeberg, F., and Schuster, G. S. (1991). Correlation of cytotoxicity, filler loading and curing time of dental composites. *Biomaterials*; **12**:737-740.
- Caughman, W. F., Rueggeberg, F. A. and Curtis, J. W. (1995). Clinical guidelines for photocuring restorative Resins. *J Am Dent Assoc*; **126**:1280-1282.
- Chai, J., Jakahashi, Y., Hsama, K., and Shimizu, H. (2004). Water sorption and dimensional stability of three glass fiber reinforced composites. *Int J Prosthodont*; **17**:195-199.
- Charton, C., Falk, V., Marchal, P., Pla, F. and Colon, P. (2007) Influence of Tg, viscosity and chemical structure of monomers on shrinkage stress in light-cured dimethacrylate-based dental resins. *Dent Mater*; **23**:1447-1459.
- Chen, C. Y., Huang, C. K., Lin, S. P., Han, J. L., Hsieh, K. H. and Lin, C. P. (2008). Low-shrinkage visible-light-curable urethane-modified epoxy acrylate/SiO₂ composites as dental restorative materials. *Comp Sci Technol*; **68**: 2811-2817.
- Cho, I. (1980). Macromer technology. *Polymer (Korea)*; **4**:210-215.
- Chowdhury, N. A., Wakasa, K., Priyawan, R. and Yamaki, M. (1997). Dental application of binary urethane monomer mixtures: strengthened resin matrix. *J Mater Sci: Mater Med*; **8**:149-155.
- Chung, C. M., Kim, J. G., Kim, M. S., Kim, K. M. and Kim, K. N. (2002). Development of a new photocurable composite resin with reduced curing shrinkage. *Dent Mater*; **18**:174-178.

- Chung, K.-H. and Greener, E. H. (1990). Correlation between degree of conversion, filler concentration and mechanical properties of posterior composite resins. *J Oral Rehabil*; **17**:487-494.
- Chutinan, S., Platt, J. A., Cochran, M. A., and Moore, B. K. (2004). Volumetric dimensional change of six direct core materials. *Dent Mater*; **20**:345-351.
- Cobb, D. S., Macgregor, K. M., Vargas, M. A., and Denehy, G. E. (2000). The physical properties of packable and conventional posterior resin-based composites: A comparison. *J Am Dent Assoc*; **131**: 1610-1615.
- Collins, C. J., Bryant, R. W. and K. Hodgel, K-L. V. (1998). A clinical evaluation of posterior composite resin restorations: 8-year findings. *J Dent*; **26**:311-317.
- Condon, J. R. and Ferracane, J. L. (2000). Assessing the effect of composite formulation on polymerization stress. *J Am Dent Assoc*; **131**:497-503.
- Craig, R. G. and Powers, J. M. (2002). *Restorative dental materials*. 11th Ed. Mosby-Year Book, Int. Chapter 4; Pages: 68-82.
- Daronch, M., Rueggeberg, F. A., and De Goes, M. F. (2005). Monomer conversion of pre-heated composite. *J Dent Res*; **84**:663-667.
- Davidson-Kaban, S. S., Davidson, C. L., Feilzer, A. J., de Gee, A. J., and Erdilek, N. (1997). The effect of curing light variations on bulk curing and wall-to-wall quality of two types and various shades of resin composites. *Dent Mater*; **13**:344-352.
- Dede, K., Weinmann, W., Guggenberger, R., Thalacker, C., Syrek, A. and Jacobs, D. (2004). Comparison of two ways to determine polymerization shrinkage of composites. IADR/AADR/CADR 82nd General Session.
- Deepa, C. S. and Krishnan, K. V. (2000). Effect of resin matrix ratio, storage medium, and time upon the physical properties of a radiopaque dental composite. *J Biomater Appl*; **14**: 296-315.
- Deliperi, S., and Bardwell, D. (2002). An alternative method to reduce polymerization shrinkage in direct posterior composite restorations. *J Am Dent Assoc*; **133**:1387-1398.
- Dewaele, M., Truffier-Boutry, D., Devaux, J. and Leloup, G. (2006). Volume contraction in photocured dental resins: The shrinkage-conversion relationship revisited. *Dent Mater*; **22**:359-365.
- Drummond, J. L. (2008). Degradation, fatigue, and failure of resin dental composite materials. *J Dent Res*; **87**:710-719.
- Dulik, D., Bernier, R. and Brauer, G. M. (1981). Effect of diluent monomer on the physical properties of Bis-GMA-based composites. *J Dent Res*; **60**:983-989.

- Dwanisa, J-P. L., Mohanty, A. K., Drzal, M. M. L. T., and Kazemizadeh, M. (2004). Novel soy oil based polyurethane composites: Fabrication and dynamic mechanical properties evaluation. *J Mater Sci*; **39**: 1887-1890.
- Eick, J. D., Kotha, S. P., Chappelow, C. C., Kilway, K. V., Giese, G. J., Glaros, A. G. and Pinzino, C. S. (2007). Properties of silorane-based dental resins and composites containing a stress-reducing monomer. *Dent Mater*; **23**:1011–1017.
- Ellakwa, A., Cho, N. and Lee, I. B. (2007). The effect of resin matrix composition on the polymerization shrinkage and rheological properties of experimental dental composites. *Dent Mater*; **23**:1229-1235.
- Elliott, J.E. Lovell, L.G Bowman, C.N. (2001). Primary cyclization in the polymerization of bis-GMA and TEGDMA: a modeling approach to understanding the cure of dental resins. *Dent Mater*; **17**:221-229.
- Emami, N., and Söderholm, K. J. (2009). Young's modulus and degree of conversion of different combination of light-cure dental resins. *Open Dent J*; **3**:202-207.
- Ersoy, M., Civelek, A., L'hotelier, E., Say, E. C., and Soyman, M. (2004). Physical properties of different composites. *J Dent Mater*; **23**:278-283.
- Fagundes, T. C., Barata, T. J. E., Carvalho, C. A. R., Franco, E. B., van Dijken, W. V., and Navarro, M. F. L. (2009). Clinical evaluation of two packable posterior composites A five-year follow-up. *J Am Dent Assoc*; **140**:447-454.
- Fan, P. L., Edahl, A., Leung, R. L., and Stanford, J. W. (1985). Alternative interpretations of water sorption values of composite resins. *J Dent Res*; **64**:78-80.
- Feilzer, A. J., de Gee, A. J. and Davidson, C. L. (1990). Relaxation of polymerization contraction shear stress by hygroscopic expansion. *J Dent Res*; **69**:36-39.
- Ferracane, J. L. (1994). Elution of leachable components from composites. *J Oral Rehabil*; **21**:441-452.
- Ferracane, J. L. (1995). Current trends in dental composites. *Crit Rev Oral Biol Med* **6**:302-318.
- Ferracane, J. L. (2001). *Materials in dentistry: Principles and applications*. 2nd Ed. Lippincott Williams and Wilkins, USA. Chapter; 5: Pages:85-119.
- Ferracane, J. L. (2005). Developing a more complete understanding of stresses produced in dental composites during polymerization. *Dent Mater*; **21**:36-42.
- Ferracane, J. L. (2006). Hygroscopic and hydrolytic effects in dental polymer networks. *Dent Mater*; **22**:211–22.

Ferracane, J. L., and Greener, E. H. (1984). Fourier Transform Infrared analysis of degree of polymerization in unfilled resins-methods comparison. *J Dent Res*; **63**:1093-1095.

Filtek Silorane. Technical product file, 3M ESPE. (2007).
http://multimedia.3m.com/mws/mediawebserver?mwsId=66666UuZjcFSLXTtmxf_IXfyEVuQEcuZgVs6EVs6E666666--

Filtek Z250. Technical product file, 3M ESPE. (1998).
<http://multimedia.3m.com/mws/mediawebserver?mwsId=66666UuZjcFSLXTtO8TXmX46EVuQEcuZgVs6EVs6E666666-->

Floyd, C. J. E., and Dickens, S. H. (2006). Network structure of Bis-GMA- and UDMA-based resin systems. *Dent Mater*; **22**:1143–1149.

Fong, H., Dickens, S. H., and Flaim, G. M. (2005). Evaluation of dental restorative composites containing polyhedral oligomeric silsesquioxane methacrylate. *Dent Mater*; **21**: 520-529.

Franz, A., Konig, F., Anglmayer, M., Rausch-fan, X., Gille, G., Rausch, W.D., Lucas, T., Sperr, W. and Schedle, A. (2003) Cytotoxic effects of packable and nonpackable dental composites. *Dent Mater*; **19**:382–392.

Franz-Xaver, R. F-X., Simon, S., Esters, M., Seiss, M., Kehe, K., Kleinsasser, N., Hickel, R. (2006). Cytotoxicity of dental composite (co)monomers and the amalgam component Hg²⁺ in human gingival fibroblasts. *Arch Toxicol*; **80**:465–472.

Gan, S. N. (2004). A process for producing flexible polyurethane foams from palm oil based polyester polyols. Malaysia Patent Application No. : PI20045074.

Gary, K. K. Y. (2005). Polyols made from vegetable oil and their applications. Master thesis. University of Missouri-Columbia.

Ge, J., Trujillo, M., and Stansbury, J. (2005). Synthesis and photopolymerization of low shrinkage methacrylate monomers containing bulky substituent groups. *Dent Mater*; **21**:1163–1169.

Gerdolle, D. A., Mortier, E., Jacquot, B., and Panighi, M. M. (2008). Water sorption and water solubility of current luting cements: An in vitro study. *Quintessence Int*; **39**:107-114.

Geurtsen W, Leyhausen G. (2001). Chemical–biological interactions of the resin monomer triethylene glycol dimethacrylate (TEGDMA). *J Dent Res*; **80**:2046–50.

Geurtsen W, Spahl W, Leyhausen G. (1998). Residual monomer/additive release and variability in cytotoxicity of light curing glass-ionomer cements and compomers. *J Dent Res*; **77**:2012–2019.

- Gladys S, Van Meerbeek B, Braem M, Lambrechts P, Vanherle G. (1997). Comparative physico-mechanical characterization of new hybrid restorative materials with conventional Glass-Ionomer and resin composite restorative materials. *J Dent Res*; **76**:883–94.
- Goldberg, M. (2008). In vitro and in vivo studies on the toxicity of dental resin components: a review. *Clin Oral Invest*; **12**:1–8.
- Goncalves, F., Pfeifer, C. C. S., Stansbury, J. W., Newman, S. M., and Braga, R. R. (2010). Influence of matrix composition on polymerization stress development of experimental composites. *Dent Mater*; **26**:697-703.
- Gultekin, G., Atalay-Oral, C., Erkal, S., Tantekin-Ersolmaz, B. and Güner, F. S. (2006). Fatty acid based polyurethane films for wound dressing applications, in: Polychar-14 World Forum on Advanced Materials, April 17–22, 2006, p. 264 (Abstract Book).
- Halvorson, R. H., Erickson, R. L., and Davidson, C. L. (2003). The effect of filler and silane content on conversion of resin-based composite. *Dent Mater*; **19**:327–333.
- Hanks, C. T., Watahaz, J. C., and Suni, Z. (1996). In vitro models of biocompatibility: A review. *Dent Mater*; **12**:186-193.
- Hervás-García, A., Martínez-Lozano, M. A., Cabanes-Vila, J., Barjau-Escribano, A., and Fos-Galve, P. (2006). Composite resins. A review of the materials and clinical indications. *Med Oral Patol Oral Cir Bucal*; **11**:E215-20.
- Ho, C-T., Vijayaraghavan, T. V., Lee, S-Y., Tasi, A., and Huang, H-M. (2001). Flexural behaviour of post-cured composites at oral-simulating temperatures. *J Oral Rehabil*; **28**:658-667.
- Holter, D., Frey, H., Mulhaupt, R. and Klee, J. (1997). Branched bismethacrylates based on bis-GMA--a systematic route to low shrinkage composites. *Polymer Preprints*; **38**:84-85.
- Htang, A., Ohsawa, M., and Matsumoto, H. (1995). Fatigue resistance of composite restorations: effect of filler content. *Dent Mater*; **11**: 7-13.
- Hyson J. M., Jr. (2006). Amalgam: Its history and perils. *J Calif Dent Assoc*; **34**:215–29.
- Ikejima, I., Nomoto, R. and McCabe, J. F. (2003). Shear punch strength and flexural strength of model composites with varying filler volume fraction, particle size and silanation. *Dent Mater*; **19**:206–11.
- Ilie, N., Kunzelmann, K-H., and Hickel, R. (2005). Investigation on material properties of resin composites. *Deutsche Zahnärztliche Zeitschrift*; **60**:321-334.
- Imatzo, S., Tarumi, H., Kato, S., Ebi, N., Ehara, A., and Ebisu, S. (1999). Water Sorption, Degree of Conversion, and Hydrophobicity of Resins containing Bis-GMA and TEGDMA. *Dent Mater*; **18**:124-132.

Imazato, S., McCabe, J. F., Tarumi, H., Ehara, A., and Ebisu, S. (2001). Degree of conversion of composites measured by DTA and FTIR. *Dent Mater*; **17**:178-183.

ISO Standard (1999). ISO-10993-5. *Biological evaluation of medical devices*, part 5: Tests for *in vitro* cytotoxicity.

ISO Standard (1999). ISO-10993-12. *Biological evaluation of medical devices*, part 12: Sample preparation and reference materials.

ISO Standard (1994). ISO-7405. *Dentistry- Preclinical evaluation of biocompatibility of medical devices used in dentistry*: Test method for dental materials.

ISO Standard (2000). ISO-4049. *Dentistry-Polymer-based filling, restorative and luting materials*.

Issa, Y., Watts, D. C., Brunton, P. A., Waters, C. M. and Duxbury, A. J. (2004). Resin composite monomers alter MTT and LDH activity of human gingival fibroblasts in vitro. *Dent Mater*; **20**:12–20.

Jones, S. E. B. (1995). The history of adhesion and developments in dentistry *Int J Adhesion and Adhesive*; **15**:109-113.

Kalachandra, S., Sankarapandian, M., Shobha, H. K., Taylor, D. F., and Mcgrath, J. E. (1997). Influence of hydrogen bonding on properties of BIS-GMA analogues. *J Mater Sci: Mater Med*; **8**:283-286.

Kalore. Technical overview. GC America, USA. (2009).
http://www.gc europe.com/pid/141/manual/en_Manual.pdf

Kawaguchi, M., Fukushima, T., Miyazaki, K., Horibe, T., Habu, T., and Sawamuran, N. (1984). Synthesis and physical properties of polyfunctional methacrylates. Part 4. Synthesis and physical properties of aromatic dimethacrylate copolymers. *Dent Mater J*; **3**:272-279.

Kawano, F., Ohguri, T., Ichikawa, T., and Matsumoto, N. (2001). Influence of thermal cycles in water on flexural strength of laboratory-processed composite resin. *J Oral Rehabil*; **28**:703-707.

Kerby, R. E., Knobloch, L. A., Schricker, S., and Gregg, B. (2009). Synthesis and evaluation of modified urethane dimethacrylate resins with reduced water sorption and solubility. *Dent Mater*; **25**:302-313.

Khatri, C. A., Stansbury, J. W., Schultheisz, C, R. and Antonucci, J. M. (2003). Synthesis, characterization and evaluation of urethane derivatives of Bis-GMA. *Dent Mater*; **19**:584-588.

Kim, K. H., Ong, J. L., and Okuno, O. (2002). The effect of filler loading and morphology on the mechanical properties of contemporary composites. *J Prosthet Dent*; **87**:642-649.

- Kim, S., and Jang, J. (1996). The measurement of degree of conversion for BISGMA/Silica Composites by FT-IR spectroscopy. *Polymer Testing*; **15**:559-571.
- Kirkpatrick, C. J., and Mittermayer, C. (1990). Theoretical and practical aspects of testing potential biomaterials in vitro. *J Mater Sci Mater Med*: 9- 13.
- Koenigsberg, S., Fuks, A. and Grajower, R. (1989). The effect of three filling techniques on marginal leakage around class 2 composite resin restorations in vitro. *Quintessence Int*; **20**(2):117-121.
- Koprululua, A., Onen, A., Serhatli, I. E., Guner, F. S. (2008). Synthesis of triglyceride-based urethane macromers and their use in copolymerization. *Progress in Organic Coatings*; **63**; 365–371.
- Krishnan, K. V., Lizymol, P. P., and Nair, S. P. (1999). Urethane tetramethacrylates: Novel substitutes as resin matrix in radiopaque Dental composites. *J Appl Polym Science*: **74**:735-746.
- Krishnan, K. V., and Yamuna, V. (1998). Effect of initiator concentration, exposure time and particles size of the filler upon the mechanical properties of light-curing radiopaque dental composite. *J Oral Rehabil*; **25**:747-751.
- Labella, R., Davy, K. W. M., Lambrechts P, Van Meerbeek B, Vanherle G. (1998). Monomethacrylate co-monomers for dental resins. *Eur J Oral Sci*; **106**:816-824.
- Labella R, Lambrechts P, Van Meerbeek B, Vanherle G (1999). Polymerization shrinkage and elasticity of flowable composites and filled adhesives. *Dent Mater*; **15**:128–137
- Landuyt, K. L. V., Snauwaert, J., Munck, J. D., Peumans, M., Yoshida, Y., Poitevin, A., Coutinho, E., Suzuki, K. Lambrechts. P., and Meerbeek, B. V. (2007). Systematic review of the chemical composition of contemporary dental adhesives. Review. *Biomaterials*; **28**:3757-3785.
- Lee, J-H., Um, C. M., and Lee, I. B. (2006). Rheological properties of resin composites according to variations in monomer and filler composition. *Dent Mater*; **22**:515–526.
- Li, Y., Swartz, M. L., Phillips, R. W., Moore, B. K. and Roberts, T. A. (1985). Effect of filler content and size on properties of composites. *J Dent Res*; **64**(12):1396-1401.
- Lin, N. J., Drzal, P. L., Lin-Gibson, S. (2007). Two-dimensional gradient platforms for rapid assessment of dental polymers: A chemical, mechanical and biological evaluation. *Dent Mater*; **23**:1211–1220.
- Lindberg, A., van Dijken, J. W. V. and Hoerstedt, P. (2000). Interfacial adaptation of a Class 2 polyacid-modified resin composite/resin composite laminate restoration in vivo. *Acta Odontol Scand*; **58**:77-84.

- Lin-Gibson, S., Landis, F. A., and Stafford, C. M. (2006). Polymerization shrinkage measurements of photoprocess-linked dimethacrylate films. *Polymer Preprints*; **47**:500-501.
- Lohbauer, U., Frankenberger, R., Krämer, N. and Petschelt, A. (2006). Strength and fatigue performance versus filler fraction of different types of direct dental restoratives. *J Biomed Mater Res B Appl Biomater*; **76**:114-20.
- Lohbauer, U., Zinelis, S., Rahiotis, C., Petschelt, A., and Eliades, G. (2009). The effect of resin composite pre-heating on monomer conversion and polymerization shrinkage. *Dent Mater*; **25**:514-519.
- Lovell, L. G., Lu, H. Elliott, J. E., Stansbury, J. W., and Bowman, C. N. (2001). The effect of cure rate on the mechanical properties of dental resins. *Dent Mater*; **17**:504-511.
- Lovell, L. G., Newman, S. M., Donaldson, M. M., and Bowman, C. N. (2003). The effect of light intensity on double bond conversion and flexural strength of a model, unfilled dental resin. *Dent Mater*; **19**:458-465.
- Lü, C., Cui, Z., Li, Z., Yang, B. and Shen, J. (2003). Preparation and characterization of ZnS-polymer nanocomposite films with high refractive index. *J Mater Chem*; **13**:2189-2195.
- Mair, L. H. (1998). Ten-years clinical assessment of three posterior resin composites and two amalgams. *Quintessence Int*; **29**:483-490.
- Major, I. A. and Toflenetti, F. (1992). Placement and replacement of resin based composite restoration in Italy. *Oper Dent*; **17**:82-5.
- Malacarne, J., Carvalho, R. M., de Goes, M. F., Svizero, N., Pashley, D. H., Tay, F. R., Yiu, C. K., and Carrillo, M. R. O. (2006). Water sorption/solubility of dental adhesive resins. *Dent Mater*; **22**:973-980.
- Martin N, Jedyakiewicz, N. M, Fischer, A. C. (2003). Hygroscopic expansion and solubility of composite restoratives. *Dental Mater*; **19**:77-86.
- Martin, N., and Jedyakiewicz, N. (1998). Measurement of water sorption in dental composites. *Biomaterials*; **19**:77-83.
- Matasa C. G., Eng, C., and Sci, T. (2004) A wish list for orthodontic materials, 2005. *Orthodontic Materials Insider*; **16**:1-8.
- Matsukawa S, Hayakawa T, Nemoto K (1994). Development of high-toughness resin for dental applications. *Dent Mater*; **10**:343-6.
- Matsumura, H.; Nakamura, M.; Tanoue, N., and Atsuta, M. (2000). Clinical evaluation of an urethane tetramethacrylate-based composite material as a prosthetic veneering agent. *J Oral Rehabil*; **27**; 846-852.

- McCabe, J.F. (2010). Composite shrinkage-Some important new findings. Guest Lecture, University of Malaya, Malaysia; 3 May.
- McCabe, J.F., and Walls, A.W.G. (1998). *Applied dental materials*. 8th Ed. Oxford: Blackwell Science Ltd. Chapter 20; Pages: 154-156.
- Mendes, L. C., Tedescob, A. D., Miranda, M. S. (2005). Determination of degree of conversion as function of depth of a photo-initiated dental restoration composite. *Polymer Testing*; **24**:418–422.
- Miyasaka, T. (1996). Effect of shape and size of silanated fillers on mechanical properties of experimental photo cure composite resins. *Dent Mater J*; **15**:98-110.
- Momoi, Y., and McCabe, J. F. (1994). Hygroscopic expansion of resin based composites during 6 months of water storage. *Br Dent J*; **176**:91-96.
- Moraes, R. R., Sinhoreti, R. C., and Correr-Sobrinho, L. O. (2008). Preparation and evaluation of dental resin luting agents with increasing content of Bisphenol-A ethoxylated dimethacrylate. *J Biomat Appl*; **25**:1-22.
- Moszner N. and Salz, U. (2001). New developments of polymer dental composites. *Prog Polym Sci*; **26**:535–76.
- Moszner, N., Fischer, U. K., Angermann, J., and Rheinberger, V. (2008). A partially aromatic urethane dimethacrylate as a new substitute for Bis-GMA in restorative composites. *Dent Mater*; **24**:694:699.
- Muller, H., Olsson, S. and Söderholm. K. J. (1997). The effect of comonomer composition, silane heating, and filler type on aqueous TEGDMA leachability in model resin composites. *Eur J Oral Sci*; **105**:362-368.
- Musanje, L., and Ferracane, J. L. (2004). Effects of resin formulation and nanofiller surface treatment on the properties of experimental hybrid resin composite. *Biomaterials*; **25**:4065–4071.
- Neme, A., Maxson, B.B, Pink, F.E. and Aksu, M.N. (2002). Microleakage of Class 2 Packable resin composites lined with flowable: an in vitro study. *Oper Dent*; **27**:600-605.
- Nie, J., Linde, L.A., Rabeka, J. F., and Ekstrand, J. (1999). Photocuring of mono- and di-functional (meth)acrylates with tris [2-(acryloyloxy)ethyl]isocyanurate. *Eur Polymer J*; **35**:1491-1500.
- Nie, J., Lovell, L. G., and Bowman, C. N. (2001). Synthesis and characterization of N-isopropyl, N-methacryloxyethyl methacrylamide as a possible dental resin. *Biomaterials*; **22**:535-540.

Nishiyama, N., Suzuki, K., Takahashi, K., and Nemoto, K. (2004). The pKa effects of the carboxylic acid in N-methacryloyl-omega-amino acid on the demineralization and bond strengths to the teeth. *Biomaterials*; **25**:5441-5447.

O'Brien, W. J. (2002). *Dental materials and their selection*. 3rd Ed. Quintessence Publishing Co, Inc. Chapter 8; Pages: 113-131.

Ogliari, F. A., Ely, C., Zanchi, C. H., Fortes, C. B. B., Samuel, S. M. W., Demarco, F. F., Petzhold, C. L. and Piva, E. (2008). Influence of chain extender length of aromatic dimethacrylates on polymer network development. *Dent Mater*; **24**:165-171.

Ogunyinka, A., Palin, W. M., Shortall, A. C., and Marquis, P. M. (2007) Photoinitiation chemistry affects light transmission and degree of conversion of curing experimental dental resin composites. *Dent Mater*; **23**:807-813.

Örtengren, U., Wellendorf, H., Karlsson, S., and Ruyter, I. E. (2001). Water sorption and solubility of dental composites and identification of monomers released in an aqueous environment. *J Oral Rehabil*; **28**:1106-1115.

Oysaed, H., and Ruyter, I. E. (1986). Water sorption and filler characteristics of composites for use in posterior teeth. *J Dent Res*; **65**:1315-1318.

Palin, W. M., Fleming, G. J. P., Burke, F. J. T., Marquis, P. M., Randal, R. C. (2003). Monomer conversion versus flexure strength of a novel dental composite. *J Dent*; **31**:341-351.

Papadogiannis. Y., Lakes, R. S., Palaghias, G., Helvatjoglu-Antoniades, M., and Papadogiannis, D. (2007). Fatigue of packable dental composites. *Dent Mater*; **23**:235-242.

Papadogiannis. Y., Lakes, R. S., Palaghias, G., Helvatjoglu-Antoniades, M., and Papadogiannis, D. (2007). Fatigue of packable dental composites. *Dent Mater*; **23**:235-242.

Patel, M. P., Braden, M., and Davy, K. W. M. (1987). Polymerization shrinkage of methacrylate esters. *Biomaterials*; **8**:53-56.

Pelka, C., Danzl, W., Distler, A., and Petschelt, M. (2000). A new screening test for toxicity testing of dental materials. *J Dent*; **28**:341-345.

Pereira, S. G., Nunes, T. G., Kalachandra, S. (2002). Low viscosity dimethacrylate comonomer compositions [Bis-GMA and CH(3)Bis-GMA] for novel dental composites; analysis of the network by stray-field MRI solid-state NMR and DSC and FTIR. *Biomaterials*; **23**:3799-3806.

Pereira, S.G., Osoriob, R., Toledano, M., and Nunes, T. G. (2005). Evaluation of two Bis-GMA analogues as potential monomer diluents to improve the mechanical properties of light-cured composite resins. *Dent Mater*; **21**:823-830.

- Peutzfeldt, A. (1997). Resin composites in dentistry: the monomer systems. *Eur J Oral Sci*; **105**:97–116.
- Peutzfeldt, A., and Asmussen, E. (2005). Resin composite properties and energy density of light cure. *J Dent Res*; **84**:659-662.
- Pfeifer, C. S., Silva, L. R., Kawano, Y., and Braga, R. R. (2009). Bis-GMA copolymerizations: Influence on conversion, flexural properties, fracture toughness and susceptibility to ethanol degradation of experimental composites. *Dent Mater*; **25**:1136-1141.
- Polydorou, O., Hammad, M., König, A., Hellwiga, E. and Kummerer, K. (2009a). Release of monomers from different core build-up materials. *Dent Mater*; **25**:1090-1095.
- Polydorou, O., König, A., Hellwig, E., and Kümmerer, K. (2009b). Uthethane dimethacrylate: A molecule that may cause confusion in dental research. *J Biomed Mater Res B Appl Biomater.*; **91B**:1-4:
- Polydorou, O., Trittler, R., Hellwiga, E., and Kummerer, K. (2007). Elution of monomers from two conventional dental composite materials. *Dent Mater*; **23**:1535-1541.
- Prakki, A., Tallury, P., Mondelli, R. F. L., and Kalachandra, S. (2007). Influence of additives on the properties of Bis-GMA/Bis-GMA analog comonomers and corresponding copolymers. *Dent Mater*; **23**:1199-1204.
- Priyawan, R., Wakasa, K., Chowdhury, N. A., and Yamak, M. (1995). Improvement of bis-GMA-based resins by urethane linkages: DTA and DSC thermal properties. *J Mater Sci: Mater Med*; **6**:1-4.
- Qvist, V., Qvist, J. and Mjor, I. A. (1990). Placement and longevity of tooth-colored restorations in Denmark. *Acta Odontol Scand*; **48**:305–11.
- Radz, G. M. and Leinfelder, K. F. (2008). The clinical materials review: The current state of composite resins; *Inside Dentistry*;4: <http://www.insidedentistry.net/article.php?id=2377>
- Razak A.A.A. and Harrison A. (1997). The effect of filler content and processing variables on dimensional accuracy of experimental composite inlay material. *J Prosthet Dent*; **77**:353-358.
- Razak, A. A. A. (1995). Evaluation of some physical and mechanical properties of the light-and heat-cured composite inlay system. PhD thesis, University of Bristol, UK.
- Roberson, T. M., Heymann, H. O. and Swift, E. J. (2002). Sturdevant, *Art and science of operative dentistry*. 4th Ed. Mosby. Chapter 4; Pages: 133-226.
- Rueggeberg, F. A. (2002). From vulcanite to vinyl, a history of resins in restorative dentistry. *J Prosthet Dent*; **87**:364-79.

- Rueggeberg, F. A., Caughman, W. F. and Curtis, J. W. (1994). Effect of light intensity and exposure duration on cure of resin composite. *Oper Dent*; **19**:26-32.
- Ruttermann, S., Kruger, S., Raab, W. H-M., and Janda, R. (2007). Polymerization shrinkage and hygroscopic expansion of contemporary posterior resin-based filling materials- A comparative study. *J Dent*; **35**:806 -813.
- Ruyter, I. E. (1988). Composite-characterization of composite filling materials: Reactor response. *Adv Dent Res*; **2**:122-129.
- Säilynoja, E. S., Shinya, A., Koskinen, M. K., Salonen, J. I., Masuda, T., Shinya, A., Matsuda, T., Mihara, T., and Koide, N. (2004). Heat curing of UTMA-based hybrid resin: effects on the degree of conversion and cytotoxicity. *Odontology*; **92**:27–35.
- Sankarapandian, M., Shobha, H. K., Kalachandra, S., and Mcgrath, J. E. (1997). Characterization of some aromatic dimethacrylates for dental composite applications. *J Mater Sci: Mater Med*; **8**:465- 468.
- Sarrett, D. C. (2005). Clinical challenges and the relevance of materials testing for posterior composite restorations. *Dent Mater*; **21**:9–20.
- Schedle, A., Franz, A., Rausch-Fan X. (1998). Cytotoxic effects of dental composites, adhesive substance, compomers and cements. *Dent Mater*; **14**:429-40.
- Schmalz, G. (1994). Use of cell cultures for toxicity testing of dental materials advantages and limitations. *J Dent*; **22**:S6–S11.
- Schmalz, G. and Schmalz, C. (1981). Toxicity tests on dental filling materials. *Int Dent J*; **31**:185-92.
- Schroeder, W. F., and Vallo, C. I. (2007). Effect of different photoinitiator systems on conversion profiles of a model unfilled light-cured resin. *Dent Mater*; **23**:1313-1321.
- Shaari, N. Z. K., Lye, O. T., and Ahmad, S. (2004). Effect of triethanolamine on the properties of palm-based flexible polyurethane foam. *Journal of Oil Palm Research* ;**16**: 66-71.
- Shalaby W. S., and Salz, U. (2007). *Polymer for dental and orthopedic applications*. 1st Ed. Taylor & Francis Group, LLC. USA. Chapter 2; Pages: 14-23.
- Shenoy, A. (2008). Is it the end of the road for dental amalgam? A critical review. *J Conserv Dent*; **11**:99-107.
- Sideridou, I. D., Karabela, M. M., and Bikiaris, D. N. (2007). Aging studies of light cured dimethacrylate-based dental resins and a resin composite in water or ethanol/water. *Dent Mater*; **23**:1142-1149.

Sideridou, I. D., Karabela, M. M., and Vouvoudi, E. C. (2008). Volumetric dimensional changes of dental light-cured dimethacrylate resins after sorption of water or ethanol. *Dent Mater*; **24**:1131–1136.

Sideridou, I., Tserki, V., Papanastasiou, G. (2002). Effect of chemical structure on degree of conversion in light-cured dimethacrylate-based dental resins. *Biomaterials*; **23**:1819-1829.

Sideridou, I., Tserki, V., Papanastasiou, G. (2003). Study of water sorption, solubility and modulus of elasticity of light-cured dimethacrylate-based dental resins. *Biomaterials*; **24**: 655-665.

Silikas, N., and Watts, D. C. (1999). Rheology of urethane dimethacrylate and diluent formulations. *Dent Mater*; **15**:257–261.

Silva, E. M. D., Poskus, L. T., Guimaraes, J. G. A., Barcellos, A. A. L., and Fellows, C. E. (2008). Influence of light polymerization modes on degree of conversion and crosslink density of dental composites. *J Mater Sci: Mater Med*; **19**:1027–1032.

Simon, C. G., Antonucci, J. J. M., Liu, D. W., and Skrtic, D. (2005). In vitro cytotoxicity of amorphous calcium phosphate composites. *J Bioactive and Compatible Polymers*; **20**; 279-295.

Skrtic, D., and Antonucci, J. M. (2003). Effect of bifunctional comonomers on mechanical strength and water sorption of amorphous calcium phosphate- and silanized glass-filled Bis-GMA-based composites. *Biomaterials*; **24**; 2881-2888.

Skrtic, D., Stansbury, J. W. and Antonucci, J. M. (2003). Volumetric contraction and methacrylate conversion in photo-polymerized amorphous calcium phosphate/methacrylate composites. *Biomaterials*; **24**: 2443-2449.

Söderholm, K. J., Lambrechts, P., Sarrett, D., Abe, Y., Yang, M. C., Labella, R., Yildiz, E. and Willems, G. (2001). Clinical wear performance of eight experimental dental composites over three years determined by two measuring methods. *Eur J Oral Sci*; **109**:273-81.

Söderholm, K-J. M. (1984). Influence of silane treatment and filler fraction on thermal expansion of composite resins. *J Dent Res*; **63**:1321-1326.

Stansbury, J. W. (1992). Synthesis and evaluation of new oxaspiro monomers for double ring-opening polymerization. *J Dent Res*: **71**:1408-1412.

Stansbury, J. W. (2008). The CQ mass weigh and its mass ratio to 4EDMAB. [Email] Personal communication; 12-September.

Stansbury, J. W., and Dickens, S. H. (2001). Determination of double bond conversion in dental resins by near infrared spectroscopy. *Dent Mater*; **17**:71-79.

- Stansbury, J. W., and Ge J. (2003). Polymerization shrinkage and stress in resins and composites. *Rad Tech Report*: 56-62.
- Stansbury, J. W., Trujillo-Lemon, M., Lu, H., Ding, X., Lin, Y., and Ge, J. (2005). Conversion-dependent shrinkage stress and strain in dental resins and composites. *Dent Mater*; **21**: 56–67
- Sterrett, T., Wong, R., and Kid, P. (1987). Fracture toughness of urethane-modified methacrylate resins. *Polymer Eng Sci*; **27**:699-672.
- Sunnegardh-Gronberg, K., vanDijken, J. W. V., Funegard, U., Lindberg, A., and Nilsson, M. (2009). Selection of dental materials and longevity of replaced restorations in public dental health clinics in northern Sweden. *J Dent*; **37**:673–678.
- Tabachnick, B. G. and Fidell, L. S (2001). Using multivariate statistics, Needham Heights MA: Allyn and Bacon.
- Tanaka, J., Hashimoto, T., Stansbury, J. W., Antonucci, J. M., and Suzuki, K. (2001). Polymer properties on resins composed of UDMA and methacrylates with the carboxyl Group. *Dent Mater*; **20**: 206-215.
- Tanaka, K., Taira, M., Shintani, H., Wakasa, K. and Yamaki, M. (1991). Residual monomers (TEGDMA and Bis-GMA) of a set visible-light-cured dental composite resin when immersed in water. *J Oral Rehabil*; **18**:353-362.
- Taylor, D. F, Kalachandra, S., Sankarapandian, M., and McGrath, J. E. (1998). Relationship between filler and matrix resin characteristics and the properties of uncured composite pastes. *Biomaterials*; **19**:197-204.
- Terry, D. A., Leinfelder, K. F. and Blatz, M. B. (2009). A comparison of advanced resin monomer technologies. *Dent Today*; **28**:122-3.
- Thompson, V. P., Williams, E. F., and Balley, W. J. (1979). Dental resins with reduced shrinkage during hardening. *J Dent Res*; **58**:1522-1532.
- Tian, M., Gao, Y., Liu, Y., Liao, Y., Xu, R., Hedin, N. E., and Fong, H. (2007). Bis-GMA/TEGDMA dental composites reinforced with electrospun nylon 6 nanocomposite nanofibers containing highly aligned fibrillar silicate single crystals. *Polymer*; **48**:272-2728.
- Tiba, A., and Culberson, B.M. (1999). Thermal, mechanical, and biocompatibility properties of cured multi-methacrylates derived from propoxylated, enzyme oligomerized BPA neat resins. *Pure Appl Chem*; **A36**:1209-1226.
- Toledano, M., Osorio, R., Osorio, E., Fuentes, V., Parti, C., and Garcia-Godoy, F. (2003). Sorption and solubility of resin-based restorative dental materials. *J Dent*; **31**:43–50.

- Turssi, C. P., Ferracane, J. L. and Vogel, K. (2005). Filler features and their effects on wear and degree of conversion of particulate dental resin composites. *Biomaterials*; **26**:4932–4937.
- Uhl, A., Mills, R. W., Rzanny, A. E., Jandt, K. D., (2005). Time dependence of composite shrinkage using halogen and LED light curing. *Dent Mater*; **21**: 278–286.
- van Noort, R. (2002). *Introduction to dental materials*. 2nd Ed. Elsevier Science Limited. Chapter 2.2; Pages: 96-123.
- Vasudeva, G. (2009). Monomer systems for dental composites and their Future: A review. *J Calif Dent Assoc*; **137**:389-398.
- Venhoven, B. A. M., De Gee, A. J., and Davidson, C. L. (1993). Polymerization contraction and conversion of light-curing BisGMA based methacrylate resins. *Biomaterials*; **14**:871-5.
- Viljanen, E. V., Lassilaa, L. V. J., Skrifvarsb, M., and Vallittu, P. K. (2005). Degree of conversion and flexural properties of a dendrimer/methyl methacrylate copolymer: design of experiments and statistical screening. *Dent Mater*; **21**:172–177.
- Wataha, J. C., Lockwood, P., Bouillaguet, S., and Noda, M. (2003). In vitro biological response to core flowable dental restorative materials. *Dent Mater*; **19**:25-31.
- Watts, D. C., Kisumbi, B. K., and Toworfe, G. K. (2000). Dimensional changes of resin/ionomer restoratives in aqueous and neutral media. *Dent Mater*; **16**: 89–96.
- Wilson, M.A., Cowan, A. J., Randall, R. C., Crisp, R. J., and Wilson, N. H. F. (2002). A practice- based, Randomized, controlled clinical trial of a new resin composite restorative: one-year results. *Oper Dent*; **27**: 423-429.
- Yap, A. U. J. and Teoh, S. H. (2003). Comparison of flexural properties of composite restoratives using the ISO and miniflexural tests. *J Oral Rehabil*; **30**:171-177.
- Yoon, T-H., Lee, Y-K., Lim, B-S., and Kim, C-W. (2002). Degree of polymerization of resin composites by different light sources. *J Oral Rehabil*; **29**:1165-1173.
- Young, A. M., Rafeeka, S. A., and Howlett, J. A. (2004). FTIR investigation of monomer polymerisation and polyacid neutralisation kinetics and mechanisms in various aesthetic dental restorative materials. *Biomaterials*; **25**:823-833.