REFERENCES

Adcock, R.J. (1877), Note on the method of least squares, *Analyst*, Vol. 4, pp. 183-184.

Adcock, R.J. (1878), A problem in least squares, *Analyst*, Vol. 5, pp. 53-54.

Aja-Fernandez, S., San Jose Estepar, R., Alberola-Lopez, A. And Westin, C.F. (2006), Image quality assessment based on local variance, *Proceedings of the 28th IEEE EMBS Annual International Conference*, pp. 4815 – 4818.

Alparone, L., Baronti, S., Garzelli, A. and Nencini, F. (Oct 2004), A global quality measurement of pan-sharpened multispectral imagery, *IEEE Geoscience and Remote Sensing Letters*, Vol. 1, No. 4, pp. 313 – 317.

Anderson, T.W. (1984), The 1992 Wald memorial lectures: Estimating linear statistical relationships, *Annals of Statistics*, Vol. 12, pp. 1 – 18.

Andreutos, D., Plataniotis, K.N. and Venetsanopoulos, A.N. (1998), Distance measures for color image retrieval, Chicago: *Proceedings of IEEE International Conference on Image Processing*, IEEE Signal Processing Society.

Avcibas, I., Sankur, B. and Sayood, K. (2002), Statistical evaluation of image quality measures, *Journal of Electronic Imaging*, Vol. 11, No. 2, pp. 206 – 223.

Bain, L.J. and Engelhardt, M. (1992), *Introduction to probability and mathematical statistics*, 2nd edition, Duxbury Thomson Learning, pg. 177.

Baker, S.H. and Carpenter, M.E. (1989), Correlation of spot characteristics with perceived image quality, *IEEE Transactions on Consumer Electronics*, Vol. 35, No. 3, pp. 319 – 324.

Barnett, V.D. (1969), Simultaneous pairwise linear structural relationships, *Biometrics*, Vol. 25, pp. 129 – 142.

Basseville, M. (1989), Distance measures for signal processing and pattern recognition, *Signal Processing*, Vol. 38, pp. 349 – 369.

Battaglia, G.J. (1996), Mean square error, *AMP Journal of Technology*, Vol. 5, No. 1, pp. 31 – 36.

Berizzi, F. and Corsini, G. (1996), Autofocusing of inverse synthetic aperture radar images using contrast optimazation, *IEEE Transactions on Aerospace and Electronic Systems*, Vol. 32, No. 3.

Berkson, J. (1950), Are there two regression?, *J. Amer. Statist. Assoc.*, Vol. 45, pp. 164 – 180.

Bhaskaran, V. and Konstantinides, K. (1997), *Image and video compression standards: algorithms and architecture*, 2nd Edition, Boston: Kluwer Academic Publishers.

Bhat, D.N. and Nayar, S.K. (Feb 1996), Ordinal measures for visual correspondence, Columbia University, Computer Science: *Technical Report*, CUCS-009-96.

Bhat, D.N. and Nayar, S.K. (1998), Ordinal measures for image correspondence, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 20, no. 4, pp. 415 – 423.

Blanc, R., Da Costa, J.P., Stitou, Y., Baylou, P. And Gernain, C. (2008), Assessment of texture stationary using the asymptotic behaviour of the empirical mean and variance, *IEEE Transactions on Image Processing*, Vol. 17, No. 9, pp. 1481 – 1490.

Bouzerdoum, A., Havstad, A. and Beghdadi, A. (2004), Image quality assessment using a neural network approach, *Proceedings of 4th IEEE International Symposium on Signal Processing and Information Technology*, pp. 330 – 333.

Box, G.E.P. and Cox, D.R. (1964), An analysis of transformation, *Journal of the Royal Statistical Society*, Series B, Vol. 26, pp. 211 – 243.

Broersen, P.M.T. (1998), The quality of models for ARMA processes, *IEEE Transactions on Signal Processing*, Vol. 46, pp. 1749 – 1752.

Brooks, A.C., Zhao, X. and Pappas, T.N. (2008), Structural similarity quality metrics in a coding context: exploring the space of realistic distortions, IEEE Transactions on Image Processing, Vol. 17, No. 8, pp. 1261 – 1273.

Buonaccorsi, J.P. (1996), A modified estimating equation approach to correcting for measurement error in regression, *Biometrika*, Vol. 83, No. 2, pp. 433 – 440.

Burningham, N., Pizlo, Z. and Allebach, J.P. (2002), Image quality metrics, In Hornak, J.P., *Encyclopedia of Imaging Science and Technology*, Vol. 1, Wiley, pp. 598 – 616.

Cadik, M. and Slavik, P. (2004), Evaluation of two principal approaches to objective image quality assessment, *Proceedings of 8th IEEE International Conference on Information Visualisation*, pp. 513 – 518.

Carnec, M., le Callet, P. and Barba, D. (2003), Full reference and reduced reference metrics for image quality assessment, Paris: *Proceedings of 7th International Symposium on Signal Processing, and Its Applications*, Vol. 1, pp. 477 – 480.

Casey R.G. (1970), Moment normalization of handprinted character, *IBM J. Res. Develop.*, Vol. 14, No. 5, pp.548 – 557.

Castleman, K.R. (1996), *Digital image processing*, New Jersey: Prentice Hall, Chapter 17, pp. 431 – 442.

Cates, J.E., Whitaker, R.T. and Jones, G.M. (2005), Case study: an evaluation of user-assisted hierarchical watershed segmentation, *Medical Image Analysis*, In Press, Corrected Proof, Available online 24 May 2005.

Chan, N.N. and Mak, T.K. (1983), Estimation of multivariate linear functional relationships, *Biometrika*, Vol. 70, No. 1, pp. 263 – 267.

Chan, N.N. and Mak, T.K. (1984), Heteroscedastic errors in a linear functional relationship, *Biometrika*, Vol. 71, No. 1, pp. 212 – 215.

Chang, Y.F., Lee, J.C., Rijal, O.M. and Abu Bakar, S.A.R. (2010), An efficient handwritten Chinese character recognition system using 2-dimensional functional relationship model, *International Journal of Applied Mathematics and Computer Science*. Vol. 20, No. 4, pp. 727 – 738.

Chang, Y.F., Lee, J.C., Tong, W.L. and Gan, F.S. (2009), *A New Classifier for Handwritten Chinese Character Recognitin Using 2-Dimensional Functional Relationship Model*, Shanghai: Proceedings of the IEEE International Conference on Intelligent Computing and Intelligent Systems (ICIS2009), Vol. 4, pp. 1 – 4.

Chang, Y.F., Hussin, A.G. and Rijal, O.M. (2007), An Investigation of Causation: The Unreplicated Linear Functional Relationship Model, Asian Network for Scientific Information: *Journal of Applied Sciences*, Vol. 7, No. 1, pp. 20 – 26.

Chang, Y.F., Rijal, O.M. and Abu Bakar, S.A.R. (2008a), Functional Quality and Performance Metric for Some Image Processing Applications, *NAUN International Journal of Mathematical Models and Methods in Applied Sciences*, Vol. 2, No. 4, pp. 543 – 552.

Chang, Y.F., Rijal, O.M. and Abu Bakar, S.A.R. (2008b), *Functional Image Quality and Performance Evaluation for JPEG Compression and De-Noising Filters*, Canary Islands: Proceeding of the 13th WSEAS International Conference on Applied Mathematics, pp. 113 – 118.

Chang, Y.F., Rijal, O.M. and Abu Bakar, S.A.R. (2010), Multidimensional unreplicated linear functional relationship model with single slope and its coefficient of determination, *WSEAS Transactions on Mathematics*, Vol. 9, No. 5, pp. 295 – 313.

Chang, Y.F. and Tan, Y.F. (May 2006), Quality assessment between color and gray scale images, Shah Alam: *Proceedings of International Wireless and Telecommunications Symposium* (IWTS'06), pp. 244 – 247.

Chen, H.M., Varshney, P.K. and Arora, M.K. (Nov 2003), Performance of mutual information similarity measure for registration of multitemporal remote sensing images, *IEEE Transactions on Geoscience and Remote Sensing*, Vol. 41, No. 11, pp. 2445 – 2454.

Cheng, G. and Cheng, L. (2009), Reduced reference image quality assessment based on dual derivative priors, *Electronic Letters*, Vol. 45, No. 18.

Clarity's Product Marketing Department (Sept. 2002), *Image quality perception: Evaluating real-world iImage quality performance*, Image Quality Series Part 1, Clarity Visual System Inc., http:www.clarityvisual.com.

Cramariuc, B., Shmulevich, I., Gabbouj, M., Makela, A. (Sept. 2000), A new image similarity measure based on ordinal correlation, *Proceedings of the 2000 International Conference on Image Processing*, Vol. 3, pp. 718 – 721.

Comaniciu, D., Meer, P., Xu, K. and Tyler, D. (1999), Retrieval performance improvement through low rank corrections, Fort Collins, Colorado: *Workshop in Content-based Access to Image and Video Libraries*, pp. 50 – 54.

Correia, P.L. and Pereira, F. (2002), Stand-alone objective segmentation quality evaluation, *EURASIP Journal on Applied Signal Processing*, Vol. 4, pp. 389 – 400.

Daniel, W.W. (1990), *Applied Nonparametric Statistics*, 2nd edition, Canada: Duxbury Thomson Learning.

de Angelis, A., Moschitta, A., Russo, F. and Carbone, P. (2009), A vector approach for image quality assessment and some metrological considerations, *IEEE Transactions on Instrumentation and Measurement*, Vol. 58, No. 1, pp. 14 – 23.

Deepu, V., Sriganesh, M. and Ramakrishnan, A.G. (2004), Principle component analysis for online handwritten character recognition, Cambridge, UK: *Proceedings of the 17th International Conference on Pattern Recognition*, (ICPR'04), Vol. 2, pp.327-330..

de Freitas Zampolo, R. and Seara, R. (Sept 2003), A measure for perceptual image quality assessment, *Proceedings of International Conference on Image Processing*, Vol. 1, pp. I - 433-436.

de Freitas Zampolo, R. and Seara, R. (Oct 2004), Perceptual image quality assessment based on Bayesian networks, *Proceedings of International Conference on Image Processing*, Vol. 1, pp. 329 – 332.

Dan, J. (2004). *Modern Chinese Character Frequency List*. URL: http://lingua.mtsu.edu/chinesecomputing/statistics/char/list.php?Which=MO. Accessed on 15th November 2008.

Dent, B. (1935), On observations of points connected by a linear relation, *Proc. Phys. Soc*, Vol. 47, pp. 92 – 106.

Dong, J.X., Krzyzak, A. and Suen, C.Y. (2005), An improved handwritten Chinese character recognition system using support vector machine, *Pattern Recognition Letters*, Vol. 26, No. 12, pp.1849-1856.

Dunn, J.R. (2002), Faster Smarter Digital Video, *Microsoft Press.*

Durbin, J. (1954), Errors in variables, *Rev. Int. Statist. Inst.*, Vol. 22, pp. 23 – 32.

Eckert, M.P. and Bradley, A.P. (1998), Perceptual quality metrics applied to still image compression, *Signal Processing*, Vol. 70, No. 3, pp. 177 – 200.

Erkelens, J.S. and Broersen, P.M.T. (1996), Reconstruction error distortion measure for quantization of LPC models, *Electron Letter*, Vol. 32, No. 15, pp. 1347 – 1349.

Eskicioglu, A.M. and Fisher, P.S. (1995), Image quality measures and their performance, *IEEE Transactions on Communications*, Vol. 43, No. 12, pp. 2959 – 2965.

Eskicioglu, A.M. (2000), Quality measurement for monochrome compressed images in the past 25 years, Istanbul: *Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing*, Vol. 4, pp. 1907 – 1910.

Ferraty, F. and Vieu, P. (2006), *Nonparametric functional data analysis: theory and practice*, Springer.

Fisk, P.R. (1966), *Stochastically dependent equations*, London: Griffin.

Frazor, R.A. and Geisler, W.S. (2006), Local luminance and contrast in natural images, Vision Research, Vol. 46, No. 10, pp.1585 – 1598.

Fronthaler, H., Kollreider, K., Bigun, J., Fierrez, J., Alonso-Fernandez, F., Ortega-Garcia, J. and Gonzalez-Rodriguez, J. (2008), Fingerprint image quality estimation and its application to multialgorithm verification, *IEEE Transactions on Information Forensics and Security*, Vol. 3, No. 2, pp. 331 – 338.

Fujarewicz K. and Wiench M. (2003), Selecting differentially expressed genes for colon tumor classification, *International Journal of Applied Mathematics and Computer Science*, Vol. 13, No. 3, pp. 327 – 335.

Fuller, W.A. (1987), *Measurement error models*, New York: John Wiley.

Gao, T.F. and Liu, C.L. (2008), High accuracy handwritten Chinese character recognition using LDA-based compound distances, *Pattern Recognition*, Vol. 41, No. 11, pp. 3442-3451.

Garzelli, A. and Nencini, F. (2009), Hypercomplex quality assessment of multi/hyperspectral images, *IEEE Geoscience and Remote Sensing Letters*, Vol. 6, No. 4, pp. 662 – 665.

Geary, R.C. (1949), Determinations of linear relations between systematic parts of variables with errors of observations the variances of which are unknown, *Econometrica*, Vol. 17, pp. 30 – 58.

Geman, D., Geman, S., Graffigne, C. and Dong, P. (1990), Boundary detection by constrained optimization, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 12, No. 7, pp. 609 – 628.

Girod, B. (1981), Objective quality measures for the design of digital image transmission systems, *Proceedings on IEEE International Conference on Acoustics, Speech, and Signal Processing*, Vol. 6, pp. 1132 – 1135.

Gleser, L.. and Watson G.S. (1973), Estimation of a linear transformation, *Biometrika*, Vol. 60, pp. 525 – 534.

Goldberger, J., Gordon, S. and Greenspan, H. (2003), An efficient image similarity measure based on approximations of KL-divergence between two gaussian mixtures, *Proceedings of Ninth IEEE International Conference on Computer Vision*, Vol. 1, pp. 487 – 493.

Gonzalez, R.C. and Woods, R.E. (1992), *Digital image processing*, USA: Addison-Wesley Publishing Co., pp. 165 – 166.

Gonzalez R.C. and Woods R.E. (1993), *Digital image processing*. New York: Addison-Wesley Publishing Co., pp. 580 – 583.

Gonzalez, R.C, Woods, R.E. and Eddins, S. L. (2004), *Digital image processing using MATLAB*, New Jersey: Pearson Prentice Hall.

Gao X., Jin L.W., Yin J.X. and Huang J.C. (2002), SVM-based handwritten Chinese character recognition, *Chinese Journal of Electronics*, Vol. 30, No. 5, pp. 651 – 654.

Harris, J.E., Ostler, R.S., Chabries, D.M. and Christiansen, R.W. (1988), Quality measures for SAR images, *Proceedings of International Conference on Acoustics, Speech, and Signal Processing*, Vol. 2, pp. 1064 – 1067.

Hieu T.N., Worring, M. and Dev, A. (Jan 2000), Detection of moving objects in video using a robust motion similarity measure, *IEEE Transactions on Image Processing*, Vol. 9, No. 1, pp. 137 – 141.

Holden, M., Hill, D.L.G., Denton, E.R.E., Jarosz, J.M., Cox, T.C.S., Rohlfing, T., Goodey, J. and Hawkes, D.J. (2000), Voxel similarity measures for 3-D serial MR brain image registration, *IEEE Transactions on Medical Imaging*, Vol. 19, No. 2, pp. 94 – 102.

Horiuchi T., Haruki R., Yamada H. and Yamamoto K. (1997), *Two-dimensional extension of nonlinear normalization method using line density for character recognition*, Ulm, Germany: Proceedings of the 4th International Conference on Document Analysis and Recognition, pp. 511 – 514.

Housner, G.W. and Brennan, J.F. (1948), Estimation of linear trend, *Ann. Math. Statist.*, Vol. 19, pp. 380 – 388.

Howe, N.R. (Jun 1998), Percentile blobs for image similarity, *Proceedings of IEEE Workshop on Content-Based Access of Image and Video Libraries*, pp. 78 – 83.

Huang L. and Huang X. (2001), *Multiresolution recognition of offline handwritten Chinese characters with wavelet transform*, Washington, USA: Proceedings of the 6th International Conference on Document Analysis and Recognition, pp. 631 – 634.

Hussin, A.G. (1997), Pseudo-replication in functional relationships with environmental applications, University of Sheffield: *PhD Thesis*, 1997.

Hussin, A.G. (1998), The unreplicated complex linear functional relationsip model and its application, *Bulletin of the Malaysian Mathematical Society*, Vol. 21, No. 2, pp. 78 – 86.

Hussin, A.G. (2001), An approximation technique of MLE for the unreplicated linear circular functional relationship model, *Malaysian Journal of Science*, Vol. 20, pp. 121 – 126.

Hussin, A.G. (2004), Numerical comparison for various estimators of slope parameters for unreplicated linear functional model, *Metamatika*, Vol. 20, No 1, pp. 19 – 30.

Hussin, A.G. (2005), Approximating Fisher's information for the replicated linear circular functional relationship model, *Bulletin of the Malaysian Mathematical Society*, Vol. 28, No. 2, 2005, pp. 131 – 139.

Hussin, A.G. and Chik, Z. (2003), On estimating error concentration parameter for circular functional model, *Bulletin of the Malaysian Mathematical Society*, Vol. 26, No. 2, 2003, pp. 181 – 188.

Hussin, A.G., Fieller, N. and Stillman, E. (2005), Pseudo-replicates in the linear circular functional relationship model, *Journal of Applied Sciences*, Vol. 5, No. 1, pp. 138 – 143.

Huxley, J.S. (1924), Constant differential growth ratios and their significance, *Nature*, Vol. 114, pp. 895 – 896.

Ichalalene, Z., Jiang, Z., Kieffer, J.C., Dorchies, F., Krol, A. and Chamberlain, C.C. (2001), Image quality analysis for dual energy subtraction imaging with a femtosecond laser-based hard X-ray source, *IEEE Journal of Selected Topics in Quantum Electronics*, Vol. 7, Issue 6, pp. 912 – 917.

Ivkovic, G., Sankar, R. (May 2004), An algorithm for image quality assessment, *Proceedings of IEEE International Conference on Acoustics, Speech, and Signal Processing*, Vol. 3, pp. iii - 713-716

Janssen, T.J.W.M. (1999), *Computational image quality*, Eindhoven: Technische Universiteit Eindhoven, pp. 1 – 128.

Janssen, T.J.W.M. and Blommaert, F.J.J. (Oct. 2000), A computational approach to image quality, *Displays*, Vol. 21, Issue 4, pp. 129 – 142.

Jia, L. and Kitchen, L. (2000), Object-based image similarity computation using inductive learning of contour-segment relations, *IEEE Transactions on Image Processing*, Vol. 9, Issue 1, pp. 80 – 87.

Jin, L.W., Gao, Y., Liu, G., Li, Y.Y., Ding, K. (2010). SCUT-COUCH2009----A Comprehensive Online Unconstrained Chinese Handwriting Database and Benchmark Evaluation. *To appear in International Journal of Document Analysis and Recognition*.

Johnson, N.L., Kotz, S. and Balakrishnan, N. (1994), *Continuous univariate distributions*, Vol. 1, 2nd edition, New York: John Wiley & Sons.

Karni, E. & Weissman, I. (1974), A consistent estimator of the slope in a regression model with errors in variables, *Journal of American Statistical Association*, Vol. 69, pp. 211 – 214.

Kato, N., Suzuki, M., Omachi, S.I., Aso, H. and Nemoto, Y. (March 1999), A handwritten character recognition system using directional element feature and asymmetric Mahalanobis distance, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 21, No. 3, pp.258-262.

Kawamura A., Yura K., Hayama T., Hidai Y., Minamikawa T., Tanaka A. and Masuda S. (1992), *On-line recognition of freely handwritten Japanese characters using directional feature densities*, The Hague, Netherlands: Proceeding of the 11[th] International Conference on Pattern Recognition, Vol. 2, pp. 183 – 186.

Keelan, B.W. (2002), *Handbook of image quality: characterization and prediction*, New York: Marcel Dekker Inc., Chapter 12, pp. 171 – 180.

Kendall, M.G. (1951), Regression, structural and functional relationship Part I, *Biometrika*, Vol. 38, pp. 11-25.

Kendall, M.G. (1952), Regression, structural and functional relationship Part II, *Biometrika*, Vol. 39, pp. 96-108.

Kendall, M.G. and Stuart, A. (1979), *The advanced theory of statistics*, Vol. 2, London: Griffin.

Kim, J.S., Cho, M.S. and Choi, B.T. (2004), Study on the methods of digital image quality evaluation, *IEEE Region 10 Conference (TENCON)*, Vol. 1, pp. 359 – 362.

Kimura, F., Takashina, K., Tsuruoka, S. and Miyake, Y. (1987), Modified quadratic discriminant functions and its application to Chinese character recognition, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 9, no. 1, pp. 149-153.

Kimura, F., Wakabayashi, T., Tsuruoka, S. and Mayake, Y. (1997), Improvement of handwritten Japanese character recognition using weigthed direction code histogram, *Pattern Recognition*, Vol. 30, No. 8, pp. 1329-1337.

Kinape, R.M. and Amorim, M.F. (2003), A study of the most important image quality measures, *Proceedings of the 25[th] Annual International Conference of the Engineering in Medicine and Biology Society*, Vol. 1, pp. 934 – 936.

Klein, A. and Neudecker, H. (2000), A direct derivation of the exact Fisher information matrix of Gaussian vector state space models, *Linear Algebra and its Applications*, Vol. 321, pp. 233 – 238.

Klein, S., Staring, M. and P.W. Pluim, J. (2007), Evaluation of optimization methods for nonrigid medical image registration using mutual information and B-splines, *IEEE Transactions on Image Processing*, Vol. 16, No. 12, pp. 2879 – 2890.

Krishna Moorthy, A. and Bovik, A.C. (2009), Visual importance pooling for image quality assessment, *IEEE Journal of Selected Topics in Signal Processing*, Vol. 3, No. 2, pp. 193 – 201.

Kummel, H. (1879), Reduction of observed equations which contain more than one observed quantity, *The Analyst*, Vol. 6, pp. 97 – 105.

Lee, S.U., Chung, S.Y. and Park, R.H. (1990), A comparative performance study of several global thresholding techniques for segmentation, *Image Analysis and Computer Vision*, Vol. 52, pp. 171 – 190.

Lee, J.C., Fong, T.J. and Chang, Y.F. (2009), *Feature Extraction for Handwritten Chinese Character Recognition Using X-Y Graphs Decomposition and Haar Wavelet*, Kuala Lumpuer: Proceedings of the IEEE International Conference on Signal and Image Processing Applications (ICSIPA2009).

Leontaris, A., Cosman, P.C. and Reibman, A.R. (2007), Quality evaluation of motion-compensated edge artifacts in compressed video, *IEEE Transactions on Image Processing*, Vol. 16, No. 4, pp. 943 – 956.

Li, Q. and Wang, Z. (2009), Reduced-reference image quality assessment using divisive normalization-based image representation, *IEEE Journal of Selected Topics in Signal Processing*, Vol. 3, No. 2, pp. 202 – 211.

Liang, Z., Steinberg, B.D. and Kesler, S.B. (Sept. 1989), An exact solution of the analytic equation of image quality from optimum quantization of microwave imaging data, *IEEE Transactions on Acoustics, Speech, and Signal Processing*, Vol. 37, Issue 9, pp. 1442 – 1445.

Lindley, D.V. (1947), Regression lines and the linear functional relationship, *J. Roy. Statist. Soc. Supplement*, Vol. 9, pp. 218 – 244.

Lindley, V. and El-Sayyad, G.M. (1968), The Bayesian estimation of a linear functional relationship, *J. Roy. Statist. Soc.*, Vol. 30, B, pp. 190 – 202.

Liu, H. and Ding, X. (2005), Handwritten character recognition using gradient feature and quadratic classifiers with multiple discrimination schemes, Seoul: *Proceedings of the 8th International Conference on Document Analysis and Recognition*, pp.19-23.

Liu C.L., Jaeger S. and Nakagawa M. (2004), Online recognition of Chinese characters: the-state-of-the art, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 26, No. 2, pp. 198 – 213.

Liu C.L. and Marukawa K. (2004), *Global shape normalization for handwritten Chinese character recognition: a new method*, Tokyo, Japan: Proceedings of the 9th International Workshop on Frontiers of Handwriting Recognition, pp. 300 – 305.

Liu C.L. and Marukawa K. (2005), Pseudo two-dimensional shape normalization methods for handwritten Chinese character recognition, *Pattern Recognition*, Vol. 38, No. 12, pp. 2242 – 2255.

Liu, C.L., Mine, R. and Koga, M. (2005), *Building compact classifier for large character set recognition using discriminative feature extraction*. Seoul, Korea: Proceedings of the 8[th] ICDAR, pp. 846-850.

Liu C.L., Sako H. and Fujisawa H. (2003), *Handwritten Chinese character recognition: alternatives to nonlinear normalization*, Edinburgh, Scotland: Proceedings of the 7[th] International Conference on Document Analysis and Recognition, pp. 524 – 528.

Liu, J.Z., Cham, W.K. and Chang, M.M.Y. (1996). Online Chinese character recognition using attributed relational graph matching. *IEE Proc. Vision Image Signal Processing*. Vol. 143, No, 2, pp. 125-131.

Loh, H.P. and Chang, Y.F. (May 2006), Still image assessment using modified structural similarity measurement, Shah Alam: *Proceedings of International Wireless and Telecommunications Symposium* (IWTS'06), pp. 248 – 251.

Long, T. and Jin, L.W. (2008), Building compact MQDF classifier for large character set recognition by subspace distribution sharing, *Pattern Recognition*, Vol. 41, No. 9, pp. 2916-2925.

Lu, L., Wang, Z. and Bovik, A.C. (Aug 2002), Full-reference video quality assessment considering structural distortion and no-reference quality evaluation of MPEG video, Switzerland: *IEEE International Conference on Multimedia and Expo*, Vol. 1, pp. 61 – 64.

Luo, H. (Oct 2004), A training-based no-reference image quality assessment algorithm, *Proceedings of International Conference on Image Processing* (ICIP '04), Vol. 5, pp. 2973 – 2976.

Madansky, A. (1959), The fitting of straight lines when both variables are subject to error, *J. Amer. Statist. Assoc.*, Vol. 62, pp. 819 – 841.

Maddala, G.S. (1983). *Limited-dependent and qualitative variables in econometrics*. United State: Cambridge University Press.

Malinvaud, E. (1966), *Statistical methods of econometrics*, (Translated by A. Silvey), Amsterdam: North Holland Publishing Co..

Mallat, S. (1998). A theory for multiresolution signal decomposition: the wavelet representation. *IEEE Transaction on Pattern Analysis and Machine Intelligence*. Vol. 11, No. 7, pp. 674 – 693.

Manjunath, B. and Ma, W. (1996), Texture feature for browsing and retrieval of image data. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 8, No. 18, pp. 837 – 842.

Marchant, J.A. (May 2002), Testing a measure of image quality for acquisition control, *Image and Vision Computing*, Vol. 20, Issue 7, pp. 449 – 458.

Martens, J.B. and Meesters, L. (Nov 1998), Image dissimilarity, *Signal Processing*, Vol. 70, Issue 3, pp. 155 – 176.

Mei, T., Hua, X.S., Zhu, C.Z., Zhou, H.Q. and Li, S. (2007), Home video visual quality assessment with spatiotemporal factors, *IEEE Transactions on Circuits and Systems for Video Technology*, Vol. 17, No. 6, pp. 699 – 706.

Menald, S. (2001). *Applied logistic regression analysis*, 2nd Edition. London: Sage.

Michalak, K and Kwasnicka, H. (2006), Correlation-based feature selection strategy in neural classification, *International Journal of Applied Mathematics and Computer Science*, Vol. 16, No. 4, pp. 503-511.

Miquelez T., Bengoetxea E. and Larranaga P. (2004), Evolutionary computation based on bayesian classifiers, *International Journal of Applied Mathematics and Computer Science*, Vol. 14, No. 3, pp. 335 – 349.

Mitra, S., Savvides, M. and Brockwell, A. (2007), Statistical performance evaluation of biometric authentication systems using random effects models, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 29, No. 4, pp. 517 – 530.

Montgomery, D.C. and Peck, E.A. (1992), *Introduction to linear regression analysis*, 2nd edition, New York: John Wiley & Sons.

Moran, P.A.P. (1971), Estimating functional and structural relationships, *Journal of Multivariate Analysis*, Vol. 1, pp. 232 – 255.

Morthy, A.K. and Bovik, A.C. (2009), Visual Importance pooling for image quality assessment, *IEEE Journal of Selected Topics in Signal Processing*, Vol. 3, No. 2, pp. 193 – 201.

Morton, R. (1981), Efficiency of estimating equations and the use of pivots, *Biometrika*, Vol. 68, pp. 227 – 233.

Ng, K.H. (Oct. 2006), Confidence intervals in linear regression models, Kuala Lumpur: *PhD Dissertation*, University of Malaya.

Nielsen, A.O., Laursen, S. and Mogensen, P. E. (1997), A preamble based diversity scheme for DECT using a new signal quality measure, *Proceedings of 47th IEEE Conference on Vehicular Technology*, Vol. 3, pp. 2017 – 2021.

Oelbaum, T., Keimel, C. and Diepold, K. (2009), Rule-based no-reference video quality evaluation using additionally coded videos, *IEEE Journal of Selected Topics in Signal Processing*, Vol. 3, No. 2, pp. 294 – 303.

Pal, N.R. and Bhandari, D. (1993), Image thresholding: some new techniques, *Signal Processing*, Vol. 33, pp. 139 – 158.

Pal, N.R. and Pal, S.K. (1989), Entropic thresholding, *Signal Processing*, Vol. 16, pp. 97 – 108.

Pearson, K. (1901), On lines and planes of closet fit to systems of points in space, *Philosophical Magazine*, Vol. 2, pp. 559 – 572.

Pérez-González, F. and Hernández, J.R. (1999), A tutorial on digital watermarking, Madrid, Spain: Proceedings of the 33rd IEEE Annual Carnahan Conference on Security Technology.

Piella, M. (2004), New quality measures for image fusion, http://citeseer.ist.psu.edu/695307.html.

Pooi, A.H. (2003), Effects on non-normality on confidence intervals in linear models, University of Malaya: *Technical Report*, No. 6/2003, 2003, pp. 1 – 15.

Pratt, W.K. (2001), *Digital image processing: PIKS inside*, 3rd edition, New York: John Wiley, Chapter 3, pp. 45 – 88.

Puttenstein, J.G., Heynderickx, I. and de Haan, G. (2004), Evaluation of objective quality measures for noise reduction in TV-systems, *Signal Processing: Image Communication*, vol. 19, pp. 109 – 119.

Puzicha, J., Hofmann, T. and Buhmann, J. (1997), Non-parametric similarity measures for unsupervised texture segmentation and image retrieval, *Proceedings of IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pp. 267 – 272.

Ramsay, J.O. and Silverman, B.W. (1997), *Functional data analysis*, Springer Series in Statistics, New York: Springer, Chapter 10.

Reiersol, O. (1945), Confluence analysis by means of instrumental sets of variables, *Ark. Mat. Astronomique Fysics*, Vol. 32, pp. 1 – 119.

Rijal, O.M., Noor, N.M. and Chang, Y.F. (2011), *Application of Correlation as a Measure of Performance*, Amman, Jordan: The 4th IEEE International Symposium on Inovation in Information and Communication Technology (ISIICT2011).

Ritter G.X. and Wilson J.N. (2001), *Handbook of computer vision algorithms in image algebra*, Florida, USA: CRC Press LLC, pp. 225 – 228.

Rix, A.W., Beerends, J.G., Kim, D.S., Kroon, P. and Ghitza, O. (2006), Objective assessment of speech and audio quality – technology and applications, *IEEE Transactions on Audio, Speech, and Language Processing*, Vol. 14, No. 6, pp. 1890 – 1901.

Robert, L.C.D.R., Ives, W., Eichel, P. and Magotra, N. (1999), A new SAR image compression quality metric, Midwest: *Symposium on 42nd Circuits and Systems*, Vol. 2, pp. 1143 – 1146.

Rogerio M. Kinape and Mardson F. Amorim (2003), A study of the most important image quality measures, *Proceedings of 25th Annual International Conference of the IEEE EMBS*, pp. 934 – 936.

Romero R., Berger R., Thibadeau R. and Touretsky D. (1995), *Neural network classifiers for optical Chinese character recognition*, Las Vegas, USA: Proceedings of the 4[th] Annual Symposium on Document Analysis and Information Retrieval, pp. 385 – 398.

Rubner, Y., Puzicha, J., Tomasi, C. and Buhmann, J. M. (2001), Empirical evaluation of dissimilarity measures for color and texture, *Journal of Computer Vision and Image Understanding*, Vol. 84, No. 1, pp. 25 – 43.

Russo, F. (May 2004), Automatic enhancement of noisy images using evaluation of image quality, *Proceedings of the 21st IEEE Instrumentation and Measurement Technology Conference*, IMTC 04, Vol. 1, pp. 621 – 626.

Saeed K. (2000), A projection approach for Arabic handwritten characters recognition. in Sincak P. and Vascak J., *Quo Vadis Computational Intelligence? New Trends and Applications in Computer Intelligence*, Berlin: Physica-Verlag, pp. 106 – 111.

Santani, S. and Jain, R. (1999), Similarity measures, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 29, No. 9, pp. 871 – 883.

Schiele, B. and Crowley, J. (1996), Object recognition using multidimensional receptive field histograms, *Proceedings of 4[th] European Conference on Computer Vision.*

Sheikh, H. R., Wang, Z., Bovik,A. C. and Cormack, L. K. (2005) "Image and video quality assessment research at LIVE,"
http://live.ece.utexas.edu/research/quality/.

Sheikh, H.R., Wong, Z., Cormack, L. and Bovik, A.C. (Nov 2002), Blind quality assessment for JPEG2000 compressed images, California: *36[th] Annual Asilomar Conference on Signals, Systems and Computers*, Vol. 2, pp. 1735 – 1739.

Shi, J., Samal, A. and Marx, D. (2006), *How effective are landmarks and their geometry for face recognition*, Computer Science and Engineering Department, University of Nebraska Lincoln, NL685880113, USA, pp.117-133.

Shimodaira H., Sudo T., Nakai M. and Sagayama S. (2003), *On-line overlaid-handwriting recognition based on substroke HMMs*, Edinburgh, Scotland: Proceedings of the 7[th] International Conference on Document Analysis and Recognition, Vol. 2, pp.1043.

Shioyama T., Wu H.Y. and Nojima T. (1998), *Recognition algorithm based on wavelet transform for handprinted Chinese characters*, Hong Kong, China: Proceedings of the 14[th] International Conference on Pattern Recognition, Vol. 1, pp. 229 – 232.

Song, C., Persson, H., Schilling, D., Cosman, P. and Berry, C. (1998), Human observer responses to progressively compressed images, Pacific Grove, California: *Proceedings of the 31st Asilomar Conference on Signals, Systems and Computers*, Vol. 1, pp. 657-661.

Sprawls, P. (1993), *The physical principles of medical imaging*, 2nd edition, Aspen Publication.

Sprent, P. (1966), A generalized least squares approach to linear functional relationships (with discussion), *J. Roy. Statist. Soc.*, B, Vol. 28, pp. 278 – 297.

Sprent, P. (1969), *Model in regression and related topics*, London: Methuen & Co. Ltd., pp. 29.

Sprent, P. (1990), Some history of functional and structural relationships, *Contemporary Mathematics*, Vol. 112, pp. 3-15.

Squire, D.M. (1998), Learning a similarity-based distance measure for image database organization from human partitionings of an image set, *Proceedings of 4th IEEE Workshop on Applications of Computer Vision*, pp. 88 – 93.

Steinberg, B.D. (1987), A theory of the effect of hard limiting and other distortion upon the quality of microwave images, *IEEE Transactions on Acoustic, Speech and Signal Processing*, Vol. 35, pp. 1462 – 1472.

Stevens, M.R. (2001), Evaluating 2D image comparison metrics for 3D scene interpretation, *Journal of Computer Vision and Image Understanding*, Vol. 84, Issue 1, pp. 179 – 197.

Stultz, K.F. and Zweig, H.J. (1959), Relation between Graininess and Granularity for Black-and-White Samples with Nonuniform Granularity Spectra, Journal of the Optical Society of America, Vol. 49, No.7, pp. 693 – 701.

Suzuki, M., Ohmachi, S., Kato, N., Aso, H. and Nemoto, Y. (1997), A discrimination method of similar characters using compound mahalanobis function, *IEICE Transactions on Information and Systems*, Vol. J80-D-II, No. 10, pp. 2752-2760.

Swiniarski R.W. (2001), Rough sets methods in feature reduction and classification, *International Journal of Applied Mathematics and Computer Science*, Vol. 11, No. 3, pp. 565 – 582.

Tan K. L. and Chang, Y. F. (May 2006), Colour image quality assessment based on canonical correlation, Shah Alam: *Proceedings of International Wireless and Telecommunications Symposium* (IWTS'06), pp. 230 – 233.

Takahashi, K., Yasuda, H. and Matsumoto, T. (1997). A fast HMM algorithm for on-line handwritten character recognition. Ulm, Germany: *Proceedings of the 4th International Conference on Document Analysis and Recognition.* pp. 369-375.

Toet, A. and Lucassen, M.P. (2003), A new universal colour image fidelity metric, *Displays*, Vol. 24, No. 4 – 5, pp. 197 – 207.

Trucco, E. and Verri, A. (1998), *Introductory techniques for 2-D computer vision*, New Jersey: Prentice Hall.

USC-SIPI Image Database, University of Southern California, http://sipi.usc.edu/database/database.php

Van der Weken, D.; Nachtegael, M. and Kerre, E.E. (Aug. 2002), Image quality evaluation, Beijing, China: *Proceedings of 6th International Conference on Signal Processing*, Vol. 1, pp. 711 – 714.

Vasconcelos, N., Lippman, A. (Sept. 2000), A unifying view of image similarity, *Proceedings of 15th International Conference on Pattern Recognition*, Vol. 1, pp. 38 – 41.

Vidal, X.R.F., Garcia, J.A. and Valdivia, J.F. (1998), A perceptual measure to predict the visual distinction between two color images, *Pattern Recognition Letters*, Vol. 19, Issue 12, pp. 1137 – 1152.

Voloshynovskiy, S., Pereira, S., Pun, T., Eggers, J.J. and Su, J.K. (August 2001), Attacks on digital watermarks: classification, estimation-based attacks, and benchmarks, IEEE Communication Magazine, pp. 2 – 10.

Wald, A. (1940), Fitting of straight lines if both variables are subject to error, *Ann. Math. Statist.*, Vol. 11, pp. 284 – 300.

Wang, A.H. and Chen, M.T. (2000), Effects of polarity and luminance contrast on visual performance and VDT display quality, *International Journal of Industrial Ergonomics*, Vol. 25, No. 4, pp. 415 – 421.

Wang, C. and Ma, K.L. (2008), A statistical approach to volume data quality assessment, *IEEE Transactions on Visualization and Computer Graphics*, Vol. 14, No. 3, pp. 590 – 602.

Wang, P., Ji, Q. and Wayman, J.L. (2007), Modeling and predicting face recognition system performance based on analysis of similarity scores, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 29, No. 4, pp. 665 – 670.

Wang, Z. and Bovik, A.C. (2002), A universal image quality index, *Signal Processing Letters*, Vol. 9, No. 3, pp. 81 – 84.

Wang, Z., Bovik, A.C. and Lu, L. (2002a), Why is image quality assessment so difficult?, Orlando, FL: *IEEE International Conference on Acoustics, Speech and Signal Processing*, Vol. 4, pp. 3313 – 3316.

Wang, Z., Bovik, A.C., Sheikh, H.R. and Simoncelli, E.P. (2004), Image quality assessment: from error visibility to structural similarity, *IEEE Transactions on Image Processing*, Vol. 13, No. 4, pp. 600 – 612.

Wang, Z., Sheikh, H.R. and Bovik, A.C. (Sept 2002c), No-reference perceptual quality assessment of JPEG compressed images, New York: *IEEE International Conference on Image Processing*, pp. 477 – 480.

Wang, Z. Lu, L. and Bovik, A.C. (2002b), Video quality assessment using structural distortion measurement, *Proceedings of International Conference on Image Processing*, Vol. 3, pp. III-65 – III-68.

Winkler, S. (2005), *Digital video quality: vision models and metrics*, West Sussux: John Wiley & Sons Ltd.

Wirandi, J., Chen, J. and Kulesza, W.J. (2009), An adaptive quality assessment system – aspect of human factor and measurement uncertainty, *IEEE Transactions on Instrumentation and Measurement*, Vol. 58, No. 1, pp. 68 – 75.

Wong, P.L., Lim, W.K. and Chang, Y.F. (2007), Face recognition using correlation matching method, Petaling Jaya: *Proceeding of MMU International Symposium on Information and Communication Technologies*, Vol. 1, pp. TS1D: 1 – 6.

Yang, K.C., Huang, A.M., Nguyen, T.Q., Guest, C.C. and Das, P.K. (2008), A new objective quality metric for frame interpolation used in video compression, *IEEE Transactions on Broadcasting*, Vol. 54, No. 3, pp. 680 – 690.

Yang, Z. (Oct 1998)**,** Image invariance, scaling features and image similarity, *Proceedings of International Conference on Image Processing* Vol. 1, pp. 843 – 846.

Yasnoff, W.A. and Bacus, J.W. (1984), Scene segmentation algorithm development using error measures, *AOCH*, Vol. 6, pp. 45 – 58.

Zhang, F. (1999), *Matrix theory: basic results and techniques*, New York: Springer.

Zhang, Y.J. (1996), A survey on evaluation methods for image segmentation, *Pattern Recognition*, Vol. 29, No. 8, pp. 1335 – 1346.

Zhang, N.F., Postek, M.T., Larrabee, R.D., Vladar, A.B., Keery, W.J. and Jones, S.N. (1999), Image sharpness measurement in scanning electron microscope – Part III, *Scanning*, Vol. 21, pp. 246 – 252.

Zheng J., Ding X. and Wu Y. (1997), *Recognizing on-line handwritten Chinese character via FARG matching*, Ulm, Germany: Proceedings of the 4[th] International Conference on Document Analysis and Recognition, Vol. 2, pp. 621-624.

Zhou, Y., Chen, D., Li, C., Li, X. and Feng, H. (2003), A practice of medical image quality evaluation, *Proceedings of International Conference on Neural Networks & Signal Processing*, Vol. 1, pp. 204 – 207.